



NIRB File No.: 13UN037
NPC File No.: 148311
NWB File No.: 3AM-GRA1624

August 3, 2016

Megan Lusty
Government of Nunavut-Community and Government Services
P.O. Box 490
Rankin Inlet, NU X0C 0G0

Sent via email: mlusty@gov.nu.ca

Re: Additional Information Required: Information Request #1 for Government of Nunavut-Community and Government Services' "Hamlet of Rankin Inlet Type 'A' Water Licence: Amendment 2 Application" Project Proposal

Dear Megan Lusty:

On June 19, 2016 the Nunavut Impact Review Board (NIRB or Board) received Government of Nunavut-Community and Government Services' (GN-CGS) "Hamlet of Rankin Inlet Type 'A' Water Licence: Amendment 2 Application" project proposal from the Nunavut Planning Commission (NPC or Commission) with an accompanying positive conformity determination with the Keewatin Regional Land Use Plan. Due to the proposal containing activities that were sufficiently related to previously assessed activities under NIRB file 13UN037, the NIRB assigned the amendment file to this previous file number - please reference this file number in all future related correspondence.

Following receipt of the project proposal, the NIRB undertook a preliminary completeness check and found that the proposal did not contain sufficient information for the NIRB to permit proper screening. Pursuant to subsection 144(1) of the *Nunavut Planning and Project Assessment Act* (NuPPAA), on June 30, 2016 the NIRB requested that additional information from the GN-CGS be provided to the Board. The NIRB followed up with the Proponent on numerous occasions via email (July 14, 2016 and July 28, 2016) requesting an update on when the additional information would be provided. To date, the Board has not received the requested information or notification regarding when the information will be made available. Please note that if the Proponent fails to submit the requested additional information, the Board may suspend or terminate the assessment activities of the proposed project pursuant to subsection 144(2) of the NuPPAA. Therefore, it is in GN-CGS's best interest to cure the identified information deficiencies in a timely manner.

The NIRB is again requesting submission of the information as enclosed and for the information to be provided by **August 10, 2016**. If GN-CGS determines that the time required to supply the required information is significantly greater than one (1) week, the Board requests written notification and an anticipated date for submission be provided as soon as possible.

Please submit all forthcoming project proposal information through the NIRB's online public registry at <http://www.nirb.ca>. For additional instructions regarding the new project application portal, please contact NIRB administration at info@nirb.ca or at 1-866-233-3033.

If you have any questions or require additional clarification, please contact the undersigned directly at (867) 983-4607 or at kbenoit@nirb.ca.

Sincerely,



Kristina Benoit
Technical Advisor II
Nunavut Impact Review Board

cc: Karén Kharatyan, Nunavut Water Board
Luis Manzo, Kivalliq Inuit Association
Ralph Ruediger, Government of Nunavut-Community and Government Services
Darren Flynn, Government of Nunavut-Community and Government Services

Enclosures (1): Information Request # 1 for the Government of Nunavut-Community and Government Services' "Hamlet of Rankin Inlet Type 'A' Water Licence: Amendment 2 Application" Project Proposal, June 30, 2016