

Hulilukaarutit

Hulilukaarutit

Inigiya	Hulilukaarut Qanurittuq	Nunanga Qanurittaakhaanik	Initurlinga qanuritpa	Initurlinga utuqqarnitat unaluuniit Ingilraaqnitat Uyarannuqtut akhuurninnga	Qanitqiyauyuq qanitqiamut nunallaat kitulluuniit ahiruqtaiiyainnit nuna
GRA-1 Nipissar Lake Water Supply	Sampling sites	Municipal	Location of Nipissar Lake Pumphouse and intake for the community water supply. Water is transported via underground pipeline to the Williamson Lake Pumphouse in Rankin Inlet for treatment and distribution.	No known archaeological/paleontological value.	With Hamlet of Rankin Inlet Municipal Boundaries.
GRA-6 Char River Water Pumped to Nipissar Lake	Sampling sites	Municipal	Current intake location for seasonal resupply pipeline.	No known archaeological/paleontological value.	With Hamlet of Rankin Inlet Municipal Boundaries.
GRA-7 Lower Landing Lake (approximate proposed pumping location)	Sampling sites	Municipal	Proposed intake location and extension of seasonal intake. Lower Landing Lake feeds Char River.	No known archaeological/paleontological value.	With Hamlet of Rankin Inlet Municipal Boundaries.
GRA-3 Sewage Treatment Facility	Waste disposal	Municipal	Sewage Treatment Facility - samples are collected from within the building before effluent discharge to Prairie Bay, Hudson Bay.	No known archaeological/paleontological value.	Within Hamlet of Rankin Inlet Municipal Boundaries.

Nunaliin Ilauyun, Aviktuqhimayuniitunullu Ikayuuhiarunguyun

Nunauyuq	Atia	Timiuyuq	Upluani Uqaqatigiyaungmata
Kangirliniq	Megan Lusty	Hamlet Council - update on current water volumes in Nipissar Lake and intention to move intake to Lower Landing Lake, pending regulatory approvals.	2017-01-30

Angiuttauvaktunik

Naunaiqlugu nunanga talvani havauhikhaq ittuq

Kivalliq

Angiuttauvaktunik

Munariniqmut Ayuittiaqtuq	Angirutinga Qanurittuq	Tadja Qanurittaakhaanik	Ublua Tuniyauyuq/Uuktuqtuq	Umikvikhaa Ublua
Nunavut Imaligiyyit Katimayit	Type 'A' Water Licence 3AM- GRA1624	Active	2016-05-02	2024-05-01
Alaanut	Nunavut Planning Commission - NPC File #148311, 3AM- GRA1624 GN-CGS Rankin Inlet Water Licence Amendment. Project proposal conforms to the KRLUP. NPC determined significant modification to the project and screening is required by the NIRB.	Active	2016-06-19	
Alaanut	NIRB Screening Decision Report, File #13UN037. Screening decision for the GN-CGS "Hamlet of Rankin Inlet: Amendment Application - Seasonal Replenishment of Nipissar Lake".	Active	2014-06-26	
Alaanut	NIRB Exempt from screening, File #13UN037. Application Exempt from the Requirement for Screening pursuant to Section 12.4.3 of the NLCA: GN-CGS "Hamlet of Rankin Inlet: Amendment Application - Seasonal Replenishment of Nipissar Lake".	Active	2015-05-27	

Piiqtauniq																							
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(P = Nakuuyuq, N = Nakuungittut unalu mikhilimaittuq, M = Nakuungittut unalu mikhittaaqtuq, U = Naluyayuq)

Project Map

