Nunavut Impact Review Board, 29 Mitik Street, P.O. Box 1360, Cambridge Bay, NU X0B 0C0

ᖃᐅᔨᓴᖅᑕᐅᓂᕐᒧᑦ ᑐᓴᖅᑎᑦᓯᔪᑦ
ᐃᓄᐃᑦ ᐃᓱᒪᒋᔭᒥᖕᓂᒃ ᐅᖃᕈᖕᓇᖁᑉᓗᒋᑦ

NIRB File No.: 13UN037

ᐱᓕᕆᐊᖑᔪᑉ ᐊᑎᖓ: The “3AM-GRA1624 GN-CGS Rankin Inlet Water Licence Amendment” project

ᓇᖕᒥᓂᖃᖅᑐᑉ ᐊᑎᖓ: Government of Nunavut – Community and Government Services

ᐱᓕᕆᐊᖑᔪᖅ: Other ᐊᕕᒃᓯᒪᓂᖓ: Kivalliq

ᐊᕙᑎᓕᕆᔨᒃᑯᑦ ᖃᕆᑕᐅᔭᖓᓐᓂ: www.nirb.ca Application No.: 124677

ᐅᖃᐅᓯᒃᓴᓄᑦ ᐃᓱᓕᑉᕕᒃ: October 18, 2017

ᐱᓕᕆᐊᖑᓂᐊᖅᑐᖅ:

ᐱᓕᕆᐊᖑᓂᐊᖅᑐᖅ “3AM-GRA 1624 GN-CGS Rankin Inlet Water Licence Amendment – Lower Landing Lake” ᐊᕕᒃᓯᒪᓂᖓᓂ ᓄᓇᓕᐅᑉ ᓇᓂᔭᐅᔪᖕᓇᖅᑐᖅ ᐅᕙᓐᓂ Kivalliq ᐅᖓᓯᖕᓂᖃᕐᖢᓂ four ᑭᓚᒦᑐᔅ northwest ᓄᓇᓕᖕᒥᑦ Rankin Inlet. ᓇᖕᒥᓂᖃᖅᑐᖅ ᐱᓕᕆᐊᖃᐳᐊᖅᐳᖅ ᐅᑯᓂᖓ relocate the existing water pump and water pipeline from Char River approximately 200 meters northwest to Lower Landing Lake. ᐱᓕᕆᐊᖑᓂᐊᖅᑐᖅ ᐊᑯᓂᐅᑎᒋᓂᐊᖅᐳᖅ ᐅᕙᖓᑦ May ᐃᓱᓕᑉᕕᖃᕐᓗᓂ July 2018. ᐱᓕᕆᐊᖑᓂᐊᖅᑐᖅ ᓇᓗᓇᐃᖅᑕᐅᓯᒪᔪᖅ ᓄᓇᕘᒥ ᐊᕙᑎᓕᕆᔨᑯᓐᓂᑦ ᐅᑯᓂᖓ ᐱᓕᕆᐊᖃᕐᓂᐊᕐᓗᓂ:
• Construction of an access road to Lower Landing
Lake and pad using approximately 1,050 cubic
meters of granular fill sourced from existing
aggregate sources.
• Pad approximately 12 m by 15 m at the end of the
new access road at Lower Landing Lake.

• Extending existing water pipeline approximately 200
meters to the new pump location at Lower Landing
Lake.

• Relocation of current seasonal floating water inlet
from Char River to Lower Landing Lake.

ᐊᕙᑎᓕᕆᔨᒃᑯᑦ ᖃᕆᑕᐅᔭᒃᑯᑦ ᖃᐅᔨᒪᔪᑎᖓᑦ ᑕᑯᔪᖕᓇᕐᓂᐊᖅᐸᓯ ᑎᑎᖃᖃᕐᖢᓂ NIRB File No.: 13UN037 ᐱᓕᕆᐊᖑᓂᐊᖅᑐᑦ ᐃᓗᓕᖏᓐᓂᒃ, ᓄᓇᖑᐊᕐᓂᒃ, ᐃᓄᖕᓂᓪᓗ ᐅᖃᕐᕕᒃᓴᒥᒃ ᑎᑎᕋᕐᕕᒃᓴᖃᕐᖢᓂ.
ᐅᖃᐅᓯᒃᓴᓂᒃ ᑐᒃᓯᕋᐅᑦ
ᐃᓚᐅᖃᑕᐅᖁᔭᐅᒐᓗᐊᖅᐳᑎᑦ ᐅᖃᐅᓯᒃᓴᖃᕐᓗᑎᑦ ᐊᕙᑎᓕᕆᔨᒃᑯᓐᓄᑦ ᐱᓕᕆᐊᖑᓂᐊᖅᑐᒧᑦ ᖃᓄᖅ ᐃᓱᒪᖕᒪᖔᖅᐲᑦ ᐅᑯᓂᖓ:

• ᐃᓄᖕᓄᑦ ᐃᓱᒫᓗᒋᔭᒃᓴᓂᒃ ᐱᑕᖃᕐᒪᖔᑦ, ᐱᑕᖃᕐᓂᖅᐸᓪᓗ ᓱᓇᐅᖕᒪᖔᑖ;
• ᓄᓇᒧᑦ ᐊᕙᑎᑉᑎᖕᓄᓪᓗ ᐃᓅᓯᕐᒧᑦ ᐱᕙᓪᓕᐊᓂᕐᒧᓪᓗ ᐊᒃᑐᐃᓇᔭᕐᓂᖅᐸᑦ, ᓱᓇᐅᖕᒪᖔᑖᓘ;
• ᓂᕐᔪᑎᓂᒃ ᐱᓱᒡᕕᖏᓐᓂᒡᓗ ᐊᖑᓇᓱᖕᓂᕐᒥᒡᓗ ᐊᒃᑐᐃᓇᔭᕐᒪᖔᑦ, ᐊᒃᑐᐃᓇᔭᕐᓂᖅᐸᑦ, ᓱᓇᐅᖕᒪᖔᑖ;
• ᐊᒃᑐᐃᓇᔭᕐᓂᖏᑦ ᓱᓇᐅᓇᔭᕐᒪᖔᑖ ᖃᓄᕐᓗ ᒥᐊᓂᕆᔭᐅᔪᖕᓇᕐᒪᖔᑦ ᐊᒃᑐᐃᑕᐃᓕᓗᓐᓂ ᐊᒻᒪ ᖃᓄᖅ
ᐱᓕᕆᐊᖑᔪᖕᓇᕐᒪᖔᑖ.

ᑎᒥᐅᔪᑦ ᐃᓚᐅᖃᑕᐅᖁᔭᐅᕗᑦ ᐊᒃᑐᐃᑕᐃᓕᔪᑎᒃᓴᓂᒃ ᖃᐅᔨᒪᓐᓂᖅᐸᑕ ᓇᓗᓇᐃᖅᓯᖁᔭᐅᑉᓗᑎᒃ, ᐊᑐᕐᓂᖃᖅᑐᓪᓗ ᐅᖃᐅᓯᕆᓗᒋᑦ ᐱᓕᕆᐊᖑᓂᐊᖅᑐᒥᑦ ᓄᓇᕘᒥ ᐊᕙᑎᓕᕆᔨᒃᑯᓐᓄᑦ.

ᑐᓴᖅᑎᑕᐅᓇᔭᖅᑐᑦ

ᓄᓇᕗᒻᒥ ᐊᕙᑎᓕᕆᔨᒃᑯᑦ ᑲᑎᒪᔨᖏᑦ ᒫᓐᓇᕋᑖᖅ ᓴᖅᑭᑎᑦᑎᓯᒪᔪᑦ ᓄᑖᙳᕆᐊᖅᑐᒥ ᖃᕋᓴᐅᔭᑎᒍᑦ ᐃᓄᓕᒫᓄᑦ ᐊᑎᓕᐅᖅᑕᐅᕕᖕᒥᑦ, ᐊᒻᒪᓗ ᐃᓚᐅᖃᑕᐅᔪᑦ ᐊᑐᐃᓐᓇᖃᕈᓐᓇᖅᓯᕗᑦ ᐱᓕᕆᐊᒃᓴᐅᔪᓂ ᐅᖃᐅᓯᒃᓴᓂ ᐊᒻᒪᓗᑦᑕᐅᖅ ᑐᓂᓯᓗᑎᒃ ᐅᖃᐅᓯᒃᓴᒥᓂᑦ

ᑕᐃᑯᖓᓪᓚᕆᒃ ᓄᓇᕗᒻᒥ ᐊᕙᑎᓕᕆᔨᒃᑯᑦ ᑲᑎᒪᔨᖏᓐᓄᑦ ᐅᕘᓇ http://www.nirb.ca. ᐅᖃᐅᓯᒃᓴᓕᐅᕈᓐᓇᖅᐳᓯ ᑕᐃᑯᖓᓪᓚᕆᒃ ᓄᓇᕗᒻᒥ ᐊᕙᑎᓕᕆᔨᒃᑯᑦ ᑲᑎᒪᔨᖏᓐᓄᑦ ᖃᕋᓴᐅᔭᑎᑦ ᑎᑎᕋᕐᕕᒃᓴᐅᔪᒧᑦ ᐅᕗᖓ info@nirb.ca. ᐅᕝᕙᓘᓐᓃᑦ ᓱᒃᑲᔪᒃᑯᑦ ᐅᕗᖓ
(867) 983-2594−ᒧᑦ.
ᐊᐱᖁᓯᒃᓴᖃᕐᓂᕈᕕᑦ ᑐᑭᓯᑲᓂᕈᐊᕐᓂᕈᕕᓪᓗ ᐱᓕᕆᐊᖑᓂᐊᖅᑐᒥᒃ ᐅᕙᓘᕙ ᐊᕙᑎᓕᕆᔨᒃᑯᑦ ᖃᐅᔨᓴᕐᓂᖓᓐᓂᒃ, ᑐᓴᖅᑎᑦᓯᓂᐊᖅᐳᑎᑦ ᐆᒥᖓ Keith Morrison, Technical Advisor II ᐅᖃᓘᑖᑦ ᐊᑭᖃᖏᑐᖅ 1-866-233-3033 ᖃᕆᑕᐅᔭᒃᑯᓗ ᑐᕉᕋᑎᖓᑦ kmorris@nirb.ca.