

## Carbon Copy Environmental System

---

**From:** Lusty, Megan <MLusty@GOV.NU.CA>  
**Sent:** September-27-17 3:03 PM  
**To:** 'Keith Morrison'  
**Cc:** ccems@nirb.ca  
**Subject:** RE: NIRB 13UN037: One last piece of information on Rankin Inlet water line extension needed

Hi Keith,

GN-CGS is prepared to carry out the work for the access road, pipeline extension, and seacan relocation as soon as regulatory approvals are given. We anticipate the work of laying the pipeline and relocating the seacan to take place late May 2018. As with the original pipeline project, work will be carried out when the ground is frozen to minimize potential damage to the tundra. The access road work will need to wait until the snow melts – anticipating early June 2018. All work should take approximately 2 weeks. Culverts will be installed as needed.

Please let me know if further details are required.

Thanks,

Megan

---

**From:** Keith Morrison [<mailto:kmorrison@nirb.ca>]  
**Sent:** September-26-17 2:59 PM  
**To:** Lusty, Megan  
**Cc:** [ccems@nirb.ca](mailto:ccems@nirb.ca)  
**Subject:** RE: NIRB 13UN037: One last piece of information on Rankin Inlet water line extension needed

**From:** Keith Morrison [<mailto:kmorrison@nirb.ca>]  
**Sent:** September-14-17 1:29 PM  
**To:** 'MLusty@GOV.NU.CA'  
**Cc:** [info@nirb.ca](mailto:info@nirb.ca)  
**Subject:** NIRB 13UN037: One last piece of information on Rankin Inlet water line extends  
Hello, Megan. Once again, I have sufficient information to commence screening of the extension of the water line from Char River to Lower Landing Lake (file 13UN037) except for one thing: I need to know, approximately, when this work is anticipated to be carried out. Without knowing when it is proposed to take place, I cannot complete the screening of this file.

—  
Keith Morrison  
Technical Advisor II  
Nunavut Impact Review Board