ᓄᓇᕗᒻ ᐊᐢᑎᓂᓱᓴᖅᓯᓪ ᑲᑎᒪᔨᖏᑦᑎᐹᓪ ᑐᓴᖅᑐᑦ ᖃᒥᖅᑭᓴᖅᓴᖅ #125654

Measuring Glacier and Snow Changes in Grise Fiord

ᑐᖅᓯᖅᑐᑕᐅᔪᖅ ᖅᑲᓇᐃᑦᑐᓕᖅ:	New
ᐱᓂᓱᐊᓱᕆᐅᔪᒪᔪᑦ ᖅᑲᓇᐃᑦᑐᓕᖅ:	Scientific Research
ᐅᑦᓗᖏᒃ ᑐᖅᓯᖅᑐᑎᓂᐊᓂᐅᑦ:	2/4/2022 10:41:51 AM
Period of operation:	from 0001-01-01 to 0001-01-01
ᖃᔪᓯᖃᐃᔨᐅᓂᐊᖏᓯᕆᔨᐅᔪᑦ:	from 0001-01-01 to 0001-01-01
ᐱᓂᓱᐊᖏᑭᒋᒪᔪᖅ:	Halle, Danielle University of Waterloo 355 MacKay St., Ottawa ON K1M 2B7 Canada ᐅᖏᑲᓕᐅᑎᑦ: 3434634637, ᓯᖃᔪᓄᑦ:

ᑐᓴᐅᒪᓗᑦ

ᖃᓄᐃᑦᑐᑎᓂᓗ ᐱᓕᕆᔨᖃᑎᖃᕆᔨᒃᑯᓂᓗ

ᖃᓄᖅᓯᐅᑎᑐᑦ: Danielle Hallé, a PhD student, from the University of Waterloo, is proposing a project to quantify the amount of water melting from the local snowpack and glaciers that contribute to the local river in the community of Grise Fiord, Nunavut. Motivation for this work comes from the inherent connection of glaciers and local nearby communities that will be affected by fluctuations of future warmings and associated glacier meltwater flowing through them. Previous studies of impacts on increasing glacier meltwater in a high Arctic community have been undertaken in the town of Qaanaaq in Greenland, where landslides have been triggered from increasing precipitation and runoff from Qaanaaq Ice Cap, which has results in blocked access to the local airport for an extended period. Qaanaaq is located at a similar latitude to Grise Fiord yet does not have any studies on the impacts of a warming climate on the local communities' glaciers and snowpack, this demonstrates the need for local studies of community impacts from a warming climate and increased glacial meltwater. Currently, the community of Grise Fiord does not rely on the glacier for a source of potable water, rather it is from the snowpack that accumulates in the nearby gullies and the meltwater from the annual snowpack that is stored in water tanks for use throughout the year. However, in low snow years or when infrastructure breaks down then a shortage in potable water occurs. Therefore, assessing the quantity and variations of the runoff from the partially glaciated watershed would help to inform the community of whether it is reasonable to install infrastructure to extract drinking water infrastructure for the glacier and snow meltwater.The Grise Fiord watershed is 39km2 in area and consists of four different glaciers ranging from 0.12km2 to 5.69 km2 in total area. The glaciers are the ideal size for using smaller uncrewed aerial vehicle (UAV) for surveys to conduct analysis at finer scales. The UAV will be used for creating snow depth products for monitoring snow cover. Some challenges for mapping snow depth with an UAV includes time constraints, inaccessible steep field sites and weather conditions. These challenges are considerations that are integrated into the method of conducting fieldwork and can be overcome through spending longer periods in the field to ensure weather windows for conducting UAV fieldwork and repeat visits. The products developed from drone photography, snow depth measurements, and weather station measurements will be essential for accurately modelling the watershed for current and future melt processes. The proposed work is expected to take place in the late summer (August to September) on an annual basis for the next two years.[Expected Outcomes] The outcomes of this research project will be a comprehensive assessment of the past and future changes within the watershed of Grise Fiord. This is significant for quantifying impacts of climate change at the watershed scale and for determining feasibility of the glacier and snow melt to provide a secondary source of potable water for the Inuit community of Grise Fiord

ᐅᐃᐦᐃᑎᑐᑦ: Danielle Hallé, étudiante au doctorat à l'Université de Waterloo, propose un projet visant à quantifier la quantité d'eau qui fond du manteau neigeux local et des glaciers qui contribuent à la rivière locale dans la communauté de Grise Fiord, au Nunavut. La motivation pour ce travail vient de la connexion inhérente des glaciers et des communautés locales voisines qui seront affectées par les fluctuations des futurs réchauffements et les eaux de fonte des glaciers qui les traversent. Des études antérieures des impacts sur l'augmentation de l'eau de fonte des glaciers dans une communauté de l'Extrême-Arctique ont été entreprises dans la ville de Qaanaaq au Groenland, où des glissements de terrain ont été déclenchés par l'augmentation des précipitations et du ruissellement de la calotte glaciaire de Qaanaaq, ce qui a bloqué l'accès à l'aéroport local pour une période prolongée. Qaanaaq est situé à une latitude similaire à Grise Fiord mais ils n'existent pas d'études sur les impacts d'un réchauffement climatique sur les glaciers et le manteau neigeux des communautés locales, cela

démontre la nécessité d'études locales des impacts communautaires d'un réchauffement climatique et d'une augmentation de l'eau de fonte des glaciers.Actuellement, la communauté de Grise Fiord ne dépend pas du glacier comme source d'eau potable, mais plutôt de l'accumulation de neige qui s'accumule dans les ravines voisines et de l'eau de fonte de l'accumulation de neige annuelle qui est stockée dans des réservoirs d'eau pour une utilisation tout au long de l'année. Cependant, les années où la neige est faible ou lorsque les infrastructures tombent en panne, une pénurie d'eau potable est fort probable. Ainsi, l'évaluation de la quantité et des variations du ruissellement du bassin versant partiellement glaciaire aiderait à informer la communauté de la pertinence d'installer des infrastructures d'extraction d'eau potable pour le glacier et l'eau de fonte des neiges.Le bassin versant de Grise Fiord a une superficie de 39 km2 et se compose de quatre glaciers différents dont la superficie totale varie de 0,12 km2 à 5,69 km2. Les glaciers ont la taille idéale pour l'utilisation de véhicules aériens sans équipage (UAV - drone) plus petits pour les relevés afin d'effectuer des analyses à des échelles plus fines. Le drone sera utilisé pour créer des produits d'épaisseur de neige pour surveiller la couverture de neige. Certains défis pour cartographier la profondeur de la neige avec un UAV incluent les contraintes de temps, les sites de terrain escarpés inaccessibles et les conditions météorologiques. Ces défis sont des considérations qui sont intégrées dans la méthode de conduite du travail sur le terrain et peuvent être surmontées en passant de plus longues périodes sur le terrain pour garantir des fenêtres météorologiques pour effectuer le travail sur le terrain des UAV et des visites répétées. Les produits développés à partir de la photographie par drone, des mesures de l'épaisseur de la neige et des mesures des stations météorologiques seront essentiels pour modéliser avec précision le bassin versant pour les processus de fonte actuels et futurs. Les travaux proposés devraient avoir lieu à la fin de l'été (d'août à septembre) sur une base annuelle pendant les deux prochaines années.[Résultats attendus] Les résultats de ce projet de recherche seront une évaluation complète des changements passés et futurs dans le bassin versant de Grise Fiord. Ceci est important pour quantifier les impacts du changement climatique à l'échelle du bassin versant et pour déterminer la faisabilité de la fonte des glaciers et des neiges pour fournir une source secondaire d'eau potable à la communauté inuite de Grise Fiord.

Δ೨ᵇՈጋᶜ: ጋʕιιᓇኦ%ι ርԼጋԼ ጋᵇᓭʕᐅበበᐅ೭ʷᵇ ∧ᓪᓇ∢ᵇϟʕᵇ%ᑭԼᓂʷᒧᶜ ʷᵇᐅᑦϟᑭԼᓂᵇძᶜ ∢>በᐅᑦ ∢ᐅᑦᕀᓪᓪ∢ᓂ%ιᓂᶜ ᓂᓪᓇ%ιᓰᵒᓂ ∢ᐅ೭Δᶜጋᓂᓪᔭ ʷᵇᓂՈᒥ ΔᑊԼՈʷᵇᶜʕᑦԼ%ιᶜ ᓂᓪᓇᵒᓬᶜጋʷᵇ ძ%ι. ∧ᓪᓇᒧԼᓂʷᵇ%ᵇጋᶜ ∧ᑊϟՈՒᓪᓇᒧ ∢ᶜጋ∢ᓂʷᵇ%ᵇՐᑦ ∢ᐅ೭ΔᶜጋΔᶜ ʷᵇᓂՐᑦ%ᵒᓂ ᓂᓪᓇᵒᓂᵒ ∢ᶜጋʷᵇ∢ᐅᓂʷᵇ%ᵇᑦᓂ∢ᑦԼᑕ ᐅʷᵇძᒧᵇʕᶜʕᑦ%ιᓂᶜ ∢ᐅᐸᓪᓪ∢ᓂՈᵇᒧᓂ∢ᑦԼᑕ ΔᑊԼᑦᵇʕᶜʕᓂՈᶜ ძ%Րᶜ. ʷᵇᐅᑦϟՐՈᐅᒧԼϟᶜ ∢ᶜጋʷᵇ∢ᐅᒧԼᓂᑦᒧᶜ ∢ᐅᐸᓪᓪ∢ᓂ%ιՐᑕ ∢ᐅ೭ΔᶜጋΔᶜ ʷძᵇᒧᵇጋᓂ ᐅᑭᐅʷᵇᑕʷᵇጋᒥ ᓂᓪᓇᓪᓂ ʷᵇᐅᑦϟʕᓂʷᵇᑕʷᵇᵇᒧԼϟᑦ ᓂᓪᓇ%ιᵒᓂ ʷᵇ%ᓭᑦ ∢ძᑭᶜጋΔᓂ, ᓂᓪᓇΔᶜ ᒧጋᓪᑭᵇᶜʕᑕᵇᒧᓪᔭᓂᶜ ᒧᓪᓪΔᵒᓪᓂʷᵇϟᐅᵇᶜʕᑕʷᵇ%ιᓂᶜ ∢ᐅᐸᓪᓪ∢ᓂʷᵇՐᵒᓂᓪ ʷᵇ%ᓭᑦ ∢ᐅ೭ΔᶜጋᓂՖ, ∢ᑦძՈᶜ ძᒧᔭᐅᑦᵇᶜʕᑕᵇᒧᓪᔭᓂᶜ ᒥᶜʕᑦ%ᓪ∢ᓇ∢ᒧᒧᶜ. ʷᵇ%ᓭᑦ ʷძᵇᒧᵒᓂ%ιᓂ ᐅᑭᐅʷᵇᑕʷᵇጋᒥ ᓭᓪᒧᒥᐸᓪᓪᑕ%ι ∢ᐅᒧΔᶜጋ೭ᓂ ᑭᒧᓂ ʷᵇᑕᵇᒧᓂᵒᓂ ᒧᓪᓪΔᵒᓪᓂʷᵇϟᐅᵇᶜʕᑕʷᵇ%ιᓂᶜ ᒧᓪᓪ%ιᵒᓂ ʷᵇ%ᓭᑦ ∢ძᑭᶜጋΔᓂ, ᓂᓪᓇᵒᓬᶜጋᓂᶜ ᒧᓪᓪᵒᓂᓪᔭᓂᶜ ∢ᐅᐸᓪᓪ∢ᓂᑦᒧᶜ ᓂᓪᓇᵒᓬᶜጋᓂᶜ ᒧᓪᓪᵒᓂᓪᔭᓂᶜ ∢ᐅᐸᓪᓪ∢ᓂʷᵇՐᵒᓂᓪᔭᓂᶜ ᒧᓪᓪᵒᓂᓪᔭᓂᶜ ∢ᐅᐸᓪᓪ∢ᓂ%ι

ᐱᓇᐃᓗᐊᓂᕐᓂᖅᓴᐅᔪᓐᓇᖅᑐᑦ ᓂᓪᓕᐅᕕᒃ ᐃᓂᒪᑎᓗᔪ ᐃᓂᓪᔪᓐᓇᔭᓗᑎᑦ ᖃᐅᖅᑕᖅᑎᑕᕐᓂᐊᖅ ᐅᐸᑕᐅᖃᖅᑕᐅᓕᖅᑕᐅᓂᖅᓗᓂ. ᐱᓕᓪᓚᐃᑎᑦ ᐱᓕᓪᓚᐊᖅᔪᓂᒪᓚᑦ ᖃᐅᖅᑕᖅᑎᑕᕐᓂᐊᖅᑕᑦ ᐊᐠᓵᓕᐊᒥᓱᑦ, ᐊᐳᑎᐅᑦ ᐃᑎᓂᖅ, ᓂᓕᓕᓪᓴᓐᓗ ᖃᐅᐅᓴᑭᑎᒥᓂᖅᑎᑦ ᐱᒪᓚᓪᐅᓂᐊᖅᑐᑦ ᓇᓕᐅᕆᓴᑭᐅᓗᑎᑦ ᐃᒪᖃᖅᓂᐅᑦᓴᖅᑐᓂᖅ ᒧᓐᓇᐅᓂᐊᖅᑐᖅ ᐊᐅᖅᓂᐊᖅᑐᓗᑎᑦ ᓂᐳᓂᖅᑎᑕᕐᓂᐊᖅᑐᓇᑦ. [ᓂᓪᐅᐅᑎᓴᐅᓚᑦ ᓴᖅᑭᖅᓂᐊᖅᓂᕐᑎᑦ] ᓴᖅᑭᑎᑕᐅᓂᐊᖅᑐᑦ ᑕᒪᑐᒥᖅ ᖃᐅᐅᔪᓴᓂᐅᔪᒥ ᐃᓗᓕᖅᑐᓪᓚᖅᓂᐊᖅᑐᖅ ᖃᐅᐅᔪᓴᓂᒥᑦ ᑭᖑᓂᖅᑎᖅᓂ ᓂᐳᓂᖅᑎᑎᓪᓂᓗ ᐊᓂᔪᑕᓂᐅᔪᓂᖅ ᐃᒪᖃᖅᓂᖅᓴᓇᑦ ᓄᓇᕆᖅᑕ ᐊᐅᓚᐃᑦᑐᔪ. ᑕᒪᓐᓇ ᐱᒪᓚᐅᔪᖅ ᑐᑭᓯᑕᐅᓗᓂᓇ ᐃᒪᖃᖅᓂᖅ ᑐᑭᓯᑕᐅᓗᓂᓇᑦᑐᖅᑕᐅᓗᓂᓇ ᐱᑕᖃᖅᖃᓐᓂᕐᓗᓂᓇ ᐃᒥᖅᑕᐱᖅᖃᓐᓂᕐᓗᓂᓇ ᐃᒥᖅᑕᐱᖅᓯᒪᓕᖅᑐᖅ ᐃᓄᐃᑦᑐᖅᑕᐅᓗᓂᓇ ᐱᑕᖃᖅᖃᓐᓂᕐᓗᓂᓇ ᐃᒥᖅᑕᐱᖅᓯᒪᓕᖅᑐᖅ

ᐱᓪᓇᐊᓇᔨᐅᓂᐊᖅᑐᑦ

ᓇᒥ	ᖃᓄᐃᑦᑐᒥᑦ ᐱᓪᓇᐊᖃᓂᐊᖅᐸ	ᑭᓱᑦ ᓄᓇᖁᑦᑕᓂ	ᑐᕆᐅᒪᔨᓱᕆᑦ ᓄᓇᐅᑦ ᐊᑐᓱᐅᓪᒥᐅᖅᓭᒪᔭᓇᐊᖅᓯᓂᓂᓱ	ᐃᑦᕆᑦᓂᑕᖃᖅᑐᐃᐅᓪᒪᐅᖅᐸ ᐃᓄᖅᓄᑦ ᓇᔨᖅᑕᐅᖃᖅᑕᑦᓂᑦᓂᔪᓪᒪᓇᖅ ᑕᐃᑦᓭᒪᓂᑐᖃᐅᓪᒥᖅ	ᖃᓄᖅᓂᓂᖅᐸᖅ ᓄᓇᓪᑭᐅᔨᐅᔪᖅ ᐊᒡᒪᓗ ᕿᑐᒃᑭᓭᐃᐅᓪᓗ ᓭᓄᓇᑦ
Grise Fiord Watershed	Researching	Crown	N/A	N/A	500 metres to Grise Fiord.

ᓄᓇᓪᐅᑦ ᐃᓪᐅᐅᖃᑕᐅᓂᖅᓱᒃ ᓄᓇᓵᓪᓗ ᐊᐃᒃᑐᓭᓪᒪᐅᑦᓂᖅᓱᓄᑦ ᐃᑲᔪᑕᐅᔪᓵᓇᖅᑐᑦ

ᓄᓇᓪᑭᔨᖅ	ᐊᑎᑦ	ᑲᑐᔨᐅᖃᖅᑎᑎᑭᔨᖅ	ᖃᓄᖅᑎᑕᐅᓪᓇᐊᖅᑭᓂᒃ
ᐊᐅᓪᐃᑦᑐᖅ	Meeka Kiguktak	Mayor of Grise Fiord	2021-11-16
ᐊᐅᓪᐃᑦᑐᖅ	Jimmy Qaapik	Arctic College	2021-10-11

ᓕᐃᓴᓐᓂᑦ ᐱᒍᖏᓐᓄᐅᑎ ᐊᖏᕐᕋᑕᐅᓂᒪᓴᑦ

ᓇᒃᑎᐊᖏᓐᓂᒃ ᐱᓕᓇᐊᓇᕐᓂᕆᐅᓂᐊᖅᑐᑦ ᑎᑎᕐᓂᑎᑦ:

North Baffin

ᓕᐃᓴᓐᓂᑦ ᐱᒍᖏᓐᓄᐅᑎ ᐊᖏᕐᕋᑕᐅᓂᒪᓴᑦ

ᑲᓐᒪᑎᒃᐅᔨᑦ ᐊᐃᒃᑐᖅᓯᒪᐅᕐᓂᖏᓐᓂ ᒪᓕᑲᕐᓄᖏᓐᓂᒃ ᐱᕐᔪᒃᓄᖏᓐᓂᒃᓗ ᑲᒪᒋᑦ ᐱᓴᓇᓐᓂᖏᓐᓂᒃ ᓕᐃᓴᓐᓂᓕᓄᑦ ᑲᓇᓂᒃᐃᐃᑦ	ᖃᓄᐃᑦᑐᓕᕆᐅᒡᒎᑦ ᓕᐃᓴᓐᓂᓂᑕᕐᑕᐅᔨᖅ ᐱᔨᖏᓐᓄᐅᑎᑕᐅᔨᖅ ᐊᖏᕐᕋᑕᐅᔨᕐᓄᑦᓯᓂᑦ	ᐃᓐᓇ ᖃᓄᐃᓕᓐᓂᖏᓐ	ᐅᑦᓗᒥ ᑐᓂᖅ/ ᑐᓂᖅᑐᑕᐅᓕᐅᖅᓂᒪᓕᔨᖅ	ᑭᓪᓕᖃᕐᐸᓐᓂ
ᐊᓂᓐᓂ	Application submitted to Nunavut Planning Comission	Active	2022-02-02	
ᓄᓇᕗᒻᒥ ᖃᐅᔨᓴᖅᑐᓕᕆᔨᓐᓄᑦ	Application will be submitted after approval from NIRB	Not Yet Applied		

Project transportation types

Transportation Type	ᓂᓕᒧᑦ ᐊᑐᓴᐅᓂᐊᖅᐸ	Length of Use
Air	Transport to Grise Fiord from Resolute Bay	

Project accomodation types

ᓄᓇᓕᒫᖅ

ᐊᑐᓚᐅᓂᐊᖅᑐᖅ

ᐱᖃᑦ ᐊᖏᕆᖅ ᐊᑐᖅᑕᐅᓂᐅᓴᖅ ᐃᓕᖅᓭᐅᑎᓄᑦ ᐃᑲᑕᐃᑦ, ᒥᑦᓄᐊᑭᑲᑎᑦ, ᖅᑲᓚᑕᓱᖅ, ᓄᓇᓭᐅᑦ ᐊᓱᖏᑦᓄ

ᐊᖏᕆᖅ ᐱᖃᑦ ᐊᑐᓚᐅᓂᐊᖅᑐᖅ ᖅᓄᓂᐃᑦᑐᓂᖏᑦ	ᖅᑲᓭᐅᓕᑦ	ᐊᖏᓂᖏᑦ - ᐳᖅᑐᓂᖏᑦ	ᓭᓇᒧᑦ ᐊᑐᓚᐅᓂᐊᖅᐸ
Uncrewed aerial vehicle	1	116 cm	The uncrewed aerial vechical will be used for obtaining 3-D maps of the watershed through the use of photogrammetry techniques obtained during multiple flights to cover the area.
Hobo Loggers	3	4.2 in x 2.9 in x 0.9 in.	Mesauring air temperature
Timelapse camera	3	15 x 30cm	Capture the changes in melt on the glacier surface

ᑎᑎᕆᐅᓭᓇᓗᒍ ᐅᖅᓭᓴᕆᐃᑦ ᐊᑦᑕᓇᖅᑐᖅᑕᓯᓪᓗ ᐊᑐᖅᑕᐅᓂᐊᕐᓂᖏᑦ

ᓭᓇᒧᑦ ᐅᓇᓱᓴᓂᑎᐊᖅ ᐊᑐᓚᐅᓂᐊᖅᐸ	ᖅᑲᓂᐃᑦᑐᓵᓇᐅᑉ ᐅᖅᓭᓱᓴᓂᑎᐊᖅ	ᖅᑲᓭᐅᑎᖅᑲᐅᑎᑦ ᐅᖅᓭᓱᓴᖅᑲᐅᑎᑦ	ᐳᓴᓴᖅ ᐃᒪᖅᖅᑎᑎᓯᓇᖅᓱᒃ	ᑲᑎᓪᓗᒍ	ᐳᓴᐃᑦ ᐊᒥᓭᓂᖏᑦ	ᓭᓇᒧᑦ ᐊᑐᓚᐅᓂᐊᖅᐸ
Information is not available						

ᐃᒪᖅ ᐊᑐᖅᑕᐅᔨᒧᖅᑐᖅ

ᐅᓪᓗ ᑕᒧᖅ ᐊᑐᖅᑕᐅᓂᐊᖅᑐᖅ	ᖅᑲᓂᖅ ᐃᒥᖅᑕᖅᑲᑕᖅᓂᐊᖅᐸᑦ	ᓇᑭᑦ ᐃᒥᖅᑕᖅᑲᑕᖅᓂᐊᖅᐸᑦ
0	Surface water/Municipal water	76.427 -82.653

ᐊᑲᑕᔪᑦ

ᐊᑲᑕᔪᓪᓗᓂᐊᕐᓂᖅ

ᐱᓕᓇᐊᓇᔭᐅᔨᒪᔨᒧᑦ ᐱᓕᓇᐊᓇᔭᐅᓂᐊᖅᑐᖅ	ᖃᓄᐃᐃᑦᑐᖅ ᐊᑲᑕᔪᖅ	ᖃᓄᐃᑎᒋ ᐊᑲᑕᔪᑦ ᓴᖅᑭᐊᓂᐊᖅᑐᓇᔭᐅᐅᓕᑦ	ᖃᓄᐃᓂᖅ ᐊᑲᑕᖅᑕᐅᓂᐊᖅᐸ	ᓴᓗᒪᖅᓴᐅᑎᑲᑲᓚᖅᓂᐅᓂᐊᖅᑐᑦ
Information is not available				

ᐊᐢᑎᒥᐅᑕᓂᑐᑦ ᐊᑲᑐᖅᑕᐅᓭᒪᔨᑦ

The project will conduct unmanned aerial vehicle surveys of the Grise Fiord watershed and involve the installation of weather stations that will be removed once the project is over. All fieldwork will be conducted by foot and is expected to have minimal environmental impacts. The research will be based out of the community of Grise Fiord and all muncipal waste/sewage will be dealt with through their systems,

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

ᐃᒡᓗ ᐊᕐᑎᐅᑦ ᖃᓄᐃᑦᑐᓕᕆᐅᓂᖅ: ᓄᓇᐅᑦ ᖃᓄᐃᑦᑐᓂᖅ

ᐃᒡᓗ ᐊᕐᑎᐅᑦ ᖃᓄᐃᑦᑐᓕᕆᐅᓂᖅ: ᐅᒪᔪᖅᑕᖃᖅᓂᖅ

ᐃᒡᓗ ᐊᕐᑎᐅᑦ ᖃᓄᐃᑦᑐᓕᕆᐅᓂᖅ: ᐃᓄᓕᕆᓂᖅᔨᒐᔪᑦ-ᐱᕐᓕᐊᔪᓕᕆᓂᖅᔨᒐᔪᑦ

Miscellaneous Project Information

ᓇᓗᓇᐃᖅᑕᐅᓂᖅᑭᑦ ᐊᖏᖅᑕᐅᐅᓱᒪᔪᑦ ᖃᓄᐃᑦᑐᓂᖅᑭᑦ ᕿᓕᐅᒥᔭᔪᓱᖅᑕᐅᓂᐊᖅᓂᖅᑭᓪᓗ

Cumulative Effects


Impacts

ᓄᓗᓄᐃᖅᑕᐅᓂᖅᑎᑦ ᐊᐸᑎᒥᐅᑕᓯᑦᑐᑦ ᐊᑲᑐᖅᑕᐅᓯᒪᔪᑦ

	PHYSICAL	Designated environmental areas	Ground stability	Permafrost	Hydrology / Limnology	Water quality	Climate conditions	Eskers and other unique or fragile landscapes	Surface and bedrock geology	Sediment and soil quality	Tidal processes and bathymetry	Air quality	Noise levels	BIOLOGICAL	Vegetation	Wildlife, including habitat and migration patterns	Birds, including habitat and migration patterns	Aquatic species, incl. habitat and migration/spawning	Wildlife protected areas	SOCIO-ECONOMIC	Archaeological and cultural historic sites	Employment	Community wellness	Community infrastructure	Human health
ʕᓄᓂᖅ																									
-		-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-
ᐅᔾᕿᑲᑦᓂᖅ																									
-		-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-
ᐃᑐᑦᑎᓄᖅ																									
-		-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-

(P = ᐊᑲᐅᓴᕈᑎᔪᓐᓇᖅᑐᑦ, N = ᐊᑲᐅᖅᑭᔨᔪᑕᐅᔪᓐᓇᖅᑐᑦ ᕿᓚᐅᒻᔨᔪᓂᖅᑐᑕᐅᔪᓐᓇᖅᑭᑐᑎᓪᓗ, M = ᐊᑲᐅᖅᑭᔨᔪᑕᐅᔪᓐᓇᖅᑐᑦ ᕿᓚᐅᒻᔨᔪᓂᖅᑐᑕᐅᔪᓐᓇᖅᑐᑎᓪᓗ, U = ᖁᑲᐅᔨᒪᓐᓇᖅᑭᑐᖅ)

ᓇᒻᒪᖏᕆᖅ ᐱᓕᓇᐊᓇᓵᐅᔾᔪᖅ



List of Project Geometries

1	polygon	Grise Fiord Watershed