



Demande de la CNER faisant l'objet d'un examen préalable #125838 Real Ice - November Field Test with CHARS in Cambridge Bay, Canada

Type de demande : New
Type de projet: Scientific Research
Date de la demande : 7/6/2023 7:42:28 AM
Period of operation: from 0001-01-01 to 0001-01-01
Autorisations proposées: from 0001-01-01 to 0001-01-01
Promoteur du projet: Cian Sherwin
Real Ice Development Company Limited
M-sparc
Gaerwen Isle of Anglesey LL60 6AG
United Kingdom
Téléphone :: 07719148331, Télécopieur ::

DÉTAILS

Description non technique de la proposition de projet

Anglais: The project is testing scientific and engineering work around the preservation and restoration of sea ice in the Arctic Ocean. The importance of the Arctic sea ice for global climate as well as for local populations is well documented scientifically. We want to demonstrate that sea ice can be thickened up using simple devices incorporating a submersible water pump, and only using zero-emission energy. This is our second field test, after we completed, in February 2023, a test in Nome, Alaska, using a battery powered pump. In this phase we introduce hydrogen, as energy storage and a fuel cell, to transform the hydrogen to electricity and power and electric water pump. With the use of hydrogen, we can extend the operating time of the water pump. The submersible pump will be lowered through an ice hole (drilled with an ice auger) into sea water, and will pump a large amount of water on top of existing sea ice. This sea water will quickly freeze to thicken up the existing ice layer, potentially flooding any existing snow, and increasing the conductivity between the cold air and the sea ice itself, which will support additional ice accretion over the following period. During the test we will track a number of metrics, including the extent of water displacement, the quality and conductivity of the sea-ice created, and sea-ice, snow and air temperatures. We will be requiring (exclusive, as much as possible) access to a sea-ice area of around 5 acres. 2.5 acres will be used for our experiments, and 2.5 will be used as control area for comparison purposes. Ideally we would want to continue to monitor this area for the following winter months, to see the impact of our operations. As an example, by flooding 20cm of snow with sea water at the beginning of winter, we would expect an extra 70cm of sea ice thickness to form, compared to areas where we haven't operated.

Français: Le projet a pour but d'effectuer des tests scientifiques et d'ingénierie évaluant la préservation et la restauration de la banquise en Arctique. En effet, l'importance la banquise en zone Arctique et l'enjeu majeur écologique que cela représente pour les populations locales mais aussi à l'échelle mondiale est supportée par de nombreuses études scientifiques. Nous souhaitons démontrer que l'épaisseur de la banquise peut être améliorée grâce à un procédé que nous avons développé. Nous supposons, que l'immersion de neige existante dans de l'eau de mer résulterait par accroître la conductivité entre l'air froid et la banquise elle-même. Par la suite, nous sommes confiants que ce phénomène aiderait à développer une couche de glace supplémentaire. Durant notre test, nous rechercherons divers nombres de métriques, notamment afin d'étudier dans quelle mesure l'eau se déplace mais également la qualité et la conductivité de la nouvelle couche de banquise formée. Les températures de l'air, de la neige et de la banquise seront aussi enregistrées. Dans la poursuite de cet objectif, nous demandons l'accès aussi exclusif que possible à une zone de 5 acres (soit 20.235m²), de banquise afin d'entreprendre nos expériences tout en réservant 2.5 acres (environ 10.000 m²), comme zone de contrôle et d'analyse comparative des résultats obtenus. Idéalement, nous recherchons à maintenir la surveillance de cette zone durant l'hiver prochain afin d'observer l'impact de nos opérations. Par exemple, en immergeant 20cm de neige avec de l'eau de mer au début de l'hiver, nous espérons pouvoir atteindre la formation d'une épaisseur additionnelle de 70cm de banquise par comparaison avec les zones non incluses dans nos recherches.

20 CPσc-Γ Δ<Γ Δ_LΓ_bΓ_b C_bΔ_bΓ_b ΔP_b Γ_b ΛΓ_cΔ_bΓ_b Δ_b J, Δ_b 70 CPσc-Γ
ΛP_bΔ_bΓ_b CΔ_bσ_bΔ_b Δσ_bΔ_b σ_b Δ_b P_b C_bΔ_bΓ_b Δ_b J.

Inuinnaqtun: Havaaghakkut hapkua qauyihainiaqtut ayuqnaqtunik hanatuyullu havaaghainik talvani hapummihimanahuaqtunit pitquhianullu utiqtittinahuaqlugu taryum hikua Ukiuqtaqtumi Taryuqmi. Aghuurnaqnia Ukiuqtaqtum Taryua nunaqyuami hilamut taimaalu nunallaarmiunut inugiangniinut titiraqhimagayut ayuqnaqtunik qauyihiyinit. Ilittuqhitiyumayugut taimaa taryum hikua hilighilaqtuq atuqhutik ayuqnaittunik ingirlutinik iliuraiyumi kivitaqtumik imaqmik pakpautinik, taimaalu anialattihimaittumik amirnaqtunik. Hapkua tukliriyaqqut maniqqami qauyihautikput, iniqhimaliqmat, lidjiruria 2023-mi, qauyihihimayut Nome-mi, Alaska-mi, paatulituqtumik pakpautiqahutik. Talvuuna havaaghaigut ilittuqhithimayut hydrogen-mik, taimaa huanngautinik tutquumaviktut uqhiqhiviktullu, nuuttiiyaamik hydrogen-mik alruyaqtuqtunut qulliqtuutinullu alruyaqtuqtumullu imaqmik pakpautimut. Atuqhutik hydrogen-mik, kingighivaalliiinnarialik aulapkaiviat imaqmik pakpautainik. Kivitaqtuq pakpautik kivipkaqtitauniaqtuq aglukkut (ikuutaqhimagayuq ikuutakkut) talvani taryumi, imaqquqtuyumi pakpakkut imiqtarahuat qaanganut taryum hikua. Una taryum hikua qilamik qiqinniaqtuq hilighilugu hikuuyuq, imaukkautilugu aputik aputiqqaqtat, hangutitaiplugu niklaumayuq anuri taryuplu hikua, taimaa hakugighautauniaqtuq hikumik kinguani. Qauyihaitillugit paqittihimanahuaqtaqqut kititjutiit, taimaalu imaukkarnia, qanurininganianik hakugingnianiklu taryumi hikuliuhimayuq, taryuplu hikua, aputik hilaplukniklaumania. Atuqtitauyumayugut (anginiqhakkut, ayuqnaitpat) taryum hikuaniaktigiyumik 5 acres-mik. 2.5 acres atuqtauniaqtuq qauyihaivighaq, 2.5 acres-lu atuqtauniaqtuq munaqhiviktut aallatqiinggaanik qauyihaivighaat. Ayuqnaitpat munarihimmaarumayaqqut hamna atuqtughanit ukiumi tatqiqhiutinit, mihingnautait havaaaqqut takuyumaplugu. Ilittuqhikitaffuktut, imaukkautiplugu 20 cm aputik taryumik imaqmik ukiulihaqtumi, taimaa naahuriniaqtugut 70 cm-mik hilingnianik hikunnguriamik, aallanngayunik nayugaqnit havakvighimaitaptningik.

Personnel

Personnel on site: 3

Days on site: 10

Total Person days: 30

Operations Phase: from 2023-11-14 to 2023-11-24

Activités

Emplacement	Type d'activité	Statut des terres	Historique du site	Site à valeur archéologique ou paléontologique	Proximité des collectivités les plus proches et de toute zone protégée
Real Ice - CHARS Testing Area on Sea Ice (Exact area within polygon TBC by CHARS)	Scientific/International Polar Year Research	Marine	We will be seeking guidance from CHARS to operate at a site that does not present any disruption to residents or wildlife whilst also mitigating any damage to the environment. Guidance from local authorities will be needed to avoid known pathways/trails on the sea ice as well as hunting grounds for local residents.	We will operate in an area that not contain any archaeological/paleontological value.	Real Ice will be conducting research on the sea ice off the coast of Cambridge Bay within 10km of the CHARS facility.

Engagement de la collectivité et avantages pour la région

Collectivité	Nom	Organisme	Date de la prise de contact
Cambridge Bay	Robert Cooke & Rachel Mandel	Canadian High Arctic Research Station	2023-03-23

Autorisations

Indiquez les zones dans lesquelles le projet est situé:

Kitikmeot

Autorisations

Organisme de régulation	Description des autorisations	État actuel	Date de l'émission/de la demande	Date d'échéance
Hunters and Trappers Associations/Organizations	Will need authorization and guidance to ensure minimal impacts to local wildlife and environment that could harm food availability for the local community.	Not Yet Applied		
Institut de recherche du Nunavut	We have been advised to submit a research proposal with the NRI in order to conduct research in Nunavut.	Not Yet Applied		
Kitikmeot Inuit Association	We will need to meaningfully engage with local indigenous populations in Cambridge Bay before, during and after the research has taken place.	Not Yet Applied		

Project transportation types

Transportation Type	Utilisation proposée	Length of Use
Water	Snow-machine rented/used from the CHARS facility to travel on to the sea ice. Required licences & training to be acquired by team member(s) before conducting research.	
Land	Pick-up truck/ATV's. Suitable transport will be needed for 3 people and equipment when travelling on roads/land.	

Project accomodation types

Autre,

Utilisation de matériel

Équipement à utiliser (y compris les perceuses, les pompes, les aéronefs, les véhicules, etc.)

Type d'équipement	Quantité	Taille – Dimensions	Utilisation proposée
Water Pump	1	10inx19in	Pumping seawater on to the surface of sea ice
Fuel Cell Power Station	1	26inx20inx16in	Power supply for pump

Décrivez l'utilisation du carburant et des marchandises dangereuses

Décrivez l'utilisation de carburant :	Type de carburant	Nombre de conteneurs	Capacité du conteneur	Quantité totale	Unités	Utilisation proposée
Other	fuel	14	29	406	Liters	Hydrogen gas

Consommation d'eau

Quantité quotidienne (m3)	Méthodes de récupération de l'eau proposées	Emplacement de récupération de l'eau proposé
0		

Déchets

Gestion des déchets

Activités du projet	Type des déchets	Quantité prévue	Méthode d'élimination	Procédures de traitement supplémentaires
Information is not available				

Répercussions environnementales :

Scale of Test - We designed this test to be on a scale small enough that does not present any impacts across any of the physical, biological and socio-economic elements. Noise Pollution affecting Wildlife - Our prototype is designed to run almost silently with the noise of water flooding the sea ice dominating. Hunting grounds disruption - Having a presence or conducting activities in known hunting grounds could disrupt food availability for the local community. Guidance from the local HTO will aid in the selection of a site with minimal impacts. Sea Ice Trails/Pathways - Blocking routes across the sea ice could disrupt local communities. By including the community and Kitikmeot Inuit Association in this process, we can choose a site that presents no impact on transportation across the sea ice.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

Description de l'environnement existant : Environnement physique

We are working with CHARS and the community to identify the site to conduct testing in order to minimise impact with any existing roads/trails, marine routes, etc. that are in existence at present time

Description de l'environnement existant : Environnement biologique

We are working with CHARS and the community to identify the site to conduct testing in order to minimise impact with any existing wildlife that are in existence at present time

Description de l'environnement existant : Environnement socio-économique

The test area will be within 10km of the CHARS facility and therefore the Cambridge Bay community. No other significant socioeconomic elements will be impacted or within the test site.

Miscellaneous Project Information

Identification des répercussions et mesures d'atténuation proposées

Noise Pollution affecting Wildlife - Our prototype is designed to run almost silently with the noise of water flooding the sea ice dominating. Hunting grounds disruption - Having a presence or conducting activities in known hunting grounds could disrupt food availability for the local community. Guidance from the local HTO will aid in the selection of a site with minimal impacts. Sea Ice Trails/Pathways - Blocking routes across the sea ice could disrupt local communities. By including the community and Kitikmeot Inuit Association in this process, we can choose a site that presents no impact on transportation across the sea ice.

Répercussions cumulatives


Our activities take place in a localised area to test sea ice thickening using a water pump and therefore would not generate any significant impacts on the environment.

Impacts

Identification des répercussions environnementales

(P = Positive, N = Négative et non gérable, M = Négative et gérable, U = Inconnue)

Site du projet



Liste des géométries de projet

- | | | |
|---|---------|---|
| 1 | polygon | Real Ice - CHARS Testing Area on Sea Ice (Exact area within polygon TBC by CHARS) |
|---|---------|---|