



**ᓄᓇᓂᓪ ᐃᑲᓕᓕᓂᓪᐃᑦ ᓅᓂᓕᓂᓪ ᐃᑲᓕᓂᓪᐃᑦ ᓄᓇᓂᓪ #126012**

**Thelon Property**

ᐃᑲᓕᓂᓪᐃᑦ ᓄᓇᓂᓪᐃᑦ:	New
ᐃᑲᓕᓂᓪᐃᑦ ᓄᓇᓂᓪᐃᑦ:	Mineral Exploration
ᐃᑲᓂᓪ ᐃᑲᓕᓂᓪᐃᑦ:	11/26/2024 1:39:18 PM
Period of operation:	from 2025-02-26 to 2025-09-27
ᐃᑲᓂᓪᐃᑦ:	Karina Tyne Atha Energy Corp 1240 - 1066 Hastings Street W Vancouver BC V6E-3X1 Canada ᐃᑲᓂᓪᐃᑦ: 3067162741, ᐃᑲᓂᓪᐃᑦ:

Personnel on site: 40  
Days on site: 150  
Total Person days: 6000  
Operations Phase: from 2025-02-26 to 2025-03-05  
Operations Phase: from 2025-02-26 to 2025-09-27  
Closure Phase: from 2025-09-21 to 2025-09-27  
Post-Closure Phase: from to

$$\Lambda \leq \rho \leq \sigma \leq \tau \leq \omega$$
[illegible]

				will be removed, disturbed, or displaced at any archaeological/paleontological site. Prior to any ground disturbance work, an archeological desktop study will be completed by a professional qualified archeologist to identify any known archeological sites and any areas of high potential for discovery of previously unknown sites.	Kivalliq Region of Nunavut. The western Property boundary claims slightly overlap the Thelon Game Sanctuary, however ATHA will ensure no ground work is completed within the game sanctuary.
ATHA_Thelon_Mineral_Claims_nad83z14_20240430	Drilling	Inuit Owned Surface Lands	The Thelon Basin and surrounding area has been explored since the 1960's for a variety of commodities including gold, silver, and uranium.	If an archaeological/paleontological site is discovered, work in the area will immediately cease and the GN-CH, CIRNAC and KIA will be informed. Nothing will be removed, disturbed, or displaced at any archaeological/paleontological site. Prior to any ground disturbance work, an archeological desktop study will be completed by a professional qualified archeologist to identify any known archeological sites and any areas of high potential for discovery of previously unknown sites.	The Project is located approximately 65 kilometers west of Baker Lake, in the Kivalliq Region of Nunavut. The western Property boundary claims slightly overlap the Thelon Game Sanctuary, however ATHA will ensure no ground work is completed within the game sanctuary.
ATHA_Thelon_Mineral_Claims_nad83z14_20240430	Mineral Exploration	Crown	The Thelon Basin and surrounding area has been explored since the 1960's for a variety of commodities including gold, silver, and uranium.	If an archaeological/paleontological site is discovered, work in the area will immediately cease and the GN-CH, CIRNAC and KIA will be informed. Nothing will be removed, disturbed, or displaced at any archaeological/paleontological site. Prior to any ground disturbance work, an archeological desktop study will be completed by a professional qualified archeologist to identify any known archeological sites and any areas of high potential for discovery of previously unknown sites.	The Project is located approximately 65 kilometers west of Baker Lake, in the Kivalliq Region of Nunavut. The western Property boundary claims slightly overlap the Thelon Game Sanctuary, however ATHA will ensure no ground work is completed within the game sanctuary.
ATHA_Thelon_Mineral_Claims_nad83z14_20240430	Mineral Exploration	Inuit Owned Surface Lands	The Thelon Basin and surrounding area has been explored since the 1960's for a variety of commodities including gold, silver, and uranium.	If an archaeological/paleontological site is discovered, work in the area will immediately cease and the GN-CH, CIRNAC and KIA will be informed. Nothing will be removed, disturbed, or displaced at any archaeological/paleontological site. Prior to any ground disturbance work, an archeological desktop study will be completed by a professional qualified archeologist to identify any known archeological sites and any areas of high potential for discovery of previously unknown sites.	The Project is located approximately 65 kilometers west of Baker Lake, in the Kivalliq Region of Nunavut. The western Property boundary claims slightly overlap the Thelon Game Sanctuary, however ATHA will ensure no ground work

					is completed within the game sanctuary.
--	--	--	--	--	---

ᓄᓇᓕᓂᓪᓐ ᓄᓇᓂᓪᓐ ᓄᓇᓂᓪᓐ ᓄᓇᓂᓪᓐ ᓄᓇᓂᓪᓐ ᓄᓇᓂᓪᓐ

ᓄᓇᓂᓪᓐ	ᓄᓇᓂᓪᓐ	ᓄᓇᓂᓪᓐ	ᓄᓇᓂᓪᓐ
ᓄᓇᓂᓪᓐ	Angel Aksawnee, Manager	Baker Lake Hunters and Trappers Organization	2024-09-12
ᓄᓇᓂᓪᓐ	Mayor, Kevin Iksiktaaryuk	Hamlet of Baker Lake	2024-09-13
ᓄᓇᓂᓪᓐ	Community Land and Resource Committee	Community Land and Resource Committee	2024-09-13
ᓄᓇᓂᓪᓐ	Amber Tattuinee, Manager	Arviat Hunters and Trappers Organization	2024-10-26
ᓄᓇᓂᓪᓐ	Deputy Mayor, Gordy Kidlapik and Council	Hamlet of Arviat	2024-11-13
ᓄᓇᓂᓪᓐ	Naomi Muckpah, Receptionist/Council Clerk	Hamlet of Arviat	2024-11-16

[illegible]

$\subset \Delta^{\text{a}} j^c \wedge J^{\text{a}} q \triangleright \dot{n} \triangleleft^{\text{a}} r^{\text{ab}} C \triangleright l L r^c$

ᐱᓕᑦᑐᒃ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ	ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ	ᐸᓄᓂᔭ ᐸᓄᓂᔭ	ᐸᓄᓂᔭ ᐸᓄᓂᔭ/ ᐸᓄᓂᔭ ᐸᓄᓂᔭ/ᐸᓄᓂᔭ	ᐸᓄᓂᔭ ᐸᓄᓂᔭ
ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ	Class I Licence KVL124B01	Active	2024-07-09	2025-07-14
Indigenous and Northern Affairs Canada	Type A Land Use Permit	Not Yet Applied		
ᐸᓄᓂᔭ ᐸᓄᓂᔭ ᐸᓄᓂᔭ	Class B Water Licence	Not Yet Applied		

### Project transportation types

Transportation Type	Transportation Mode	Length of Use
Air	Helicopter/Fixed Wing	
Land	Winter/Snow Overland Hauling	

### Project accomodation types

### Temporary Camp

 $\Delta P_{\text{air}}$

[illegible][illegible]
$$\Delta L^{\zeta_b} \triangleleft^{\zeta_b} C \triangleright^{\zeta_b} \dot{L}^{\zeta_b} \supset^{\zeta_b}$$

$\nabla^{\text{c}} \cup \text{Cl}^{\text{ch}} \Delta^{\text{ch}} \text{C}^{\text{ch}} \sigma^{\text{ch}} \Delta^{\text{ch}} \angle^{\text{ch}}$	$\text{b}_{\text{m}}^{\text{ch}} \Delta^{\text{ch}} \text{C}^{\text{ch}} \text{b}^{\text{ch}} \text{C}^{\text{ch}} \sigma^{\text{ch}} \Delta^{\text{ch}} \angle^{\text{ch}}$	$\text{a}_{\text{P}}^{\text{c}} \Delta^{\text{ch}} \text{C}^{\text{ch}} \text{b}^{\text{ch}} \text{C}^{\text{ch}} \sigma^{\text{ch}} \Delta^{\text{ch}} \angle^{\text{ch}}$
299	Pump drawing from proximal waterbodies	The locations of the camp and drillholes, which will require water use, are still to be determined. As soon as they are identified, the locations will be submitted to CIRNAC, KIA and NWB.

$$\Delta^b C d \zeta \rho \sigma \Delta^c \sigma^{\zeta b}$$

$\triangle \nabla \cap \Gamma \triangleright C^{\circ} \supset C$      $\triangleleft ^b \supset ^{sb} C \triangleright \gamma L_{\gamma} C$



# Additional Information

## SECTION A1: Project Info

## SECTION A2: Allweather Road

## SECTION A3: Winter Road

## SECTION B1: Project Info

To evaluate the mineral potential for uranium within the claim area.

## SECTION B2: Exploration Activity

Both airborne and ground geophysical surveys will be conducted. Structural mapping and soil sampling in prospective areas. Exploration drilling (on land and/or ice) likely to begin in 2026 in prospective areas.

## SECTION B3: Geosciences

1. Indicate the geophysical operation type: Both airborne and ground geophysical surveys will be conducted. 2. Indicate the geological operation type: Structural mapping and soil sampling in prospective areas. Exploration drilling (on land and/or ice) likely to begin in 2026 in prospective areas. 3. Indicate on a map the boundary subject to air and/or ground geophysical work: Claim boundaries. 4. Provide flight altitudes and locations where flight altitudes will be below 610m: Aircraft will only fly lower than 610 m (2,100 ft) when dropping off and picking up field crews, moving the drill, or for geophysical surveys. Standard flight altitude during airborne geophysical surveys is approximately 60-100 metres above ground. These surveys will not be conducted if there are any wildlife present in the area. Every effort will be made to conduct airborne geophysical surveys prior to the arrival of caribou.

## SECTION B4: Drilling

1. Provide the number of drill holes and depths (provide estimates and maximums where possible): Once drill targets have been identified up to 50 drill holes could be drilled in 2026 with an average depth around 500 m, and a maximum depth of 1200m deep. 2. Discuss any drill additives to be used: Typical drilling additives include: GD Mud, GD Lube, Polycore, Flock Block, Sand Core, Clay Cap, Salt. 3. Describe method for dealing with drill cuttings: As stated in the Waste Management Plan, a cutting retrieval system is used during drill operations to collect all cuttings. Non-mineralized cuttings are to be captured and deposited in a natural depression (sump). Sumps will typically be located adjacent to each drill pad, but a centralized sump may also be used when it is not feasible to use a sump at the drill pad (e.g., in winter months or for ice drilling). When using a central sump, non-radioactive drill cuttings will be inspected for contamination of mineralized cuttings and any material used to transport the cuttings (e.g., bags) will be removed. Once the centralized sump is no longer required, it will be reclaimed by being contoured into the natural topography and covered by peat moss. If uranium concentrations are greater than 0.05% (eU equivalent), drill cuttings will be disposed of down the drill hole and sealed by grouting the upper 30 meters of bedrock. If down-hole disposal is not possible, cuttings will be collected and stored in sealed steel 205-L drums. Sealed drums containing drill cuttings with uranium concentrations greater than 0.05% or eU equivalent will be temporarily stored on an elevated flat dry outcrop, 100m from the high-water mark of any waterbody, the location of which is yet to be determined. A radioactive waste storage location will be submitted to the appropriate regulatory bodies prior to drums being stored on site. All drill waste drums will be removed to be disposed of at an accredited facility at the end of the field season. 4. Describe method for dealing with drill water: As stated in the Waste Management Plan, sumps will be used for the disposal of non-radioactive drill fluids, located in a naturally occurring depression. Sumps will typically be located adjacent to each drill pad, but a centralized sump may also be used when it is not feasible to use a sump at the drill pad (e.g., in winter months). All drill sites will be inspected for soil contamination as part of closure and reclamation. Any remaining waste will be taken to camp to be incinerated if possible or backhauled for disposal at a certified disposal facility. 5. Describe how drill equipment will be mobilized: The drill will be heliportable and will be mobilized to drill sites using the helicopter. Drill crews and necessary equipment will be flown to the drill each shift via helicopter. 6. Describe how drill holes will be abandoned: As stated in the Abandonment and Restoration Plan, any drill hole that encounters mineralization with uranium content greater than 1% over a length of more than 1 meter, with a meter-per-cent concentration greater than 5 will be sealed by grouting over the entire length of the mineralized zone and not less than 10 meters above and below each mineralized zone. The top 30 meters of the hole within bedrock will also be sealed by grouting for all drill holes. If a hole is drilled on-ice, the drill cuttings will be collected and removed to an on-land sump. The drill will be partially dismantled into its main components as per the drilling contractor procedure, packaged and secured along with its ancillary equipment and rods. All drill sites will be inspected for soil contamination. All sumps will be contoured into the natural topography. Any remaining waste will be taken to camp and either incinerated, if appropriate, or be backhauled to an approved disposal location. As much as possible, drill sites will be restored immediately after the drill has been moved to the next site. Each drill location will be photographed pre and post drilling and a final inspection checklist will be completed by the Project Manager or designate. Records of these will be kept and submitted as part of the annual report. 7. If project proposal involves uranium exploration drilling, discuss the potential for radiation exposure and radiation protection measures. Please refer to the Canadian Guidelines for Naturally Occurring Radioactive Materials for more information: ATHA Energy Corp. has prepared a Radiation Hazard Control Plan which was submitted with the application.

## SECTION B5: Stripping

n/a

## SECTION B6: Underground Activity

n/a

## SECTION B7: Waste Rock

n/a

## SECTION B8: Stockpiles

n/a

## SECTION B9: Mine Development

## SECTION B10: Geology

## SECTION B11: Mine

## SECTION B12: Mill

## SECTION C1: Pits

## SECTION D1: Facility

## SECTION D2: Facility Construction

## SECTION D3: Facility Operation

## SECTION D4: Vessel Use

## SECTION E1: Offshore Survey

## SECTION E2: Nearshore Survey

### SECTION E3: Vessel Use

## SECTION F1: Site Cleanup

## SECTION G1: Well Authorization

## SECTION G2: Onland Exploration

## SECTION G3: Offshore Exploration

## SECTION G4: Rig

## SECTION H1: Vessel Use

## SECTION H2: Disposal At Sea

## SECTION I1: Municipal Development

[illegible]

The region has been extensively glaciated, which has resulted in the formation of numerous eskers throughout the project area. The majority of the project area is low-lying, with numerous small lakes and streams; wetland and marshy ground is common. The Thelon River and Kazan River flow through the northern area of the Project. The western edge of the Property slightly overlaps the Thelon Game Sanctuary. No ground exploration work will be completed within the Thelon Game Sanctuary. The Property slightly overlaps with the Baker Lake and Kugluktuk Community Watershed. At this point, there is no evidence of ground, slope, or rock instability, or seismicity in the field area. Likewise, there is no evidence at this time of thermokarsts or ice lenses. Archaeological assessments will be completed by a qualified professional archaeologist prior to any groundwork to ensure avoidance of any known or unknown archaeological sites. Bedrock geology comprises Archean volcanic and plutonic rocks, including greenstone belts, overlain unconformably by Archean to Proterozoic supracrustal volcanic and sedimentary rocks. Surficial geology reflects the presence of an ice divide during glacial times, and comprises several different types of till, morainal and outwash features, and eskers. A much greater percentage of the land comprises glacial till than exposed bedrock. Permafrost is stable in the region, with a midsummer depth to the top of permafrost of one to two metres. Permafrost thickness may be up to 200 m thick throughout the area, with historic distal readings up to 500 m thick. Soils and sediments comprise a mix of glacial till, younger fluvial deposits, and wind-blown material such as peat and inorganic dust. Climate conditions in this area can be summarized as cold winters and cool summers. However, in recent years there has been a warming trend with less snow in the winters. ATHA does not anticipate any impacts to the air and water quality or climate from this program. Noise levels in the arctic are very low. Noise levels will increase due to the helicopter and the drill in future years. The project area is located within the regionally-extensive migration of the Beverly, Wager Bay, Lorillard, Eastern Kitikmeot, and Qamanirjuaq caribou herds. According to the draft Nunavut Land Use Plan, there are a number of Caribou freshwater crossings on the project as well as some overlap with calving and post-calving areas. The DIAND Caribou Protection Measures and the KIA Mobile Caribou Mitigation Measures will be followed to minimize disruption to Caribou.

**L<sup>a</sup>e <EΠ><sup>c</sup> ‘bΔ<sup>c</sup>D<sup>c</sup>LnDσ<sup>a</sup>L: ΔLr<sup>b</sup>C<sup>b</sup>σ<sup>a</sup>L**

Vegetation in the project area comprises arctic tundra; plants are generally less than six inches in height, and include grasses, heathers, low-bush evergreens, and arctic wildflowers. There are no trees in the area, though dwarf birch and willow may be found in sheltered areas. The project area is located within the regionally-extensive migration of the Beverly, Wager Bay, Lorillard, Eastern Kitikmeot, and Qamanirjuaq caribou herds. According to the draft Nunavut Land Use Plan, there are a number of Caribou freshwater crossings on the project as well as some overlap with calving and post-calving areas. The DIAND Caribou Protection Measures and the KIA Mobile Caribou Mitigation Measures will be followed to minimize disruption to Caribou. There are several large predators including wolves and grizzly bears. A small population of muskoxen may be seen in the project area. Smaller mammals include foxes, ermines, and ground squirrels (siksiks), as well as mice and voles. The project area contains a huge diversity of bird species, including songbirds (sparrows, Lapland longspurs, snow buntings), shorebirds (plovers, sandpipers, cranes), waterfowl (ducks, geese), ground-dwelling birds (ptarmigan, grouse), and raptors (eagles, falcons). Though some bird species inhabit the area year-round (e.g. ptarmigan), most birds use the region for nesting or as a stopover on their annual migration route. Species of Concern in the area, as identified under the Species at Risk Act, include Caribou, Harris's sparrow, peregrine falcons, Red-necked Phalarope, Short-eared Owl, grizzly bears, and wolverines. Peregrines usually nest in cliffs throughout the arctic. Grizzly bears and wolverines require large open spaces such as the arctic tundra to forage for food and have extensive ranges. Please refer to ATHA's Environment and Wildlife Management Plan for disturbance mitigation measures. Aquatic species in the project area are all fresh-water organisms. Fish include trout, char, grayling, whitefish, and possibly northern pike.

[illegible]

### Miscellaneous Project Information

The majority of work being proposed is not expected to impact the environment in a materially negative way. In the 2025 field season there will not be any diamond drilling; primary ground activities will include geological mapping and prospecting/sampling. Geological mapping, prospecting, and rock/soil sampling is not expected to affect the environment or wildlife population in a materially negative way. Positive socio-economic impacts through employment are expected, as well as through local procurement of goods and services. ATHA is aware that there is considerable concern involving the potential for disturbance to caribou herds and their calving grounds by exploration activity. ATHA will conduct itself in a manner that minimizes disturbance to caribou. This includes “no-fly zones” over migrating herds and areas used by cows for calving. The helicopter used to transport crews into the field from camp will be restricted to an altitude of not less than 300 metres, when not actually taking off and landing. ATHA will employ local residents as wildlife monitors who will keep records of the location and numbers of caribou, musk ox, bears, and other wildlife. These wildlife monitors will also provide information to the helicopter pilots and field crews when wildlife are approaching the camp or work site. Their information and advice will help to determine times when operations need to be shut down to allow wildlife to move safely through the area with minimal disturbance. When airborne geophysics is being performed, it will be conducted so as not to disturb the caribou. Airborne geophysical surveys require flight altitudes of less than 100 metres, so areas to be surveyed on a given day will be monitored prior to the survey. This ensures that no caribou herds are moving through the area and that no cows are using the area for calving while the survey is being flown. If caribou herds or calving mothers are found to occupy the area slated for that day’s flight, a different locale will be flown on that day. Waste generated by the camp will be handled in several ways. All combustible waste, including human waste, will be incinerated as needed in an incinerator. Non-combustible solid waste and scrap metal will be sent off site for proper disposal. Camp grey water will be collected in sumps for settling before draining naturally into the surrounding soil. Empty fuel drums will be sent off site on a regular basis for refilling or proper disposal if warranted. Any other waste generated by the project will be disposed of in an approved manner. All fuel caches will use secondary containment with 110% containment capacity, and will be supplied with a complete spill kit, including highly absorbent pads and one empty drum, for the highly unlikely event of a fuel spill. Each fuel cache will also be equipped with a fire extinguisher. Small fuel caches in the field are placed in shallow natural depressions which are a minimum of 31 metres from the normal high-water mark of nearby bodies of water. When the project advances to the drill stage, all wastes produced by drilling will be disposed of properly. Used greases and oil will be either removed from the site for proper disposal or incinerated. All drill water will be treated in sumps to collect cuttings, allowing the water to drain into the surrounding landscape. All sumps will be located a minimum of 31 metres from the normal high-water mark of any water body. All equipment, timbers, hoses, fuel drums, etc. will be removed from the drill site following completion of the borehole. Casing may or may not be left in the borehole temporarily, depending on whether or not the borehole requires re-entry at a later date; the majority of boreholes will have casing removed after completion. Drill collars will be marked for identification purposes.

ATHA is aware that there are other companies exploring within the area, and understands there is potential for cumulative effects. ATHA is committed to working collaboratively with other exploration companies, local stakeholders, Inuit organizations, and regulators to proactively evaluate and minimize any potential cumulative effects. ATHA will continue to conduct community consultations and work to address concerns and incorporate advice and knowledge shared into work practices. ATHA will conduct itself in a responsible manner both environmentally and socially. Whenever possible ATHA will hire locally and will provide training opportunities in the areas of prospecting, geophysics and others.

## Impacts


Physical																			
Designated environmental areas																			
Ground stability																			
Permafrost																			
Hydrology / Limnology																			
Water quality																			
Climate conditions																			
Eskers and other unique or fragile landscapes																			
Surface and bedrock geology																			
Sediment and soil quality																			
Tidal processes and bathymetry																			
Air quality																			
Noise levels																			
Biological																			
Vegetation																			
Wildlife, including habitat and migration patterns																			
Birds, including habitat and migration patterns																			
Aquatic species, incl. habitat and migration/spawning																			
Wildlife protected areas																			
Socio-Economic																			
Archaeological and cultural historic sites																			
Employment																			
Community wellness																			
Community infrastructure																			
Human health																			

Physical																			
Designated environmental areas																			
Ground stability																			
Permafrost																			
Hydrology / Limnology																			
Water quality																			
Climate conditions																			
Eskers and other unique or fragile landscapes																			
Surface and bedrock geology																			
Sediment and soil quality																			
Tidal processes and bathymetry																			
Air quality																			
Noise levels																			
Biological																			
Vegetation																			
Wildlife, including habitat and migration patterns																			
Birds, including habitat and migration patterns																			
Aquatic species, incl. habitat and migration/spawning																			
Wildlife protected areas																			
Socio-Economic																			
Archaeological and cultural historic sites																			
Employment																			
Community wellness																			
Community infrastructure																			
Human health																			

Physical																			
Designated environmental areas																			
Ground stability																			
Permafrost																			
Hydrology / Limnology																			
Water quality																			
Climate conditions																			
Eskers and other unique or fragile landscapes																			
Surface and bedrock geology																			
Sediment and soil quality																			
Tidal processes and bathymetry																			
Air quality																			
Noise levels																			
Biological																			
Vegetation																			
Wildlife, including habitat and migration patterns																			
Birds, including habitat and migration patterns																			
Aquatic species, incl. habitat and migration/spawning																			
Wildlife protected areas																			
Socio-Economic																			
Archaeological and cultural historic sites																			
Employment																			
Community wellness																			
Community infrastructure																			
Human health																			

Physical																			
Designated environmental areas																			
Ground stability																			
Permafrost																			
Hydrology / Limnology																			
Water quality																			
Climate conditions																			
Eskers and other unique or fragile landscapes																			
Surface and bedrock geology																			
Sediment and soil quality																			
Tidal processes and bathymetry																			
Air quality																			
Noise levels																			
Biological																			
Vegetation																			
Wildlife, including habitat and migration patterns																			
Birds, including habitat and migration patterns																			
Aquatic species, incl. habitat and migration/spawning																			
Wildlife protected areas																			
Socio-Economic																			
Archaeological and cultural historic sites																			
Employment																			
Community wellness																			
Community infrastructure																			
Human health																			

$$(P = \langle \Delta b \rangle_{\Delta P} \Pi^{\Delta b} \Delta^{\Delta b} \rangle^C, N = \langle \Delta b \rangle_{\Delta P} \Pi^{\Delta b} \langle \Delta^{\Delta b} \Delta^{\Delta b} \rangle^C \langle \Delta \Delta^{\Delta b} \Pi^{\Delta b} \rangle^C \Delta^{\Delta b} \Delta^{\Delta b} \rangle^C, M = \langle \Delta b \rangle_{\Delta P} \Pi^{\Delta b} \langle \Delta^{\Delta b} \Delta^{\Delta b} \rangle^C \langle \Delta \Delta^{\Delta b} \Pi^{\Delta b} \rangle^C \Delta^{\Delta b} \Delta^{\Delta b} \rangle^C, U = \langle \Delta b \rangle_{\Delta P} \Delta^{\Delta b} \Delta^{\Delta b} \rangle^C)$$

$$a\dot{\Gamma}^L L^{a\dot{j}}{}_{\dot{c}b} \wedge c\dot{n} \triangleleft n \triangleright \dot{r}{}^{\dot{c}b}$$


## List of Project Geometries

1	polygon	ATHA_Thelon_Mineral_Claims_nad83z14_20240430
---	---------	--

