



December 16, 2024
NPC File No. 150576

Cassel Kapolak

Manager, Public Registry
Nunavut Impact Review Board (NIRB)
P.O. Box 1360, Cambridge Bay, NU X0B 0C0
By email: ckapolak@nirb.ca; info@nirb.ca;
kmorrison@nirb.ca

José Audet-Lecouffe

Senior Biologist
Fisheries and Oceans Canada
301-5204 50th Ave (Franklin)
Yellowknife NT X1A 1E2
By email: Jose.Audet-Lecouffe@dfo-mpo.gc.ca;
fisheriesprotection@dfo-mpo.gc.ca

Brenda Pilakapsi

Lands Administrator
Kivalliq Inuit Association
P.O. Box 340, Rankin Inlet NU X0C 0G0
By email: bpilakapsi@kivalliqinuit.ca;
aburton@kivalliqinuit.ca; mserra@kivalliqinuit.ca;
dirLands@kivalliqinuit.ca; landsAdmin@kivalliqinuit.ca

Richard Dwyer

Manager of Licensing
Nunavut Water Board (NWB)
P.O. Box 119, Gjoa Haven, NU X0B 1J0
By email: richard.dwyer@nwb-oen.ca
licensing@nwb-oen.ca

Transport Canada

Prairies and Territories Office
Box 8850, 344, Edmonton St,
Winnipeg, MB R3C 0P6
By email: pnrean-pnreen@tc.gc.ca

William Patch

Director, Planning & Lands
Department of Community and Government Services
By email: wpatch@gov.nu.ca

Richard Hoos

Tetra Tech EBA
13510 14A Avenue
South Surrey, B.C V4A 9E7
By email: rick.hoos@tetrattech.com

Dear Cassel Kapolak, Richard Dwyer, José Audet-Lecouffe, Transport Canada, Brenda Pilakapsi, William Patch and Richard Hoos:

RE: NPC File # 150576 [Hamlet of Chesterfield Inlet Sealift Improvements Project]

The following works and activities have been proposed in the above-noted project proposal:

1. The Municipality of Chesterfield Inlet is proposing several improvements to Chesterfield Inlet's existing sealift area, including the following major components:
 - Expanded Laydown Area
 - Sealift Ramp Resurfacing
 - Boulder Clearing
 - Lighting
2. Associated NPC File Nos.: 150148; NIRB File No.: 23YN067
3. Location: Kivalliq Region; [Hamlet of Chesterfield Inlet]

A complete description of the project proposal reviewed by the Nunavut Planning Commission (NPC) can be accessed online using the link below.

The Nunavut Planning Commission (NPC) has completed its review of the above-noted project proposal. The NPC previously reviewed works and activities associated with the current proposal (conformity determination issued September 15, 2023). This conformity determination still applies. In addition, associated activities were previously screened by the Nunavut Impact Review Board (NIRB File No.: 23YN067).

The NPC has determined that the above-noted project proposal is a significant modification to the project because it includes reclamation of land, resurfacing and boulder clearing activities. It conforms to the Keewatin Regional Land Use Plan (KRLUP). The proponent has undertaken to comply with the applicable conformity requirements of Appendix C, G, and H of the KRLUP.

The above-noted project proposal requires screening by the NIRB under section 12.4.3 of the Nunavut Agreement as amended because it is for a component or activity that was not part of the original proposal and its inclusion is a significant modification of the project.

By way of this letter, the NPC is forwarding the project proposal with this determination to the NIRB for screening. Project materials, including the applicable conformity requirements, are available at the following address:

<https://lupit.nunavut.ca/portal/registry/registry.aspx?appid=150576>

The regulatory authorities to which this letter is addressed are responsible under the Nunavut Planning and Project Assessment Act (NUPPAA) to implement any of the applicable requirements by incorporating the requirements directly, or otherwise ensuring that they must be met, in the terms and conditions of any authorizations issued.

This conformity determination applies only to the above-noted project proposal as submitted. Proponents may not carry out projects and regulatory authorities may not issue licenses, permits and other authorizations in respect of projects if a review by the NPC is required. Regulatory authorities may consult with the NPC to obtain recommendations on their duties to implement the existing land use plans prior to issuing licenses, permits and other authorizations under subsection 69(6) of the NUPPAA.

My office would be pleased to discuss how best to implement the applicable requirements and to review any draft authorizations that regulatory authorities wish to provide for that purpose. If you have any questions, please do not hesitate to contact me at (867) 447-4563.

Sincerely,

A handwritten signature in blue ink, appearing to read 'SA', with a horizontal line extending from the 'A'.

Solomon Amuno, PhD
Senior Planner
Nunavut Planning Commission