

Haamlatkut Katimayit, Kanatami Anguniaqtit Ikayuqtit, Qiniqhiayit Annaktillu, taapkualu Pulaaqtarviit Kanatami. Nunaqyuaqmi havaaptingnit havaqativut tajja ikayuqtigiiktunik-ihivriuhqiyilluanik Ilihaqpaalliqvianit Victoria-mi, SmartICE, Ilihaqpaalliqviat London-mi United Kingdom-mi, Ilihaqpaalliqviallu Bremen, Germany-mit. Havaqatigiighutik taapkualu Sikumiut SmartICE nunallaarnit atannguyait katimayiralaangit Iqaluktuuttiaqmi, Uqhuqtuuq, Qikiqtaryuaq, ikayuqtigiitkumik-hanaqatauhimayut Nunavunmi tunngavilingmik qauyihaiyit parnaiyautainik taimaa nakuutqiyaniq nunaulyuriamik ilittuqhariamik taryum hikua qanurininganiinik ilauyughat amirnaittumik aullaqtut piksaliuqhimayunit naunaitkutanillu katitighimayut qilangmi piksaliurutinit. Qangahaaq aallannguqhimayunit taryum hikuanit naahurinnaiqpalliyuq, talvuuna amigaiqpalliyut irininautit huliyuqaraangat naahurinnaitunik ihuilutiniklu niqighaillurniqmut, anniaqtailiniqmut inuuhiqattiarniqmullu, manighiurniqmut, ilitquhinut, ilittuqhitinullu. Uqquuhivalliyuq anuri, ahiagullu hanguvalliyut taryum harvait hilaplu aallannguqtarniit, naihivaalliutauyuq hivitunianik upluqhiuttikkut ukiuq tamaat taryuq amirnaiqviat, ihuilutauyut piqaluyangnit maniilruit, nutaaniklu ainniqaqtut amiriyaghallu imaq aputim ataani. Nutaat hanalrutit ihariagiyaayut ilauyughat nunallaarmiunut aullaayuktunik maliktuivaktut Inuit Qauhimayatuqainnik (IQ), ayuqnaiqpaalliriamik ayuqhautauvaktut ilauyut aallannguqtaqtumut naahurinnaittumullu aullaqtunut amirnautit. Piksautit naunaitkutallu katitighimayut qilangmiittukkut piksaliutikkut, atuqtauliqtut tajja ilanginnut aullaqtut parnaiyautainut, naunaiqpaailliqviunginnaliklu qanurininganiinik taryum hikua ilauyunik amirnaittumik aullaqtunut. Iniqhiyumayugut taimaa ilihimattiriamik qanuq taryum hikua pitquhiit ilauyut amirnaittumik aullaqtunut ilitturiyaulaariaghait nutaanit qilangmiittukkut alruyaqtuqtukkut, ihumagilluaqhugu paqititjutikkut-tunngavilik qilangmiittukkut alruyaqtuqtut taiyauvaktuq hanayauhimayut piksautinik paqititjutik (SAR) hikumut naunaiqviulluangupluni. HavauhiitHavaqatigiplugit taapkua nunallaarni atannguyait katimayiralaat talvani hitamanit ilauyunit nunallaarnit Mittimatalik, Iqaluktuuttiaq, Uqhuqtuuq, Qikiqtaryuaqlu, ilitturihimaliqtaqqut hikum maniilruit, hikuilruit, hikuplu hilingnia irininaqtutut hikum pitquhiinik munariyaaghat qilangmiittukkut piksautikkut naunaitkutakullu. Havaaptingnit hikumi havakpangniaqtut qanilrumi tamangnit hitamanit nunallaarnit Qiqailruq nungutinagu nungunnuaqtumut Qiqaiyaluarviami 2025 2026-milu. Hikumi havaaghait iniqtauvangniat katimatjutaulutik taapkualu SmartICE nunallaarni atannguyait katimayiralaangit, naahurivagamigit havaaghainit iniqtauhimayut nunallaarnit taryum hikuanik nunaulyuriamik. SmartICE nunallaarnit aulapkaiyit, ilangi ikayuqtiuplutik ihivriuhqiyilluanguyut havaaghanit hapkunani, ilauniaqtullu hikumi naunaitkutanik katitiriyunik. Tamangnik hikumi qauyihaiyut ilauyut havaaptingnut kuinginnautaittut naunaiyautikaffuuplutik. Qauyiharniaqtaqqut hilingnia aputik taryuplu hikuata pitquhit taryum hikuanit haniani tamangnik hitamauyut nunallaat, upluq tamaat aullaqtlutik qauyiharviinut ahinillu nayugainit, aullaqhtutik sikiitukkut amirnaipat aullaariamik. Mikiyumik kaassiliiqmik uhiniaqhimayut uqhuqhamiklu sikiituqnut ingilrutituriamiklu 2-stroke-mik hikumik ikuutaqmik. Naunaitkutanik katitiriyut atuqpangniat hikumik ikuutanik alruyaqtuqtuniklu nipitaqtukkut (EM) qauyihautikkut hikum hilingnianik, hikum ikuutarniinik, ingilrutinik qauyihautighat aputim pitquhiinik aputim "hitiinit", paatulikkut ingilrayut niklamaniqmik qauyihautit qauyihariamik aputim taryuplu hikua niklamaniit, halikaaptanguillu piksaliuriamik ihivriuriamiklu qaanga (LiDAR EM-niklu qauyihautit). Havakviqarniat niklamaniamik-qauyihautinik (SmartBUOY) iliuraqtauyunik taryum hikuanit ahivaqtaulutik upinngaghami. Taapkua SmartBUOY-nguyut qakugunnuraangat aullaqtitauvaktut hikumi ataani pitquhimayaitut SmartICE nunallaarnit atannguyait katimayiralaangit naunaitkutatliqhimayughallu takunnariamik. Tamangnik EM-nguyut ihivriuhqitillu (LiDAR) qauyihautit huangautituqpallaayuittut kuinginnaqtumiklu nivyaayuittut. Tamangnik iqqakuit upluqmit havaanginnit agyaqtauvangniat nunallaarnut ihuaqtukkut iqqakuqtauyughat.

Personnel

Personnel on site: 6

Days on site: 53

Total Person days: 318

Operations Phase: from 2025-03-04 to 2026-05-20

Activities

Location	Activity Type	Land Status	Site history	Site archaeological or paleontological value	Proximity to the nearest communities and any protected areas
Ikaluktutiak	Scientific/International Polar Year Research	Marine	n/a	n/a	We will be conducting research on the sea ice in Dease Strait off the coast of Cambridge Bay approximately 10 to 50 km from the community. Guidance from local authorities will be needed to avoid known pathways/trails on the sea ice used by residents.
Uqsuqtuuk	Scientific/International Polar Year Research	Marine	n/a	n/a	We will be conducting research on the sea ice in Rasmussen Basin off the coast of Gjoa Haven approximately 10 to 50 km from the community. Guidance from local authorities will be needed to avoid known pathways/trails on the sea ice used by residents.
Mittimatalik	Scientific/International Polar Year Research	Marine	n/a	n/a	We will be conducting research on the sea ice in Eclipse Sound off the coast of Pond Inlet approximately 5 to 50 km from the community. Guidance from local authorities will be needed to avoid known pathways/trails on the sea ice used by

					residents.
Qikiqtarjuaq	Scientific/International Polar Year Research	Marine	n/a	n/a	We will be conducting research on the sea ice south of Qikiqtarjuaq approximately 5 to 30 km from the community. Guidance from local authorities will be needed to avoid known pathways/trails on the sea ice used by residents.

Community Involvement & Regional Benefits

Community	Name	Organization	Date Contacted
Cambridge Bay	Beverly Maksagak	Ekaluktutiak Hunters and Trappers Organization (EHTO)	2024-12-16
Qikiqtarjuaq	David Iqqaqsaq	Ikirmiut (SmartICE Community Management Committee)	2024-12-20
Pond Inlet	Andrew Arreak	Sikumiut (SmartICE Community Management Committee in Mittimatalik)	2024-10-03
Cambridge Bay	Angela Gerbrandt	Municipality of Cambridge Bay	2024-12-15

Authorizations

Indicate the areas in which the project is located:

Authorizations

Regulatory Authority	Authorization Description	Current Status	Date Issued / Applied	Expiry Date
Nunavut Research Institute	An application for a Nunavut scientific research license was made on 2024-12-19.	Applied, Decision Pending		
Kitikmeot Inuit Association	As KIA represents the Inuit people of the Kitikmeot Region of Nunavut, we will meaningfully engage with KIA and Kitikmeot Inuit before, during and after the research has taken place.	Not Yet Applied		
Qikiqtani Inuit Association	As the regional Inuit association for the Qikiqtani Region of Nunavut, we will meaningfully engage with QIA and Qikiqtani Inuit during all stages of the research.	Not Yet Applied		

Project transportation types

Transportation Type	Proposed Use	Length of Use
Air	The project team members located in southern communities will take commercial flights to travel to and from the project communities.	
Water	Field teams will travel on the sea ice by snowmobile, to and from field sites on a daily basis when field based activities are taking place.	

Project accommodation types

Community

Material Use

Equipment to be used (including drills, pumps, aircraft, vehicles, etc)

Equipment Type	Quantity	Size - Dimensions	Proposed Use
Snowmobile	12	2m x 1.5m x 1.5m	Access to field sites from project communities in 2025.
Snowmobile	8	2m x 1.5m x 1.5m	Access to field sites from project communities in 2026.
Surveying drone	4	373mm x 101mm x 298mm (unfolded)	Mapping sea ice surface roughness. Take off weight is less than 250g.
Surveying drone (LiDAR)	1	45cm x 45cm x 25cm	Mapping sea ice surface roughness using LiDAR technology.
EM-31	4	145cm x 38cm x 23cm	Geonics EM-31 electromagnetic induction (EM) device for measuring the apparent conductivity of sea ice and water, for inferring the sea ice thickness. Operates at 9.8 kHz.
GEM-2	2	183cm x 12.5cm x 10cm	Geophex Ltd. multi-frequency electromagnetic sensor for measuring the apparent conductivity of sea ice and water, for inferring sea ice and slush/snow thickness.
Thermistor-based stationary sensor (ice buoy)	4	40cm x 15cm x 240cm	SmartBUOYs that provides vertically spaced measurements of air, snow, sea ice, and water temperature, for monitoring changes in snow and ice thickness over time.
Ice coring system	4	128cm x 23cm x 7cm	Kovacs Mark II coring system to retrieve 9cm diameter sea ice cores up to 1m long.
Ice thickness kit	4	60cm x 40cm x 25cm	2 augur flights (50cm each), a 50cm extension rod, a handbrace, and an ice thickness measuring tape. Dimensions are for the kit when everything is dismantled and packed.
Snow pit kit	4	58cm x 22cm x 35cm	Each kit contains a foldable shovel, ruler, snow grain card, density sampler, battery operated temperature probe, brush, cloth, and notebook. Used for documenting snow

			grain and snow layer properties.
Engine drive	4	55cm x 38cm x 32cm	Kovacs 2-stroke core barrel engine drive for powering the Kovacs ice coring systems.
GNSS receiver	1	13cm x 13cm x 14cm	Emlid Reach RTK GNSS Receiver for positioning.
Hydraprobe snow sensor	2	38cm x 8cm x 30cm	Battery operated probe for measuring moisture and electrical conductivity of snow for remote sensing studies. Dimensions are for the probe and logger case. Actual sensing probe is 5.7cm long. Made by Stevens.
SLF snow sensor	1	4.5cm x 9cm x 4cm	SLF Snowpro-17 uses a capacitive sensor for measuring snow density in snow pits.

Detail Fuel and Hazardous Material Use

Detail fuel material use:	Fuel Type	Number of containers	Container Capacity	Total Amount	Units	Proposed Use
Gasoline	fuel	4	20	80	Liters	Powering snowmobiles

Water Consumption

Daily amount (m3)	Proposed water retrieval methods	Proposed water retrieval location
0		

Waste

Waste Management

Project Activity	Type of Waste	Projected Amount Generated	Method of Disposal	Additional treatment procedures
Information is not available				

Environmental Impacts:

Sea ice sites will be visited daily by snowmobile and daily field sampling involves measuring snow and sea ice properties while on the sea ice. There will be trampling around the sites when accessing them and small snow pits and ice core holes. Holes will be drilled in the sea ice to deploy ice buoys and their marking flags. Small snow and sea ice samples will be bagged daily and brought back to the research station or hotel accommodation and melted to measure for salinity. The water amount will be small enough that it will be dumped down the sink when done. Mitigation: The research stations or hotels will be handling all waste removal. Fueling of snowmobiles will take place daily at the research station or at retail services in the community that have their own fuel storage/containment/spill kits available if necessary. Efforts will be made to limit the snowmobile tracks and trampling at sites, and to restore the sites as they were before activities took place.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

Description of Existing Environment: Physical Environment

Description of Existing Environment: Biological Environment

Description of Existing Environment: Socio-economic Environment

Miscellaneous Project Information

Identification of Impacts and Proposed Mitigation Measures

Cumulative Effects

Impacts

Identification of Environmental Impacts

	PHYSICAL	Designated environmental areas	Ground stability	Permafrost	Hydrology / Limnology	Water quality	Climate conditions	Eskers and other unique or fragile landscapes	Surface and bedrock geology	Sediment and soil quality	Tidal processes and bathymetry	Air quality	Noise levels	BIOLOGICAL	Vegetation	Wildlife, including habitat and migration patterns	Birds, including habitat and migration patterns	Aquatic species, incl. habitat and migration/spawning	Wildlife protected areas	SOCIO-ECONOMIC	Archaeological and cultural historic sites	Employment	Community wellness	Community infrastructure	Human health
Construction	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Operation																									
Scientific/International Polar Year Research		-	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	P	-	-	
Decommissioning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

(P = Positive, N = Negative and non-mitigatable, M = Negative and mitigatable, U = Unknown)

Project Location



List of Project Geometries

1	polygon	Ikaluktutiak
2	polygon	Uqsuqtuuk
3	polygon	Mittimatalik
4	polygon	Qikiqtarjuaq