

DÉTAILS

Description non technique de la proposition de projet

Anglais: Who: Environment and Climate Change Canada as owner of the Isachsen High Arctic Weather Station, through Public Services and Procurement Canada as contracting managers, have retained an experienced and qualified team of consultants and contractors for the proposed undertaking. What: The proposed undertaking is the incineration of the waste fuel at Isachsen which is presently contained in many storage tanks and in many hundreds of drums. The fuel will be incinerated in two forced air incinerators that have remained on-site from an earlier fuel incineration program. The incinerators were reconditioned, tested and certified on-site by their manufacturer in 2024. The volume of waste fuel planned for incineration is on the order of 76,000 litres and includes old diesel, Jet fuels, kerosene and gasoline. Fuel reduction by incineration is an initial step in the overall decommissioning and remediation work planned for the Isachsen Weather Station and was presented at the Community Engagement session held in Resolute Bay in January 2025. Why: The fuel is up to 30 years old, and cannot reliably be used in motive equipment. Keeping it in storage is an environmental risk due to the advanced age of the storage tanks and their obvious weathering in a harsh environment. Relocating the waste fuel to facilities that may be able to use it for space heating would incur risks of leaks and spills due to multiple transfers and handling, and the airstrip is not currently in a condition to accept large cargo planes. On-site incineration has been identified as the safest and most efficient means of removing this environmental risk. Where: The incineration area will be set up with appropriate spill containment facilities at the west end of the runway near the runway tank farm, at reasonable proximity to the seasonal work camp. The runway tanks contain about 55% of the fuel that is to be incinerated. The remainder of the fuel is in drums and small tanks along the runway and in buildings at the station. When: The fuel incineration program is planned to require 42 days and start in late June 2025 and be completed in early August 2025.

Français: Qui: Environnement et Changement climatique Canada, en tant que propriétaire de la station météorologique d'Isachsen dans l'Extrême-Arctique, par l'intermédiaire de Services publics et Approvisionnement Canada, a retenu les services d'une équipe expérimentée et qualifiée de consultants et d'entrepreneurs pour l'entreprise proposée. Quoi: L'entreprise proposée consiste à incinérer le combustible usé d'Isachsen qui est actuellement contenu dans de nombreux réservoirs de stockage et dans plusieurs centaines de fûts. Le carburant sera incinéré dans deux incinérateurs à air forcé qui sont restés sur place à Isachsen grâce à un programme d'incinération de combustible antérieur. Les incinérateurs ont été reconditionnés, testés et certifiés sur place par leur fabricant en 2024. Le volume de combustible usagé prévu pour l'incinération est de l'ordre de 76 000 litres et comprend du vieux diesel, du carburacteur, du kérosène et de l'essence. La réduction du combustible par incinération est une première étape des travaux globaux de déclassement et d'assainissement prévus pour la station météorologique d'Isachsen et a été présentée lors de la séance de mobilisation communautaire tenue à Resolute Bay en janvier 2025. Pourquoi: Le carburant a jusqu'à 30 ans et ne peut pas être utilisé de manière fiable dans l'équipement motorisé. Son entreposage présente un risque environnemental en raison de l'âge avancé des réservoirs de stockage et de leur résistance évidente aux intempéries dans un environnement difficile. Le déplacement du combustible usé vers des installations qui pourraient être en mesure de l'utiliser pour le chauffage des locaux entraînerait des risques de fuites et de déversements en raison de multiples transferts et manutentions qui serait impliqué dans le transport, et la piste d'atterrissage n'est pas actuellement en état d'accepter de gros avions-cargos. L'incinération sur place a été identifiée comme le moyen le plus sûr et le plus efficace d'éliminer ce risque environnemental. Où: L'aire d'incinération sera aménagée avec des installations appropriées de confinement des déversements à l'extrémité ouest de la piste, près du parc de stockage de la piste, à une proximité raisonnable du camp de travail saisonnier. Les réservoirs de piste contiennent environ 55% du carburant qui doit être incinéré. Le reste du carburant se trouve dans des fûts et de petits réservoirs le long de la piste et dans les bâtiments de la station. Quand: Le programme d'incinération de combustible devrait durer 42 jours et commencer à la fin de juin 2025 et se terminer au début d'août 2025.

[illegible]

Personnel on site: 5
Days on site: 42
Total Person days: 210
Operations Phase: from 2025-06-30 to 2025-08-30

Activités

| Emplacement | Type d'activité | Statut des terres | Historique du site | Site à valeur archéologique ou paléontologique | Proximité des collectivités les plus proches et de toute zone protégée |
|-------------------------|--------------------------|-------------------|--|---|--|
| P2023-16 LUP(250228) | Site Cleanup/Remediation | Crown | The site is a former High Artic Weather station which closed in 1978 | An archeological impact assessment found no archeological value at the site | Approximately 500km |

Engagement de la collectivité et avantages pour la région

| Collectivité | Nom | Organisme | Date de la prise de contact |
|--------------|--|---|-----------------------------|
| Resolute Bay | Community members and elders from Resolute Bay | Held community meeting to discuss planned remediation at Isachsen | 2025-01-29 |

Autorisations

Indiquez les zones dans lesquelles le projet est situé:

Autorisations

| Organisme de régulation | Description des autorisations | État actuel | Date de l'émission/de la demande | Date d'échéance |
|----------------------------|-------------------------------|---------------------------|----------------------------------|-----------------|
| Autre | CIRNAC Land use permit | Applied, Decision Pending | | |
| Office des eaux du Nunavut | Water license | Not Yet Applied | | |

Project transportation types

| Transportation Type | Utilisation proposée | Length of Use |
|---------------------|----------------------------------|---------------|
| Air | Transport to site via twin otter | |

Project accomodation types

Temporary Camp

Utilisation de matériel

Équipement à utiliser (y compris les perceuses, les pompes, les aéronefs, les véhicules, etc.)

| Type d'équipement | Quantité | Taille – Dimensions | Utilisation proposée |
|-------------------------|----------|---------------------|--|
| Forced-air incinerators | 2 | n/a | Two Ketek brand forced air incinerators will be used to incinerate the combustible waste fuel that is present at Isachsen. The units were used in 1996 for the same purpose and have been reconditioned and recertified by their manufacturer. They burn at the rate of about 110 L/hour. Test burns were conducted on diesel, jet A & B fuel and kerosene. Gasoline will be mixed at a ratio of 1 parts gasoline to 10 parts diesel or jet to be incinerated. |

Décrivez l'utilisation du carburant et des marchandises dangereuses

| Décrivez l'utilisation de carburant : | Type de carburant | Nombre de conteneurs | Capacité du conteneur | Quantité totale | Unités | Utilisation proposée |
|---------------------------------------|-------------------|----------------------|-----------------------|-----------------|--------|------------------------------|
| Diesel | fuel | 20 | 205 | 4100 | Liters | To pre-heat the incinerators |
| Aviation fuel | fuel | 10 | 205 | 2050 | Liters | To refuel the Twin Otter |
| Gasoline | fuel | 10 | 205 | 2050 | Liters | To refuel the generators |

Consommation d'eau

| Quantité quotidienne (m3) | Méthodes de récupération de l'eau proposées | Emplacement de récupération de l'eau proposé |
|---------------------------|---|--|
| 2 | Pump from meltwater pond | North of the site's runway |

Déchets

Gestion des déchets

| Activités du projet | Type des déchets | Quantité prévue | Méthode d'élimination | Procédures de traitement supplémentaires |
|--------------------------|--------------------------|-----------------|--|--|
| Site Cleanup/Remediation | Déchets combustibles | 76,000L | Combustible waste fuels will be incinerated on-site in two forced-air incinerators that were reconditioned and tested in 2024. | N/A |
| Site Cleanup/Remediation | Déchets non combustibles | 100L | This waste stream is antifreeze and will be taken off-site for disposal. | Non-combustible fluids from inoperable vehicles will be pumped out of the motors and collected into one or more sturdy 205L drums and taken off-site for disposal. |

Répercussions environnementales :

Waste fuel will be reduced and eliminated via on-site incineration at Isachsen. Aside from combustion gasses no environmental impacts are expected. The incineration area will be bermed to contain any spillage of fuel. A spill protection plan and spill cleanup equipment will be implemented. The work will be led by an appropriately licensed contractor. In addition, non-combustible liquids will be collected from approximately 11 inoperable vehicles and will be put in drums and taken off site for disposal.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

See attached fuel reduction plan

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

Description de l'environnement existant : Environnement physique

See attached fuel reduction plan

Description de l'environnement existant : Environnement biologique

See attached fuel reduction plan

Description de l'environnement existant : Environnement socio-économique

The nearest community is 500km away and the site is not near any protected areas. An archeological impact assessment was conducted and no archeologically significant site were found at Isachsen

Miscellaneous Project Information

See attached fuel reduction plan

Identification des répercussions et mesures d'atténuation proposées

See attached fuel reduction plan

Répercussions cumulatives

N/A


Impacts

Identification des répercussions environnementales

| | PHYSICAL | Designated environmental areas | Ground stability | Permafrost | Hydrology / Limnology | Water quality | Climate conditions | Eskers and other unique or fragile landscapes | Surface and bedrock geology | Sediment and soil quality | Tidal processes and bathymetry | Air quality | Noise levels | BIOLOGICAL | Vegetation | Wildlife, including habitat and migration patterns | Birds, including habitat and migration patterns | Aquatic species, incl. habitat and migration/spawning | Wildlife protected areas | SOCIO-ECONOMIC | Archaeological and cultural historic sites | Employment | Community wellness | Community infrastructure | Human health |
|--------------------------|----------|--------------------------------|------------------|------------|-----------------------|---------------|--------------------|---|-----------------------------|---------------------------|--------------------------------|-------------|--------------|------------|------------|--|---|---|--------------------------|----------------|--|------------|--------------------|--------------------------|--------------|
| Construction | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Exploitation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Site Cleanup/Remediation | - | - | - | - | - | - | - | - | - | - | - | - | N | - | - | - | - | - | - | - | - | P | - | - | - |
| Désaffectation | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(P = Positive, N = Négative et non gérable, M = Négative et gérable, U = Inconnue)

Site du projet



Liste des géométries de projet

| | | |
|---|----------|----------------------|
| 1 | polyline | P2023-16 LUP(250228) |
|---|----------|----------------------|