



**Cassel Kapolak**

Manager, Public Registry  
Nunavut Impact Review Board (NIRB)  
P.O. Box 1360, Cambridge Bay, NU X0B 0C0  
By email: [ckapolak@nirb.ca](mailto:ckapolak@nirb.ca); [info@nirb.ca](mailto:info@nirb.ca);  
[kgillard@nirb.ca](mailto:kgillard@nirb.ca)

**Brenda Pilakapsi**

Lands Administrator  
Kivalliq Inuit Association  
P.O. Box 340, Rankin Inlet NU X0C 0G0  
By email: [bpilakapsi@kivalliqinuit.ca](mailto:bpilakapsi@kivalliqinuit.ca);  
[aburton@kivalliqinuit.ca](mailto:aburton@kivalliqinuit.ca); [mserra@kivalliqinuit.ca](mailto:mserra@kivalliqinuit.ca);  
[dirLands@kivalliqinuit.ca](mailto:dirLands@kivalliqinuit.ca); [landsAdmin@kivalliqinuit.ca](mailto:landsAdmin@kivalliqinuit.ca)

**William Patch**

Director, Planning & Lands  
Department of Community and Government Services  
By email: [wpatch@gov.nu.ca](mailto:wpatch@gov.nu.ca)

**José Audet-Lecouffe**

Senior Biologist  
Fisheries and Oceans Canada  
301-5204 50th Ave (Franklin)  
Yellowknife NT X1A 1E2  
By email: [Jose.Audet-Lecouffe@dfo-mpo.gc.ca](mailto:Jose.Audet-Lecouffe@dfo-mpo.gc.ca);  
[fisheriesprotection@dfo-mpo.gc.ca](mailto:fisheriesprotection@dfo-mpo.gc.ca)

**Transport Canada**

Prairies and Territories Office  
Box 8850, 344, Edmonton St,  
Winnipeg, MB R3C 0P6  
By email: [pnrean-pnreen@tc.gc.ca](mailto:pnrean-pnreen@tc.gc.ca)

**Sheldon Dorey**

Hamlet of Baker Lake  
3022- 4th Avenue  
Baker Lake Nunavut X0C 0A0  
By email: [sdorey@bakerlake.ca](mailto:sdorey@bakerlake.ca)

Dear Cassel Kapolak, José Audet-Lecouffe, Brenda Pilakapsi, Transport Canada, William Patch, and Sheldon Dorey:

**RE: NPC File # 150689 [Hamlet of Baker Lake Sealift Infrastructure Project]**

The following works and activities have been proposed in the above-noted project proposal:

1. The proponent is proposing a sealift improvement project that consist of the construction of the sealift and laydown area in the Hamlet of Baker Lake, Nunavut. The Project includes the following components:
  - A new sealift laydown area.
  - Access roads to the laydown area from adjacent existing roads.
  - A new landing ramp for normal small ramp-onboard barges.
  - A new barge pushout for larger freeboard barges.
  - Area lighting at the ramps and laydown area.
  - A security office, fencing and signage.
2. Location: Kivalliq Region; [Baker Lake].

A complete description of the project proposal reviewed by the Nunavut Planning Commission (NPC) can be accessed online using the link below.

The NPC has completed its review of the above-noted project proposal. It conforms to the Keewatin Regional Land Use Plan (KRLUP). The proponent has undertaken to comply with the applicable conformity requirements of Appendix C, G, and H of the KRLUP. The project proposal requires screening by the Nunavut Impact Review Board (NIRB) because it does not belong to a class of exempt works or activities set out in Schedule 12-1 of the Nunavut Agreement.

By way of this letter, the NPC is forwarding the project proposal with this determination to the NIRB for screening. Project materials, including the applicable conformity requirements, are available at the following address:  
<https://lupit.nunavut.ca/portal/registry/registry.aspx?appid=150689>

The regulatory authorities to which this letter is addressed are responsible under the Nunavut Planning and Project Assessment Act (NUPPAA) to implement any of the applicable requirements by incorporating the requirements directly, or otherwise ensuring that they must be met, in the terms and conditions of any authorizations issued.

This conformity determination applies only to the above-noted project proposal as submitted. Proponents may not carry out projects, and regulatory authorities may not issue licenses, permits and other authorizations in respect of projects if a review by the NPC is required. Regulatory authorities may consult with the NPC to obtain recommendations on their duties to implement the existing land use plans prior to issuing licenses, permits and other authorizations under subsection 69(6) of the NUPPAA.

My office would be pleased to discuss how best to implement the applicable requirements and to review any draft authorizations that regulatory authorities wish to provide for that purpose. If you have any questions, please do not hesitate to contact me at (867) 447-4563.

Sincerely,

A handwritten signature in blue ink, appearing to be the initials 'S.A.' with a horizontal line extending from the 'A'.

Solomon Amuno, PhD  
Senior Planner  
Nunavut Planning Commission