



Demande de la CNER faisant l'objet d'un examen préalable #126201

Monitoring the movement, habitat use, and overall health and function of Arctic fishes across freshwater and marine ecosystems in the Cambridge Bay area

Type de demande : New

Type de projet: Scientific Research

Date de la demande : Wednesday, June 18, 2025

Period of operation: from 2025-03-24 to 2035-05-24

Promoteur du projet: Les Harris
Fisheries and Oceans Canada
501 University Crescent
Winnipeg MB R3T 2N6
Canada
Téléphone :: 1-204-880-0421, Télécopieur ::

DÉTAILS

Description non technique de la proposition de projet

Anglais: Aquatic resources - notably many fish species - are central to Inuit health, culture, and economic development. Understanding the environmental drivers of fish availability and quality in the context of a rapidly changing Arctic is essential to ensure their continued sustainability and availability. Our long-term (>15 years) research program in Cambridge Bay has documented spatial, temporal, and physiological aspects of habitat use and migrations of Arctic Char. We've used cutting-edge approaches, incorporating acoustic telemetry, genomics, ecological physiology, contaminant monitoring, and oceanography. Here, we aim to build upon these ongoing research efforts but also significantly extend the reach of our program by expanding acoustic tracking, physiological, and ecotoxicological investigations into several ecologically and culturally important fish species such as lake trout, cod (ogac) and sculpins (kanayok). Acoustic tracking will be used to monitor the movement, behaviour, and habitat use, and to identify critical habitats such as those used for spawning and overwintering in several species of importance. This method involves the implantation of small acoustic tags into the body cavity of the fish that can then be "heard" by acoustic receivers that will be deployed thought the marine and freshwater environments. Physiological measurements will be used to characterize the influence of temperature and oxygen changes (both seasonal and rapid changes) on the health and function of fishes. This work will involve measuring several parameters related to fish health such as heart function, metabolism, and energy balance. Acoustic tracking data will also provide information on temperatures experienced by fishes in the area which can be integrated with information regarding their physiology. Ecotoxicological work will be used to investigate the types and abundance of emerging contaminants, including plastics, ship- / oil-based pollution, and PFAS, in key habitats in the region in addition to the sources, fates, and transport of these contaminants. Aquatic passive samplers will be used to track sources and transport of these contaminants in the environment and biological sampling to track the fate and transport of contaminants through the ecosystem. These aquatic passive samplers compliment decades long aquatic passive sampler deployments in Nunavut through the AQUA-GAPS network and Environment and Climate Change Canada. Sampling of surface water, aquatic and thawed surface sediments, and Arctic char tissues will also be used to answer questions and concerns from the EHTO and community partners on the release of contaminants via permafrost thaw into critical fish and their habitats. Water samples will be obtained by filling 1L stainless steel, glass, and/or polyethylene water bottles (40L/year). Sediment samples will be taken by scooping sediment into 100-500ml whirl-pak bags and/or stainless steel/glass jars (20L/yr). By taking paired water and sediment samples, we will begin to understand the of contaminants that are entering critical fish habitats, and through contaminant pattern assessments begin to pin-point potential sources (e.g., permafrost thaw, wastewater effluent, shipping); thus, informing priority contaminants to monitor as the Arctic experiences rapid warming. Further, new collaborations will be built to explore the biological drivers of fish habitat quality in both freshwater and in the oceans. In lakes, we will explore how juvenile fish habitat use is linked to seasonal and diel patterns of plankton vertical migrations and abundance. Using our acoustic array in the marine environment, we will assess if kelp forests in the Cambridge Bay area are important marine summer feeding habitats for Arctic Char and other fish species. Finally, we will use environmental DNA (eDNA) methods to help characterize seasonal and spatial variation in the distribution and abundance of these fish species. Most work will be based out of the community of Cambridge Bay with personnel residing on site at the Canadian High Arctic Research Station (CHARS) except for two 5-10 day camps on the land per year. Camps will consist of 4 people with a total of 80-person camp days per year. The team has been working in close collaboration with the Ekaluktutiak Hunters & Trappers Organization (EHTO) for > 16 years and the board has provided support and will be a key partner on the project, assisting with sampling logistics (including the hiring of local experts) and in the organization of annual community outreach events. Overall, the proposed project will contribute significantly to our understanding of climate change impacts on fish and the fisheries they support. It will do so through extended long-term monitoring of contaminant trends, fish behavior and performance in relations with physicochemical habitats characteristics. Furthermore, by bridging data on lower food web and aquatic habitats, this project will also lay the foundations for an ecosystem-based management approach of culturally and economically important Arctic fish species.

Français:

N/A

Inuktitut:

Inuinnaqtun: Imarmiuttat atugakhaliumirmullu – pidjutit ilittunaqtut amigaittunik iqalukhiuktukhanik nirjutinik – akunnganik Inuit inuuuhirinnaqtumiglu, pitquhiqtuqpaktunik, uvuunalu havaakkaliurnirmullu aullaqtirutikhanik. Kangiqhigiami avatinganik aquttut iqalungnik piinrialaqininga qanurittaakhaaniglu pipluni qilaminnaaq aallannguqtuq Ukiuqtaqtumi ihariagijaujuq naunairiam ipihimmaaqtuq nungulaittumut piinrialaqiningalu. Hivitujumik (> 15nik ukiunik) ihivriurnikkut pinahuarutit Iqaluktuuttiami titiraqtut najugait, atukaffaaqtut, uvvalu iqajarnikkut pidjutit najugait aturningit uvvalu nuutirniit Ukiuqtaqtumi Iqalukpit. Atuqtugut kibluiqhimajunik upautidjutit, ilaliutiblugit uuktutinirnunut nirjutit ingilraliningit, ingattaqhimalinirnut, nunami iqajarnikkut, halumailrunik munaridjutinik, uvvalu tarjutigut iqajarnikkut. Hamani, piniaqtugut nappaqtigjaangat ukuninga aulahimmaaqtunik ihivriudjutikharnik pidjutikharnik kihimi anginirmik tikiutijaangat havaakkhangit taimaa angiglijuumirutikharnik auladjutikharnik, iqajaliqinikkut, unalu nunami ihivriurutikharnik qaffiujunek pitquhiliqinikkut akhuurnaqtunik iqalungnik huradjanik taimaittunik tahirmi ihuuq, uugak (ogac) halumailrungillu kanajuq (kanayok). Naunaijainikkut naunaijainiq atuqtauniaqtuq munarigiami ingilraninga, pitquhinga, najugangillu aturninga, ilitarigiamilu hivitujut najugangit ukunatitut tahapkuat atuqtaujut akhuraaluk amihuuniglu huradjanik akhuurninganik. Una pidjuhiq ilalik naunaipkutat mikijut atatat timingat ilulia iqalungnut tamnaunia "turaangajut" tapkunannga apjaqturnit pidjutaunia pijauniat ihumani tarjumi halumajut imaq avatait. Iqajarnikkut aktilaangit atuqtauniaqtut naunaijariangani uunarniit uvvalu aniqhaarut aallanngurningit (tamarnik ukiutigut uvvalu qilamik aallannguqtirningit) aanniaqtailinikkut uvvalu auladjutainun iqalukhiuqtut. Una havaakhaq ilauqarniaqtuq qaffiujunek atuqtakharnik aulahimajut talvuuna iqalungnik inuuuhirinikkut taimaittunik uummataliqinikkut auladjutikharnik, auladjutikharniglu, unalu qullirutikharnik. Naunaijaqhugit naunaijautit tunihiniaqtut kangiqhidjutinik uunarniitigut atuqtaujut iqalukhiuqtinit kitut ilaujut kangiqhidjutinik mikhaagut iqajarnikkut. Havagvik nalunaqtuliqinikkut taapkua pidjutigijait idjuhiit, hulaqutit, ilauqatigiingnirmullu hunat taapkua hivuuranaqtut avatiptingnut havaktaujukhat ihivriuriangani qanurittut amigainingilu halumailrut, ukualu palaastiit, umiat/uqhurjuat halumailrut, PFAS-lu, nunajainit nunami ilagiarutini ihuaqutini, uqhurnik, aullaqtittijaanganilu ukuninga halumailrunik. Naluuyaqtut naunaiyagakhat atuqtauniaqtut naunaiyagiangani ikayuutit uvalu akyaqlugit hapkua halumailgut avatingini uvalu huradjat ihivgiugutit naunaiyagiangani halumailgut avatingitigut. Hapkuat imarmiutanik qangiutivaktun ihivriudjutikharnik nan'ngaridjutit 10-nik ukiunganik aulahimaanginaqtun ihivriudjutikharnik aulatitivakhimayut Nunavunmi talvuuna Naluuyaqtut Nunaruami Aittunnikkut Uuktuutit (AQUA-GAPS) qaritaujaliqidjutitigun Avatiliqijitkullu Hilaup Aallannguqtirninga Kanatami. Ihivriudjutikhangit qaanganiitunik imarnik, imarmiutanik mahaktiqhimajuniglu qaanganiitunik nunangit, Unalu Iqalukpiit kakijautikhangit atuqtauniaqtun kiujaangat apiqquntingnik ihumajijauhimajuniglu talvannga Ekaluktutiak Anguniaqtit Naniriaqtunullu Katimajiit EHTO-mit nunallaanilu ilaqtatigiiktunik talvuuna halumaittunik talvuuna nunap qiqamaninga mahaktiqpallianiaqtun akhuurnaqtunik iqalungnik nunajijainiglu. Imarmik naunaijagakhat pijauniaqqut 1 L qipliqtut haviit, hikuliat, uvvalu/uvvaluniit ajurnaqpiaktuq, qullirmik, ihuaqijuminaqtumik maniktuq halumailrut piliuqtauhimajauq qiplariktunnut halumailrut, atuqtaujut palaastik puukhanik, niqinik puukhanik, aallaniglu puuqhimajunik imarmik hikuliat (40 L/ukiuq). Nunavaluit naunaijagakhat pijauniaqt 100-500 ml whirl-pak puukattaq taamnalu/uvvaluniit qipliqtut haviit/hikuliat puukhangit (20 L/ukiuq). Piplugit imait nunalu naunaijagakhat, kangiqhilirniaqtugut halumailrut itilijut ihariagijaujunik iqaluit najugainik, halumailruniglu atuqtaujunik naunaijajut piniqhalihaalihutik (ilaa, nunap qiqumaninga auktuqpallianinganik, kuvigarvikhat, uhidjutit); talvuuna, ilittuqhajjaangat pijumalluaqtainik halumaittunik munaridjutikharnik Ukiuktaqtuni atuqpakhimajainik qilaminnaaq. Imaalu, nutaat havaqatigiingningit havaktauniaqtut qiniqhialutik akhaluutinik iqalungnik huradjanik qanuriningit tamarnik imap uvvalu tarjumi. Tattit iluani, qiniqhianiaqtugut qanuq iqalugait najugait atuqtaujut atadjutiqaqtut ukiutigut uvvalu uqhurjuanik auladjutainik upalungajautini aulaningit uvvalu amigainingit. Aturlutik nivjaujanik tarjurmi avatingnit, ihivriurniaqtugut tarjum natqua nauttiat Iqaluktuuttiami najugaani akhuurnaqtun tarjurmi aujamii nirijaangat najugaingit talvani Iqalukpiit aallaniglu iqalungnik huradjanik. Kingulliqpamik, aturniaqtugut avatiliqinikkut DNA (eDNA) hanaqidjutikharnik ikajurianganik naunaijaijaangat ukiungani najugaanilu naunairutiqaqtun

talvani nunamiittunik amigaitilaangillu ukuninga ikalungnik huradjanik. Amigainiqhat havaat pijutiqaqniaqtut nunagiayumi Iqaluktuutiami havaktunik igluqaqtunik talvani Kanatamiut Qutiktumi Ilituqhaivikmi Havakviuyumi (CHARS) kihiani malruuknik 5-nit 10-ni ubluni aulaaqtitiyuni maniqami atuni ukiumi. Tangmarviit piqarniaqtut 4-nik inungnik atauttimut 80-inungnik kativajaqturviujuni ubluni atauhirmi ukiumi. Ikajuqtigiiit havaqatiqaqtut qaniniqhanik havaqatigiingninginik Ekaluktutiak Angunahuaqtit Timiujuni (EHTO) > 16-ni ukiuni kativajinilu pipkajut ikajuutinik ikajuqtigiiilluarininginik havaami, ikajuqhutik naunaijagakhanik aulanininginik (ilaujullu havaktikhaqhiuriangani nunagijaujumi ajunngittut) timiujullu aippaagutuaraangat nunagijaujumi uqaqatigiigutinik hulivujunik. Tamainnit, atulirumajaujuq havaaq ikajuutauniaqtuq angijumik kangiqhidjutiptingnik hilap aallanngurniganik akturnniginik iqalukhiuqtuni iqalukhiuqtilu ikajurninginik. Taimailiurniaqtuq hivitujumik munaridjutinik halumailrunik aulaningit, iqaluit idjuhiit uvvalu havauhiit ilaujut iqajarnikkut najugait idjuhiit. Taimaalu, katitqhugit naunaijautit mikitqiatigut niqitigut pidjutait uvvalu imarmiuttanik najugait, una havaaq tunngaviqarniaqtuq nunami-pihimajut munaridjutikkut upautiniq pitquhikkut uvvalu maniliurnikkut akhuurnaqtut Ukiuqtaqtumi iqalukhiuqtut huradjat.

Personnel

Personnel on site: 7

Days on site: 21

Total Person days: 147

Operations Phase: from 2025-03-24 to 2035-05-24

Activités

Emplacement	Type d'activité	Statut des terres	Historique du site	Site à valeur archéologique ou paléontologique	Proximité des collectivités les plus proches et de toute zone protégée
Jayko (Jayco) River commercial fishery study site	Sampling sites	Inuit Owned Surface Lands	N/A	N/A	Approximately 40 km from the community of Cambridge Bay
Subsistence waters near Cambridge Bay	Sampling sites	Inuit Owned Surface Lands	N/A	N/A	In proximity to the community of Cambridge Bay (0-30 km)
Greiner and Anderson Bay watersheds	Sampling sites	Inuit Owned Surface Lands	N/A	N/A	In proximity to the community of Cambridge Bay (10-40 km)

Engagement de la collectivité et avantages pour la région

Collectivité	Nom	Organisme	Date de la prise de contact
Cambridge Bay	Bevery Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2024-08-15
Cambridge Bay	Bevery Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2024-10-23
Cambridge Bay	Bevery Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2025-01-10
Cambridge Bay	Rose Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2025-05-06
Cambridge Bay	Rose Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2025-05-21

Autorisations

Indiquez les zones dans lesquelles le projet est situé:

Autorisations

Organisme de régulation	Description des autorisations	État actuel	Date de l'émission/de la demande	Date d'échéance
Hunters and Trappers Associations/Organizations	The Ekauktukiak Hunters and Trappers Organization supported all our proposed research in Cambridge Bay	Active	2024-12-03	2026-03-31
Hunters and Trappers Associations/Organizations	The Ekauktukiak Hunters and Trappers Organization supported all our proposed contaminants research in Cambridge Bay	Active	2024-12-03	2026-03-31
Pêches et Océans Canada	License to fish for scientific purposes issued by DFO	Active	2025-04-30	2026-03-31
Pêches et Océans Canada	Animal use protocol license issued by DFO	Active	2025-04-30	2026-03-31
Autre	Nunavut Planning Commission decision.	Active	2025-05-05	2035-06-01

Project transportation types

Transportation Type	Utilisation proposée	Length of Use
Water	We will be travelling via boat to multiple sampling sites in and around Cambridge Bay.	
Land	We will be travelling via ATV to multiple sampling sites in and around Cambridge Bay.	

Project accomodation types

Permanent Camp

Collectivité

Utilisation de matériel

Équipement à utiliser (y compris les perceuses, les pompes, les aéronefs, les véhicules, etc.)

Type d'équipement	Quantité	Taille – Dimensions	Utilisation proposée
ATV	7	Single rider and 2-ups	Up to 7 used at a time for transportation of personnel, equipment and fish between/within sampling location and hamlet
Snowmachine	4	Single rider and 2-ups	Up to 4 used at a time for transportation of personnel, equipment and fish between/within sampling location and hamlet
Pickup truck	1	4x4	Pickup truck will be rented for transportation of personnel, equipment and fish between sampling locations and hamlet
Boat	1	unknown	Locals will be contracted through the EHTO to use their boats to access receiver locations throughout the marine environments
Trail cameras	Up to 8	14x11.5x6.4cm	Trail cameras will be deployed on wooden tripods, as done in projects in surrounding communities (such as NPC 150208)
VR2-AR acoustic receiver	40	401x81mm	Receivers deployed in freshwater and/or marine environments throughout the study area
VR2-Tx acoustic receiver	6	308x73mm	Receivers deployed in freshwater and/or marine environments throughout the study area
Acoustic tags	60	Varying dimensions V7: 7x23mm V13: 13x39mm V16:16x71mm	Tags will be implanted into the aforementioned fish species (e.g. Arctic char, lake trout, cod, and sculpin), allowing them to be tracked via the acoustic receivers
Aquatic passive contaminants sampler	8	91.4x2.5cm	Aquatic samplers will be attached to a subset of the deployed receiver moorings throughout the freshwater and marine environments

Décrivez l'utilisation du carburant et des marchandises dangereuses

Décrivez l'utilisation de carburant :	Type de carburant	Nombre de conteneurs	Capacité du conteneur	Quantité totale	Unités	Utilisation proposée
Gasoline	fuel	15	20	300	Liters	Jerry cans Storage at one time
Gasoline	fuel	1	1000	1000	Liters	Total summer fuel use for fuel for ATVs or snowmachines, rented local boats, and small generators

Consommation d'eau

Quantité quotidienne (m3)	Méthodes de récupération de l'eau proposées	Emplacement de récupération de l'eau proposé
1	Manual transport of water (buckets).	River/lakes and main bay.

Déchets

Gestion des déchets

Activités du projet	Type des déchets	Quantité prévue	Méthode d'élimination	Procédures de traitement supplémentaires
Other	Eaux grises	160L/day	Stored and disposed of in daily municipal waste water system through the Canadian High Arctic Research Station	Municipal treatment
Camp	Eaux usées (matières de vidange)	4L/day	When out on the land, waste will be buried at least 100m from any water sources or brought back to the community for disposal (in winter)	N/A

Répercussions environnementales :

The predicted environmental impacts of undertaking our scientific research in Cambridge Bay are all positive. All of our proposed scientific research assists in the management, conservation, and understanding of marine species such as fish and invertebrates.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

Description de l'environnement existant : Environnement physique

In both Cambridge Bay, there are trails from the community to our locations of sampling. These trails are maintained by the local municipalities for use to access subsistence harvesting locations near the communities.

Description de l'environnement existant : Environnement biologique

Typical Arctic species (caribou, seals, muskox, fish, birds, small mammals, medium mammals, mosses, lichens, flowers) can be found in proximity to all of our sampling sites.

Description de l'environnement existant : Environnement socio-économique

Our locations of sampling in each community are areas of local importance for subsistence and economic harvesting of fish species (majority being for Arctic char). These locations have been selected by the HTO and community members to learn more about the wildlife species they harvest and consume through the examination of movement patterns, diet, and contaminant loads. Our research project will hire up to seven local individuals from the respective communities to assist with all field-related work.

Miscellaneous Project Information

Our scientific research is developed and guided alongside co-management partners (HTO/HTA/RWOs). We DO NOT conduct any research that these bodies have not been in support of, nor at locations that they have not been supportive of. We are in constant communication with the respective local bodies throughout the year, providing dates research will occur, research plans (that have already been approved), providing updates on work completed to date and results when available in the form of plain language summaries and reports shared to local HTO/HTA/RWOs and the communities as a whole. Letters of support have been provided by the EHTO.

Identification des répercussions et mesures d'atténuation proposées

There are no foreseeable impacts of this research that are negative - all impacts of our scientific research are positive as they assist in the conservation, management, and understanding of marine species such as fish and invertebrates. There will be no (or minimal) land or water disturbance.

Répercussions cumulatives

There are no foreseeable cumulative effects of this research that are negative - all effects of our scientific

research are positive as they assist in the conservation, management, and understanding of marine species such as fish and invertebrates. There will be no (or minimal) land or water disturbance.

Impacts

Identification des répercussions environnementales

(P = Positive, N = Négative et non gérable, M = Négative et gérable, U = Inconnue)