



NIRB Application for Screening #126201

Monitoring the movement, habitat use, and overall health and function of Arctic fishes across freshwater and marine ecosystems in the Cambridge Bay area

Application Type: New

Project Type: Scientific Research

Application Date: Wednesday, July 9, 2025

Period of operation: from 2025-03-11 to 2035-05-11

Project Proponent: Les Harris
Fisheries and Oceans Canada
501 University Crescent
Winnipeg MB R3T 2N6
Canada
Phone Number:: 1-204-880-0421, Fax Number::

DETAILS

Non-technical project proposal description

English: Aquatic resources - notably many fish species - are central to Inuit health, culture, and economic development. Understanding the environmental drivers of fish availability and quality in the context of a rapidly changing Arctic is essential to ensure their continued sustainability and availability. Our long-term (>15 years) research program in Cambridge Bay has documented spatial, temporal, and physiological aspects of habitat use and migrations of Arctic Char. We've used cutting-edge approaches, incorporating acoustic telemetry, genomics, ecological physiology, contaminant monitoring, and oceanography. Here, including field seasons in May and August, we aim to build upon these ongoing research efforts but also significantly extend the reach of our program by expanding acoustic tracking, physiological, and ecotoxicological investigations into several ecologically and culturally important fish species such as lake trout, cod (ogac) and sculpins (kanayok). Acoustic tracking will be used to monitor the movement, behaviour, and habitat use, and to identify critical habitats such as those used for spawning and overwintering in several species of importance. This method involves the implantation of small acoustic tags into the body cavity of the fish that can then be "heard" by acoustic receivers that will be deployed throughout the marine and freshwater environments. Physiological measurements will be used to characterize the influence of temperature and oxygen changes (both seasonal and rapid changes) on the health and function of fishes. This work will involve measuring several parameters related to fish health such as heart function, metabolism, and energy balance. Acoustic tracking data will also provide information on temperatures experienced by fishes in the area which can be integrated with information regarding their physiology. Ecotoxicological work will be used to investigate the types and abundance of emerging contaminants, including plastics, ship- / oil-based pollution, and PFAS, in key habitats in the region in addition to the sources, fates, and transport of these contaminants. Aquatic passive samplers will be used to track sources and transport of these contaminants in the environment and biological sampling to track the fate and transport of contaminants through the ecosystem. These aquatic passive samplers complement decades long aquatic passive sampler deployments in Nunavut through the AQUA-GAPS network and Environment and Climate Change Canada. Sampling of surface water, aquatic and thawed surface sediments, and Arctic char tissues will also be used to answer questions and concerns from the EHTO and community partners on the release of contaminants via permafrost thaw into critical fish and their habitats. Water samples will be obtained by filling 1L stainless steel, glass, and/or polyethylene water bottles (40L/year). Sediment samples will be taken by scooping sediment into 100-500ml whirl-pak bags and/or stainless steel/glass jars (20L/yr). By taking paired water and sediment samples, we will begin to understand the of contaminants that are entering critical fish habitats, and through contaminant pattern assessments begin to pin-point potential sources (e.g., permafrost thaw, wastewater effluent, shipping); thus, informing priority contaminants to monitor as the Arctic experiences rapid warming. Further, new collaborations will be built to explore the biological drivers of fish habitat quality in both freshwater and in the oceans. In lakes, we will explore how juvenile fish habitat use is linked to seasonal and diel patterns of plankton vertical migrations and abundance. Using our acoustic array in the marine environment, we will assess if kelp forests in the Cambridge Bay area are important marine summer feeding habitats for Arctic Char and other fish species. Finally, we will use environmental DNA (eDNA) methods to help characterize seasonal and spatial variation in the distribution and abundance of these fish species. Most work will be based out of the community of Cambridge Bay with personnel residing on site at the Canadian High Arctic Research Station (CHARS) except for two 5-10 day camps on the land per year. Camps will consist of 4 people with a total of 80-person camp days per year. The team has been working in close collaboration with the Ekaluktutiak Hunters & Trappers Organization (EHTO) for > 16 years and the board has provided support and will be a key partner on the project, assisting with sampling logistics (including the hiring of local experts) and in the organization of annual community outreach events. Overall, the proposed project will contribute significantly to our understanding of climate change impacts on fish and the fisheries they support. It will do so through extended long-term monitoring of contaminant trends, fish behavior and performance in relations with physicochemical habitats characteristics. Furthermore, by bridging data on lower food web and aquatic habitats, this project will also lay the foundations for an ecosystem-based management approach of culturally and economically important Arctic fish species.

French: N/A

[illegible]

Inuinnaqtun: atugakkhaliurnirmullu – pidjutit illittirnaqtut amigaittunik iqalukhiaktukhanik nirjutinik – akunnganik Inuit inuuhirinnaqtumiglu, pitquhiqtuqpaktunik, uvuunalu havaakhaliurnirmullu aullaqtirutikhanik. Kangiqhigiami avatinganik aquttut iqalungnik piinariaqininga qanurittaakhaaniglu pipluni qilaminnuaq aallannguqtuq Ukiuqtaqtumi ihariagijaujuq naunairiami pihimmaaqtuq nungulaittumut piinariaqiningalu. Hivitujumik (> 15nik ukiunik) ihivriurnikkut pinahuarutit Iqaluktuuttiimi titiraqtut najugait, atukaffaaqtut, uvvalu iqaijarnikkut pidjutit najugait aturningit uvvalu nuutirniit Ukiuqtaqtumi Iqalukpit. Atuqtugut kibluhiqhimajunik upautidjutit, ilaliutiblugit uuktuutinirnunut nirjutit ingilraliningit, ingattaqhimailinirnut, nunami iqaijarnikkut, halumailrunik munaridjutinik, uvvalu tarjutigut iqaijarnikkut. Hamani, piniaqtugut nappaqtigijaangat ukuninga aulahimmaaqtuq ihivriudjutikharnik pidjutikharnik kihimi anginirmik tikiutijaangat havaakhangit taimaa angigliuumerutikharnik auladjutikharnik, iqajaliqinikkut, unalu nunami ihivriurutikharnik qaffiujunik pitquhiliqinikkut akhuurnaqtunik iqalungnik huradjanik taimaittunik tahirmi ihuug, uugak (ogac) halumailrungillu kanajuq (kanayok). Naunaijainikkut naunaijainiq atuqtauniaqtuq munarigiami ingilraninga, pitquhinga, najugangillu aturninga, ilitarigiamilu hivitujut najugangit ukunatitut tahapkuat atuqtaujut akhuraaluk amihuuniglu huradjanik akhuurninganik. Una pidjuhiq ilalik naunaipkutat mikijut atatit timingat ilulia iqalungnut tamnaunia "turaangajut" tapkunanga apjaqturnit pidjutaunia pijauniat ihumani tarjumi halumajut imaqt avatait. Iqaijarnikkut aktilaangit atuqtauniaqtut naunaijariangani uunarniit uvvalu aniqhaarut aallanngurningit (tamarnik ukiutigut uvvalu qilamik aallannguqtirningit) aanniaqtailinikkut uvvalu auladjutainun iqalukhiuqtut. Una havaakhaq ilauqarniaqtuq qaffiujunik atuqtakharnik aulahimajut talvuuna iqalungnik inuuhirinnikkut taimaittunik uummatiliqinikkut auladjutikharnik, auladjutikharniglu, unalu qullirutikharnik. Naunaijaqhugit naunaijautit tunihiniaqtut kangiqhidjutinik uunarniitigut atuqtaujut iqalukhiuqtunit kitut ilaujut kangiqhidjutinik mikhaagut iqaijarnikkut. Havagvik nalunaqtuliqinikkut taapkua pidjutigijait idjuhiit, hulaqutit, ilauqatigiingnirmullu hunat taapkua hivuuranaqtut avatiptingnut havaktaujuqhat ihivriuriangani qanurittut amigainingilu halumailrut, ukualu palaastiit, umiat/uqhurjuat halumailrut, PFAS-lu, nunagijainit nunami ilagiarutini ihuaqutini, uqhurnik, aullaqtittijaanganilu ukuninga halumailrunik. Naluuyaqtut naunaiyagakhat atuqtauniaqtut naunaiyagiangani ikayuutit uvalu akyaqlugit hapkua halumailgut avatingini uvalu huradjat ihivgiugutit naunaiyagiangani halumailgut avatingitigut. Hapkuat imarmiutanik qangiutivaktun ihivriudjutikharnik nan'ngaridjutit 10-nik ukiunganik aulahimaanginaqtun ihivriudjutikharnik aulatitivakhimayut Nunavunmi talvuuna Naluujaqtut Nunarjuami Aitturnikkut Uuktuutit (AQUA-GAPS) qaritaujalidjutitigun Avatiliqijitkullu Hilaup Aallannguqtirninga Kanatami. Ihivriudjutikhangit qaanganiitunik imarnik, imarmiuttanik mahaktiqhimajuniglu qaanganiitunik nunangit, Unalu Iqalukpiit kakijautikhangit atuqtauniaqtun kiujaangat apiqquutignik ihumagijauhimajuniglu talvannga Ekaluktutiak Anguniaqtit Naniriaqtunullu Katimajiit EHTO-mit nunallaanilu ilaqatigiiktunik talvuuna halumaittunik talvuuna nunap qiqauamaninga mahaktiqpallianiaqtun akhuurnaqtunik iqalungnik nunagijainiglu. Imarmik naunaiyagakhat pijauniaqqut 1 L qipliqut haviit, hikuliat, uvvalu/uvvaluniit ajurnaqqiaktut, qullirmik, ihuaqhiyuminaqtumik maniktuq halumailrut piliuqtauhimajuq qiplariktunnuat halumailrut, atuqtaujuq palaastik puukhanik, niqinik puukhanik, aallaniglu puuqhimajunik imarmik hikuliat (40 L/ukiuq). Nunavaluit naunaiyagakhat pijauniaqtut 100-500 ml whirl-pak puukattaq taamnalulu/uvvaluniit qipliqut haviit/hikuliaq puukhangit (20 L/ukiuq). Piplugit imait nunalu naunaiyagakhat, kangiqhilirniaqtugut halumailrut itilijut ihariagijaujunik iqaluit najugainik, halumailruniglu atuqtaujuq naunaijaijut piniqhalihaliqhutik (ilaa, nunap qiqumaninga auktuqpallianinganik, kuvigarvikhat, uhidjutit); talvuuna, illittuqhajaangat pijumalluaqtainik halumaittunik munaridjutikharnik Ukiuktaqtuni atuqpakhimajainik qilaminnuaq. Imaalu, nutaat havaqatigiingningit havaktauniaqtut qiniqhialutik akhaluutunik iqalungnik huradjanik qanuriningit tamarnik imap uvvalu tarjumi. Tattit iluani, qiniqhianiaqtugut qanuq iqalugait najugait atuqtaujuq atadjutiqaqtut ukiutigut uvvalu uqhurjuanik auladjutainik upalungaijautini aulaningit uvvalu amigainingit. Aturlutik nivjaujanik tarjumi avatingnit, ihivriurniaqtugut tarjum natqua nauttiat Iqaluktuuttiimi najugaani akhuurnaqtun tarjumi aujami nirijaangat najugaingit talvani Iqalukpiit aallaniglu iqalungnik huradjanik. Kingulliqpamik, aturniaqtugut avatiliqinikkut DNA (eDNA) hanaqidjutikharnik ikajurianganik naunaijaijaangat ukiungani najugaanilu naunairutiaqtun

talvani nunamiittunik amigaitilaangillu ukuninga iqalungnik huradjanik. Amigainiqhat havaat pijutiqaqniaqtut nunagiyauyumi Iqaluktuuttiami havaktunik igluqaqtunik talvani Kanatamiut Qutiktumi Ilituqhaivikmi Havakviuyumi (CHARS) kihiani malruuknik 5-nit 10-ni ubluni aulaaqtitiyuni maniqami atuni ukiumi. Tangmarviit piqarniaqtut 4-nik inungnik atauttimut 80-inungnik katimajaqturviujuni ubluni atauhirmi ukiumi. Ikajuqtigiit havaqatigaqtut qaniniqhanik havaqatigiingninginik Ekaluktutiak Angunahuaqtit Timiujuni (EHTO) > 16-ni ukiuni katimajinilu pipkaijut ikajuutunik ikajuqtigiilluarninginik havaami, ikajuqhutik naunaijagakhanik aulaninginik (ilaujullu havaktikhaqhiuriangani nunagijaujumi ajunngittut) timiujullu aippaagutuaraangat nunagijaujumi uqaqatigiigutunik huliviujunik. Tamainnit, atulirumajaujuq havaaq ikajuutauniaqtuq angijumik kangiqhidjuptingnik hilap aallanngurninganik akturnniginik iqalukhiuqtuni iqalukhiuqtulu ikajurninginik. Taimailiurniaqtuq hivitujumik munaridjutinik halumailrunik aulaningit, iqaluit idjuhiit uvvalu havauhiit ilaujut iqaijarnikkut najugait idjuhiit. Taimaalu, katitiqhugit naunaijautit mikitqiatigut niqitigut pidjutait uvvalu imarmiuttanik najugait, una havaaq tunngaviqarniaqtuq nunami-pihimajut munaridjutikkut upautiniq pitquhikkut uvvalu maniliurnikkut akhuurnaqtut Ukiuqtaqtumi iqalukhiuqtut huradjat.

Personnel

Personnel on site: 7

Days on site: 21

Total Person days: 147

Operations Phase: from 2025-03-11 to 2035-05-11

Activities

Location	Activity Type	Land Status	Site history	Site archaeological or paleontological value	Proximity to the nearest communities and any protected areas
Subsistence waters near Cambridge Bay	Sampling sites	Inuit Owned Surface Lands	N/A	N/A	In proximity to the community of Cambridge Bay (10-40 km)
Subsistence waters near Cambridge Bay	Camp	Inuit Owned Surface Lands	N/A	N/A	In proximity to the community of Cambridge Bay (20km). A small, 4-person camp will be set up in the Greiner watershed at Inuhuktok. The camp will include one 10'x12' wall tent, and four personal tents. All garbage will be brought back to the community and disposed of in the local dump. Water for drinking and cooking will be taken directly from the lake. When out on the land, waste will be buried at least 100m from any water sources or brought back to the community for disposal.
Jayko (Jayco) River commercial fishery study site	Sampling sites	Inuit Owned Surface Lands	N/A	N/A	Approximately 100 km northeast of the community of Cambridge Bay
Subsistence waters near Cambridge Bay including Wellington Bay and Ferguson Lk	Sampling sites	Inuit Owned Surface Lands	N/A	N/A	In proximity to the community of Cambridge Bay (0-60km)

Community Involvement & Regional Benefits

Community	Name	Organization	Date Contacted
Cambridge Bay	Beverly Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2024-08-15
Cambridge Bay	Beverly Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2024-10-23

Cambridge Bay	Beverly Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2025-01-10
Cambridge Bay	Rose Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2025-05-06
Cambridge Bay	Rose Maksagak (Manager - EHTO)	Ekaluktutiak HTO	2025-05-21
Cambridge Bay	Local Beneficiaries to be hired.	Community residents . We will hire 7-10 beneficiaries to assist in all aspects of the work. To date, we have hired over 50 different individuals.	2025-05-05

Authorizations

Indicate the areas in which the project is located:

Authorizations

Regulatory Authority	Authorization Description	Current Status	Date Issued / Applied	Expiry Date
Hunters and Trappers Associations/Organizations	The Ekauktukiak Hunters and Trappers Organization supported all our proposed research in Cambridge Bay	Active	2024-12-03	2026-03-31
Hunters and Trappers Associations/Organizations	The Ekauktukiak Hunters and Trappers Organization supported all our proposed contaminants research in Cambridge Bay	Active	2024-12-03	2026-03-31
Fisheries and Oceans Canada	License to fish for scientific purposes issued by DFO	Active	2025-04-30	2026-03-31
Fisheries and Oceans Canada	Animal use protocol license issued by DFO	Active	2025-04-30	2026-03-31
Other	Nunavut Planning Commission decision.	Active	2025-05-05	2035-06-01

Project transportation types

Transportation Type	Proposed Use	Length of Use
Water	We will be travelling via boat to multiple sampling sites in and around Cambridge Bay.	
Land	We will be travelling via ATV and snowmobile to multiple sampling sites in and around Cambridge Bay. A truck will be used in town.	

Project accommodation types

Temporary Camp

Community

Other,

Material Use

Equipment to be used (including drills, pumps, aircraft, vehicles, etc)

Equipment Type	Quantity	Size - Dimensions	Proposed Use
ATV	7	Single rider and 2-ups	Up to 7 used at a time for transportation of personnel, equipment and fish between/within sampling location and hamlet
Snowmachine	4	Single rider and 2-ups	Up to 4 used at a time for transportation of personnel, equipment and fish between/within sampling location and hamlet
Pickup truck	1	4x4	Pickup truck will be rented for transportation of personnel, equipment and fish between sampling locations and hamlet
Boat	1	unknown	Locals will be contracted through the EHTO to use their boats to access receiver locations throughout the marine environments
Trail cameras	Up to 8	14x11.5x6.4cm	Trail cameras will be deployed on wooden tripods, as done in projects in surrounding communities (such as NPC 150208)
VR2-AR acoustic receiver	40	401x81mm	Receivers deployed in freshwater and/or marine environments throughout the study area
VR2-Tx acoustic receiver	6	308x73mm	Receivers deployed in freshwater and/or marine environments throughout the study area
Acoustic tags	60	Varying dimensions V7: 7x23mm V13: 13x39mm V16:16x71mm	Tags will be implanted into the aforementioned fish species (e.g. Arctic char, lake trout, cod, and sculpin), allowing them to be tracked via the acoustic receivers
Aquatic passive contaminants sampler	8	91.4x2.5cm	Aquatic samplers will be attached to a subset of the deployed receiver moorings throughout the freshwater and marine environments

Detail Fuel and Hazardous Material Use

Detail fuel material use:	Fuel Type	Number of containers	Container Capacity	Total Amount	Units	Proposed Use
Gasoline	fuel	15	20	300	Liters	Jerry cans Storage at one time
Gasoline	fuel	1	1000	1000	Liters	Total summer fuel use for fuel for ATVs or snowmachines, rented local boats, and small generators

Water Consumption

Daily amount (m3)	Proposed water retrieval methods	Proposed water retrieval location
1	Manual transport of water (buckets).	River/lakes and main bay.

Waste

Waste Management

Project Activity	Type of Waste	Projected Amount Generated	Method of Disposal	Additional treatment procedures
Other	Greywater	160L/day	Stored and disposed of in daily municipal waste water system through the Canadian High Arctic Research Station	Municipal treatment
Camp	Non-Combustible wastes	2-3 garbage bags	Will be brought back to Cambridge Bay and disposed of in the local dump.	None
Camp	Sewage (human waste)	4L/day	When out on the land, waste will be buried at least 100m from any water sources or brought back to the community for disposal (in winter)	N/A

Environmental Impacts:

The predicted environmental impacts of undertaking our scientific research in Cambridge Bay are all positive. All of our proposed scientific research assists in the management, conservation, and understanding of marine species such as fish and invertebrates.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

Description of Existing Environment: Physical Environment

In both Cambridge Bay, there are trails from the community to our locations of sampling. These trails are maintained by the local municipalities for use to access subsistence harvesting locations near the communities.

Description of Existing Environment: Biological Environment

Typical Arctic species (caribou, seals, muskox, fish, birds, small mammals, medium mammals, mosses, lichens, flowers) can be found in proximity to all of our sampling sites.

Description of Existing Environment: Socio-economic Environment

Our locations of sampling in each community are areas of local importance for subsistence and economic harvesting of fish species (majority being for Arctic char). These locations have been selected by the HTO and community members to learn more about the wildlife species they harvest and consume through the examination of movement patterns, diet, and contaminant loads. Our research project will hire up to seven local individuals from the respective communities to assist with all field-related work.

Miscellaneous Project Information

Our scientific research is developed and guided alongside co-management partners (HTO/HTA/RWOs). We DO NOT conduct any research that these bodies have not been in support of, nor at locations that they have not been supportive of. We are in constant communication with the respective local bodies throughout the year, providing dates research will occur, research plans (that have already been approved), providing updates on work completed to date and results when available in the form of plain language summaries and reports shared to local HTO/HTA/RWOs and the communities as a whole. Letters of support have been provided by the EHTO. No NRI license is required for this work. All biological samples will be inventoried/stored at the FWI before being handed over to specific team members or consultants for processing/analyses. Physical samples will be organized, inventoried, maintained, and tracked using the partial time of two biologists. Data will be stored on a DFO laptop, a government secure server (P: or I: Drive), and backed up on an external hard drive. The backing up of all data will occur when new data are added/collected for the overall project and will be done multiple times per field season or when lab-derived data are generated. Acoustic telemetry data will be provided to OTN to be entered into their database which we have contributed to since 2013. We will work with the Regional Data Manager to enter metadata data/raw data on the Enterprise Data HUB and the Gov Can Open Data Portal. All data and analysis scripts will be made publicly available through DRYAD. No chemicals or hazardous materials are being used while sampling or while at camp.

Identification of Impacts and Proposed Mitigation Measures

There are no foreseeable impacts of this research that are negative - all impacts of our scientific research are positive as they assist in the conservation, management, and understanding of marine species such as fish and invertebrates. There will be no (or minimal) land or water disturbance.

Cumulative Effects

There are no foreseeable cumulative effects of this research that are negative - all effects of our scientific research are positive as they assist in the conservation, management, and understanding of marine species such as fish and invertebrates. There will be no (or minimal) land or water disturbance.


Impacts

Identification of Environmental Impacts

		PHYSICAL													BIOLOGICAL											SOCIO-ECONOMIC				
		Designated environmental areas													Wildlife, including habitat and migration patterns											Archaeological and cultural historic sites				
		Ground stability													Birds, including habitat and migration patterns											Employment				
		Permafrost													Aquatic species, incl. habitat and migration/spawning											Community wellness				
		Hydrology / Limnology													Wildlife protected areas											Community infrastructure				
		Water quality													Sediment and soil quality											Human health				
		Climate conditions													Noise levels															
		Eskers and other unique or fragile landscapes													Vegetation															
		Surface and bedrock geology													Wildlife, including habitat and migration patterns															
		Sediment and soil quality													Birds, including habitat and migration patterns															
		Tidal processes and bathymetry													Aquatic species, incl. habitat and migration/spawning															
		Air quality													Wildlife protected areas															
		Noise levels													Socio-economic															
		Biological													Archaeological and cultural historic sites															
		Vegetation													Employment															
		Wildlife, including habitat and migration patterns													Community wellness															
		Birds, including habitat and migration patterns													Community infrastructure															
		Aquatic species, incl. habitat and migration/spawning													Human health															
		Wildlife protected areas																												
		Socio-economic																												
		Archaeological and cultural historic sites																												
		Employment																												
		Community wellness																												
		Community infrastructure																												
		Human health																												
Construction																														
-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Operation																														
Camp			-	-	-	-	P	P	-	-	P	-	-		-	-	-	P	-		-	P	P	-						
Sampling sites			-	-	-	-	P	P	-	-	-	P			-	-	-	P	-		-	P	P	P						
Decommissioning																														
-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						

(P = Positive, N = Negative and non-mitigatable, M = Negative and mitigatable, U = Unknown)

Project Location



List of Project Geometries

- 1 polygon Jayko (Jayco) River commercial fishery study site
- 2 polygon Subsistence waters near Cambridge Bay including Wellington Bay and Ferguson Lk
- 3 polygon Subsistence and Commerical Fishing areas near Byron Bay
- 4 polygon Subsistence waters near Cambridge Bay
- 5 point Field Camp in Greiner Watershed