

Hivayautit Nampanga:: 204-223-0776, Kayumiktukkut Nampanga::

QANURITTUT

Tukihiannaqtunik havaariyaumayumik uqauhiuyun

Qablunaatitut: Title: Ocean Measurements in Frobisher Bay for Ecosystem Science and Spill Response Who: Integrated Marine Response Planning (IMRP) program, Science Sector, Arctic Region, Fisheries and Oceans Canada (DFO). Ryan Galley (ryan.galley@dfo-mpo.gc.ca) is the planning coordinator for the DFO-IMRP program in the Arctic Region. David Capelle (david.capelle@dfo-mpo.gc.ca) is a DFO research scientist and oceanographer in the Arctic Region. What: We propose an oceanographic mooring in Frobisher Bay to measure ocean currents throughout the water column, tides, sea ice motion and thickness, wave height and frequency in open water conditions, and the salinity and temperature of the water at depth. The mooring will consist of an anchor (usually one or two train wheels), a release, an RBR CTD, a Nortek 250 khz acoustic doppler current profiler and associated floatation. We envision a multi-year deployment beginning in autumn 2025 from a Canadian Coast Guard (CCG) ship-of-opportunity. There are currently five people involved in this project. Why: In their 2019 final report for the strategic environmental assessment in Baffin Bay and Davis Strait (Volume 2), the Nunavut Impact Review Board (NIRB) pointed out a gap in chemical and physical oceanographic knowledge in Davis Strait, Baffin Bay, and Frobisher Bay. This lack of oceanographic data in Frobisher Bay makes it challenging to create reliable oceanographic model results for the region. The objective of this proposal is to gather ocean data in Frobisher Bay to enhance scientific knowledge of the physical environment and the regional ecosystem. These data are necessary to improve models of marine petroleum product spill trajectories and project likely impacts of marine spills over the entire annual cycle. Knowledge and understanding of ocean properties in Frobisher Bay will also improve comprehension of fate and behaviour of a wide variety of other potential pollutants in the region. Our goal is to accurately estimate where pollutants will end up, how fast they will get there. In addition, we will work with the Canadian Hydrographic Service (CHS) to provide information on surface currents for their navigational charts to improve navigational safety in Frobisher Bay. All while ship traffic in the region continues to increase annually. Where: We propose to moor oceanographic instrumentation in the water column northwest of Pike-Resor Channel in or near the shipping lane to Iqaluit. The depth of the proposed location is approximately 115 m. This location is about 46 km from Iqaluit, and from the Iqaluit Kuunga (Sylvia Grinnell) and Qaumaarviit Territorial Parks at the northwest end of Frobisher Bay. When: Ideally this oceanographic mooring would be initially deployed in autumn 2025. This ship-borne operation performed by 3-4 personnel is anticipated to take a couple of hours. The mooring is designed to be retrieved and replaced once per year in the autumn so the data can be downloaded from the instrumentation and analyzed. The proposed activity is multi-year.

Uiviititut: Titre: Mesures océaniques dans la baie Frobisher pour la science des écosystèmes et l'intervention en cas de déversement Qui: Programme de planification intégrée des interventions en milieu marin (PIIM), Secteur des sciences, Région de l'Arctique, Pêches et Océans Canada (MPO). Ryan Galley (ryan.galley@dfo-mpo.gc.ca) est le coordonnateur de la planification du programme PIIM du MPO dans la région de l'Arctique. David Capelle (david.capelle@dfo-mpo.gc.ca) est chercheur scientifique et océanographe au MPO dans la région de l'Arctique. Objet: Nous proposons un mouillage océanographique dans la baie Frobisher afin de mesurer les courants océaniques dans la colonne d'eau, les marées, le mouvement et l'épaisseur de la glace de mer, la hauteur et la fréquence des vagues en eaux libres, ainsi que la salinité et la température de l'eau en profondeur. Le mouillage sera composé d'une ancre (généralement une ou deux roues de train), d'un dispositif de largage, d'un RBR CTD, d'un courantomètre acoustique doppler Nortek 250 kHz et de la flottaison associée. Nous envisageons un déploiement pluriannuel à partir de l'automne 2025 à partir d'un navire d'opportunité de la Garde Côtière Canadienne (GCC). Cinq personnes participent présentement à ce projet. Pourquoi: Dans son rapport final de 2019 pour l'évaluation environnementale stratégique de la baie de Baffin et du détroit de Davis (volume 2), la Nunavut Impact Review Board (NIRB) a souligné une lacune dans les connaissances océanographiques chimiques et physiques du détroit de Davis, de la baie de Baffin et de la baie de Frobisher. Ce manque de données océanographiques pour la baie de Frobisher complique la création de résultats de modèles océanographiques fiables pour la région. L'objectif de ce projet est de recueillir des données océanographiques dans la baie de Frobisher afin d'améliorer les connaissances scientifiques sur l'environnement physique et l'écosystème régional. Ces données sont nécessaires pour améliorer les modèles de

Inuktitut:

Personnel

Operations Phase: from 2025-07-13 to 2028-09-11

Hulilukaarutit

Inigiya	Hulilukaarut Qanurittuq	Nunannga Qanurittaakhaanik	Initurlinga qanuritpa	Initurlinga utuqqarnitat unaluuniit Ingilraaqnitat Uyarannguqtut akhuurninnga	Qanitqiyauyuq qanitqiamut nunallaat kitulluuniit ahiruqtaliyainnit nuna
Approximate polygon delineating the sea lane from Pike-Resor to Iqaluit. Mooring to be placed in the sea lane at a location agreed upon in consultation with the Amaruq HTA	Marine Based Activities	Marine	in recent years this polygon represents the area of inner Frobisher Bay most used by ships navigating between Pike-Resor Channel and Iqaluit.	Unknown.	the west end of this polygon is proximal to Iqaluit and Apex, NU
Approximate location of the proposed mooring (z ~ 115m)	Scientific/International Polar Year Research	Marine	Unknown.	Unknown.	this proposed location for the proposed ocean mooring is 46 km from Iqaluit.

Nunaliin Ilauyun, Aviktuqhimayuniitunullu Ikayuuhiarunguyun

Nunauyuq	Atia	Timiuyuq	Upluani Uqaqatigiyaungmata
Iqaluit	Board of Directors	Amaruq Hunters and Trappers Organization	2025-05-09
Iqaluit	Board of Directors	Amaruq Hunters and Trappers Association	2025-05-13
Iqaluit	Annual General Meeting	Amaruq Hunters and Trappers Association	2025-03-29
Iqaluit	Board of Directors	Amaruq Hunters and Trappers Association	2025-02-20

Angiuttauvaktunik

Naunaiqlugu nunanga talvani havauhikhaq ittuq:

Angiuttauvaktunik

Munariniqmut Ayuittiaqtuq	Angirutinga Qanurittuq	Tadja Qanurittaakhaanik	Ublua Tuniyauyuq/Uuktuqtuq	Umikvikhaa Ublua
Hunters and Trappers Associations/Organizations	letter of support for the work received from the chair of the board of the Amaruq Hunters and Trappers Association	Active	2025-05-17	
Nunavunmi Ihivriunqimut Timiqutigiyanga	Research License for Integrated Marine Response Planning – Ocean Measurements in Frobisher Bay for Ecosystem Understanding, Spill Prevention and Response, and Modelling Improvement.	Applied, Decision Pending	2025-06-24	
Nunavut Planning Commission	NPC File No. 50847, NPC determined that the project requires screening by NIRB.	Applied, Decision Pending	2025-05-29	

Project transportation types

Transportation Type	Qanuq Atuqtauniarmangaa	Length of Use
Water	The mooring will be deployed in Frobisher Bay by a ship to be determined upon project approval.	

Project accomodation types

Alaanut,

Ihuaqutivaluin Atuqtauyukhan

Hanalrutit atuqtaunahuat (ukuallu ikuutat, pampiutainnik, tingmitinik, akhaluutinik, hunaluuniit)

Hanalrutit Qanurittuq	Qaffiuyut	Aktikkulaanga – Qanurittullu	Qanuq Atuqtauniarmangaa
CCG 1200-class icebreaker	1	98.3m (length), 19.5m (beam), 6500t (displacement)	We propose to use a Canadian Coast Guard ship-of-opportunity to install the proposed mooring in Frobisher Bay while in the area on operation in fall 2025. We estimate that a ship will require 2-4 hours on-station to complete mooring deployment/recovery annually.

Qanurittuq Urhuqyuaq unalu Qayangnaqtut Hunavaluit Aturninnga

Qanurittuq urhuqyuaq hunavaluit aturninnga:	Urhuqyuaq Qanurittuq	Qaffiuyut qattaryut	Qattaryuk Aktikkulaanga	Atauttimut Qaffiuyut	Ilanga	Qanuq Atuqtauniarmangaa
Diesel	fuel	1	150	150	Gallons	It is estimated that a CCG 1200-class icebreaker will use 100-200 imperial gallons of diesel while on station for 2-4 hours once per year in Frobisher Bay

Imaqmik Aturninnga

Ubluq qanuraaluk (m3)	Aturumayain imavaluin utiqittagaani qanuq	Atulirumayain imavaluin utiqittagani humi
0	Water will not be required to deploy the mooring. Potable water will presumably be sourced from the ship eventually used to deploy the mooring. Water will not be sourced from Iqaluit.	

Iqqakuq

Ikkakunik Munakgiyauyunik

Havauhikhaq Hulilukaarut	Qanurittuq Iqqakut	Ihumagiyauyuq Qanuraaluktut Atuqtait	Qanuq Iqqakuurniarmangaa	Halummaqtirarnirutikhan piyutin
Information is not available				

Avatiliriniqmut Ayurhautingit:

Anchoring a mooring requires that a train wheel (~60cm in diameter) be placed on the seafloor to hold the rest of the mooring line and instruments in place. The seabed (conservatively 2-3m²) will be disturbed as a result of mooring placement which unfortunately cannot be mitigated.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

Vessel use is entirely hypothetical. We cannot source ship time for mooring deployment until the proposed mooring is approved for deployment. Many of the required points here can be answered in detail upon approval of the proposed mooring project and subsequent procurement of ship time mooring deployment. 1. The purpose of vessel operation is to deploy the proposed mooring in the marine environment. 2. The most likely vessel used for this operation might be a 1200-class CCG icebreaker, e.g. CCGS Amundsen. These ships are 5911 gross tonnes, are 98m long with a beam of 19.5m and 7.2m draft. 3. The crew size is typically ~40. 4. The operating schedule cannot be determined until such time as the mooring project is approved for deployment and ship time can be sourced through the appropriate channels. 5. It should be anticipated that the ship employed would navigate the sea lane from the mouth of Frobisher Bay, through Pike-Resor Channel and to the final approved mooring deployment location. 6. Call at any port cannot be determined until such time as ship time can be sourced. Ship time cannot be sourced until such time as the mooring project is approved. 7. Wastes produced or carried on-board cannot be determined until such time as ship time can be sourced. Ship time cannot be sourced until such time as the mooring project is approved. 12. Icebreaking will not be required. In fact, mooring deployment, retrieval, and re-deployment operations are planned in autumn period when Frobisher Bay is expected to be ice-free. 13. The operation will not occur within the outer landfast ice zone of the East Baffin coast. 14. The mooring will likely be deployed in the presence of scientific staff from the Department of Fisheries and Oceans, Arctic Region. 15. It is not anticipated that this mooring will impact marine habitat or marine wildlife. 16. This project will be located within the Nunavut Settlement Area.

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

Qanurittuq Ittunik Avatinga: Avatingalluanga

A graphical description of the marine biological and physical environment in Frobisher Bay is contained in the DFO-Integrated Marine Response Plan regional ecosystem factsheet document attached to this application as Project Application Documents in English and Inuktitut (Regional_Ecosystem_Factsheet_Iqaluit.png, Regional_Ecosystem_Factsheet_Iqaluit_Inuktitut.png). This factsheet is largely based on data from the Nunavut Coastal Resource Inventory (NCRI) and the Nunavut Land Use Plan (NLUP). The factsheet contains spatial information on marine plants, benthic invertebrates, fishes, marine mammals (whales, seals, walrus) and text description of important areas within Frobisher Bay, including habitat, species migration areas, and an area of high cultural use. It also outlines physical oceanographic and biological considerations that relate more specifically to potential marine spills in the region. This factsheet represents the ecological information the Integrated Marine Response Planning program would initially provide to the Environment and Climate Change Canada (ECCC) National Environmental Emergencies Centre (NEEC) if there were to be a response activated in Frobisher Bay. The primary reason for this project proposal is the Nunavut Impact Review Boards recognition of the dearth of oceanographic knowledge in Frobisher Bay, Davis Strait, and Baffin Bay (Nunami Stantec, 2018, MacIsaac et al., 2023), and our proposal to try and improve oceanographic knowledge in Frobisher Bay specifically. We propose to moor oceanographic instrumentation in the water column northwest of Pike-Resor Channel in or near the shipping lane to Iqaluit. The depth of the proposed location is approximately 115 m. This location is about 46 km from Iqaluit, and from the Iqaluit Kuunga (Sylvia Grinnell) and Qaumaarviit

Territorial Parks at the northwest end of Frobisher Bay. It is not anticipated that the proposed mooring will have any effect on eskers and other unique landscapes (e.g. sand hills, marshes, wetlands, floodplains), ground, slope or rock instability, seismicity, thermokarsts, ice lenses, surface and bedrock geology, topography, permafrost, sediment and soil quality, or hydrology/limnology. It may improve knowledge of tidal processes in the area, but will not affect bathymetry, water quality and quantity, air quality, climate conditions, or noise levels. It may improve predicted future climate trends. References: MacIsaac, B. I., King, T. L., Ortmann, A. C. 2023. State of knowledge on fate and behaviour of ship-source petroleum spills: Volume 8, Iqaluit, Nunavut. Canadian Manuscript Report of Fisheries and Aquatic Sciences 3254: vi + 19p. Nunami Stantec Ltd. 2018. Strategic environmental assessment for Baffin Bay and Davis Strait - Environmental setting and review of potential effects of oil and gas activities. Report prepared for Nunavut Impact Review Board, Cambridge Bay, NU, project number 123221001

Qanurittuq Ittunik Avatinga: Inuuhimayunut Avatinga

A graphical description of the marine biological and physical environment in Frobisher Bay is contained in the DFO-Integrated Marine Response Plan regional ecosystem factsheet document versions attached to this application as Project Application Documents in English and Inuktitut (Regional_Ecosystem_Factsheet_Iqaluit.png, Regional_Ecosystem_Factsheet_Iqaluit_Inuktitut.png). This factsheet is largely based on data from the Nunavut Coastal Resource Inventory (NCRI) and the Nunavut Land Use Plan (NLUP). The factsheet contains spatial information on marine plants, benthic invertebrates, fishes, marine mammals (whales, seals, walrus) and text description of important areas within Frobisher Bay, including habitat, species migration areas, and an area of high cultural use. It also outlines physical oceanographic and biological considerations that relate more specifically to potential marine spills in the region. This factsheet represents the ecological information the Integrated Marine Response Planning program would initially provide to the Environment and Climate Change Canada (ECCC) National Environmental Emergencies Centre (NEEC) if there were to be a response activated in Frobisher Bay. The primary reason for this project proposal is the Nunavut Impact Review Boards recognition of the dearth of oceanographic knowledge in Frobisher Bay, Davis Strait, and Baffin Bay (Nunami Stantec, 2018, MacIsaac et al., 2023), and our proposal to try and improve oceanographic knowledge in Frobisher Bay specifically. References: MacIsaac, B. I., King, T. L., Ortmann, A. C. 2023. State of knowledge on fate and behaviour of ship-source petroleum spills: Volume 8, Iqaluit, Nunavut. Canadian Manuscript Report of Fisheries and Aquatic Sciences 3254: vi + 19p. Nunami Stantec Ltd. 2018. Strategic environmental assessment for Baffin Bay and Davis Strait - Environmental setting and review of potential effects of oil and gas activities. Report prepared for Nunavut Impact Review Board, Cambridge Bay, NU, project number 123221001

Qanurittuq Ittunik Avatinga: Inungit-maniliurutingit Avatinga

This proposed work is 46km from Iqaluit, anchored at the bottom of the water column within inner Frobisher Bay near the north end of Pike-Resor Channel. Instrumentation will exist solely in the water column in the middle of the Bay at a depth necessary for safety from sea ice and ship traffic. Conversations with the Amaruq HTA indicate the mooring will not interfere with land and resource use in the area, including subsistence harvesting, tourism, trapping and guiding operations, nor will it affect local and regional traffic patterns. It is anticipated that this mooring will not affect human health or other valued socioeconomic components. It is expected the data generated through this mooring work will improve the measured and subsequently modelled knowledge of the ocean and sea ice environment in inner Frobisher Bay. This information may be socioeconomically beneficial, reducing uncertainty in ocean currents throughout the annual cycle for both commercial marine operators using the Port of Iqaluit and for individuals travelling in the marine environment. The data collected will also likely be used to refine tidal predictions in the Frobisher Bay region.

Miscellaneous Project Information

Naunaiyainiq ukuninnga Ayurhautingit unalu Piumayaat Ikiikliyuumiutinahuarutit

No negative socioeconomic impacts, including to human health, are anticipated as a result of this proposed mooring. There are no anticipated or potential transboundary effects related to the proposed project. No SARA species, their critical habitat or residences will be adversely affected as a result of this proposed work. We are not proposing any mitigation measures for the identified negative impact to the seabed from placement of the mooring anchor.

Tamatkiumayunik Ihuikgutivaktunik

it is highly unlikely that this project will interact with the effects of relevant past, present and reasonably foreseeable projects in a regional context to create negative cumulative effects. No negative cumulative effects are envisioned as a result of this proposed mooring.


Impacts

Ilitariyauniq Avatiliriniqmut Ayurhautingit

	PHYSICAL	Designated environmental areas	Ground stability	Permafrost	Hydrology / Limnology	Water quality	Climate conditions	Eskers and other unique or fragile landscapes	Surface and bedrock geology	Sediment and soil quality	Tidal processes and bathymetry	Air quality	Noise levels	BIOLOGICAL	Vegetation	Wildlife, including habitat and migration patterns	Birds, including habitat and migration patterns	Aquatic species, incl. habitat and migration/spawning	Wildlife protected areas	SOCIO-ECONOMIC	Archaeological and cultural historic sites	Employment	Community wellness	Community infrastructure	Human health
Havakvinga	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aulapkaininnga																									
Marine Based Activities		-	-	-	-	-	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-
Scientific/International Polar Year Research		-	-	-	-	-	-	-	-	-	N	P	-	-	-	-	-	-	-	-	-	-	-	-	-
Piiqtauniq																									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(P = Nakuuyuq, N = Nakuungittut unalu mikhilimaittuq, M = Nakuungittut unalu mikhittaaqtuq, U = Naluyauyuq)

Havaariyauyukhamut Nayugaa



List of Project Geometries

- | | |
|-----------|---|
| 1 polygon | Approximate polygon delineating the sea lane from Pike-Resor to Iqaluit. Mooring to be placed in the sea lane at a location agreed upon in consultation with the Amaruq HTA |
| 2 point | Approximate location of the proposed mooring (z ~ 115m) |