



May 18, 2017

Jaida Ohokannoak
Manager, Technical Administration
Nunavut Impact Review Board (NIRB)
P.O. Box 1360, Cambridge Bay, NU X0B 0C0
By email: info@nirb.ca

Karén Kharatyan
Manager of Licensing
Nunavut Water Board (NWB)
P.O. Box 119, Gjoa Haven, NU X0B 1J0
By email: licensing@nwb-oen.ca

Tracey McCaie
Indigenous and Northern Affairs Canada
P.O. Box 100, Iqaluit, NU X0A 0H0
By email: tracey.mccaie@aadnc.gc.ca

Brenda Osmond, Lands Administrator
Kivalliq Inuit Association (KivIA)
P.O. Box 340
Rankin Inlet, NU X0C 0G0
bosmond@kivalliqinuit.ca

Jody Kusugak, Commercial Development Officer
Dept of Economic Development & Transportation,
Nunavut Airports Division
Box 560, Rankin, NU, X0C 0G0
jkusugak@gov.nu.ca, hangidlik@gov.nu.ca

Megan Lusty
GN-CGS
P.O. Box 490
Rankin Inlet, NU X0C 0G0
By email: mlusty@gov.nu.ca

Dear Ms. Ohokannoak, Mr. Kharatyan, Ms. McCaie, Ms. Osmond, Ms. Kusugak, Ms. Lusty:

RE: NPC File # 148586 [3AM-ARV1016 Water Reservoir Cell #3]

The following works and activities have been proposed in the above-noted project proposal:

1. Renewal and amendment of Arviat water license to construct a 3rd water reservoir.
2. Location: ARVIAT

A complete description of the project proposal reviewed by the NPC can be accessed online using the link below.

The Nunavut Planning Commission (NPC) has completed its review of the above noted project proposal. The NPC previously reviewed works and activities associated with the current proposal, including the first two holding ponds and a water license up to 86,000 cubic metres (conformity determination issued Jan 28 2010). This conformity determination still applies.

The NPC has determined that the above-noted project proposal is a significant modification to the project because the quantity of water in the license is to be more than doubled to 175,000 cubic metres. It conforms to the Keewatin Regional Land Use Plan (KRLUP). The proponent has undertaken to comply with the applicable conformity requirements of Appendix C, G, and H of the KRLUP.

The project proposal requires screening by the Nunavut Impact Review Board (NIRB) because it does not belong to a class of exempt works or activities set out in Schedule 12-1 of the Nunavut Agreement.

ᓄᓇᓂᓄᓐ ᐸᓐᓇᐱᓐᓂᓐ
ᐸᓐᓇᐱᓐᓂᓐ ᐸᓐᓇᐱᓐᓂᓐ
ᐸᓐᓇᐱᓐᓂᓐ 867-983-4625
ᐸᓐᓇᐱᓐᓂᓐ 867-983-4626

P.O. Box 2101
Cambridge Bay, NU X0B 0C0
867-983-4625
867-983-4626

P.O. Box 2101
Ikaluktutiak, NU X0B 0C0
867-983-4625
867-983-4626

By way of this letter, the NPC is forwarding the project proposal with this determination to the NIRB for screening. Project materials, including the applicable conformity requirements, are available at the following address:

<http://npc.strata360.com/portal/project-dashboard.php?appid=148586&sessionid=>

The regulatory authorities to which this letter is addressed are responsible under the Nunavut Planning and Project Assessment Act (NUPPAA) to implement any of the applicable requirements by incorporating the requirements directly, or otherwise ensuring that they must be met, in the terms and conditions of any authorizations issued.

This conformity determination applies only to the above noted project proposal as submitted. Proponents may not carry out projects and regulatory authorities may not issue licenses, permits and other authorizations in respect of projects if a review by the NPC is required. Regulatory authorities may consult with the NPC to obtain recommendations on their duties to implement the existing land use plans prior to issuing licenses, permits and other authorizations under subsection 69(6) of the NUPPAA.

My office would be pleased to discuss how best to implement the applicable requirements and to review any draft authorizations that regulatory authorities wish to provide for that purpose. If you have any questions, please do not hesitate to contact me at (867) 857-2242.

Sincerely,

A handwritten signature in black ink, appearing to be 'P. Scholz', with a long horizontal line extending to the right.

Peter Scholz
Senior Planner,
Nunavut Planning Commission