

ፍልጠናዎችን ለማረጋገጥ።

Personnel

Personnel on site: 4

Days on site: 21

Total Person days: 84

Operations Phase: from 2019-05-08 to 2019-08-14

ᐱᓃᓂᓂ ᐱᓃᓂᓂ

ᐱᓃᓂᓂ ᐱᓃᓂᓂ

ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ	ᐱᓃᓂᓂ	ᐱᓃᓂᓂ - ᐱᓃᓂᓂ	ᐱᓃᓂᓂ ᐱᓃᓂᓂ
Lake sediment core system	1	1x3 m	This is a hand operated system that pushes a plastic pipe into the mud at the bottom of a lake to recover a continuous sample of lake mud about 7 cm in diameter. Most lakes have 1 to 2 m of mud in them,
Snowmobile	2	1x3 m	Transport team from Clyde River to lake CF8; two snowmobiles to remain in camp for emergencies
Ice Auger	1	0.2 by 2 m	Drill hole in lake ice
PCSP Helicopter	1	3 b 10 m	Transport team of 3 from Pond Inlet to lake AFR and return them to Pond Inlet at end of season. No other way to reach lake AFR

ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ

ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ	ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ	ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ	ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ	ᐱᓃᓂᓂ	ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ	ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ
None	hazardous	0	0	0	Gallons	none
Gasoline	fuel	10	1	10	Liters	Stove Fuel
Gasoline	fuel	4	5	20	Gallons	Fuel for snowmobiles and ice auger

ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ

ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ	ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ	ᐱᓃᓂᓂ ᐱᓃᓂᓂ ᐱᓃᓂᓂ
0	From the lake in buckets using hole in lake ice made by ice auger+Total water use of 0.5 m3 per day, 21 days, total water use 10.5 m3	AFR Lake, CF8 Lake

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

