



Type de demande :	New
Type de projet:	Infrastructure
Date de la demande :	2/17/2019 12:07:19 AM
Period of operation:	from 0001-01-01 to 0001-01-01
Autorisations proposées:	from 0001-01-01 to 0001-01-01
Promoteur du projet:	Kailey Wright Northern Energy Capital Inc 7209 7th Ave Whitehorse Yukon Y1A 1R8 Canada Téléphone :: 250-686-6644, Télécopieur ::

DÉTAILS

Description non technique de la proposition de projet

Anglais: As a corporation, Northern Energy Capital exists to empower and enable community-owned renewable energy projects that transform the way energy is delivered in our northern communities, and in the process leave citizens with greater reliability, resilience and economic opportunities. Our advanced wind turbine de-icing and anti-icing technology will allow our Nunavut clean energy projects to continue to generate power during an icing event. Internal hardware, software, and gearboxes are internally heated to enable the wind turbine to operate in temperatures down to -40°C. The result is more power, when it's needed the most. We have two proposed projects in the Kivalliq region of Nunavut, and the timeline for construction of the wind turbines is summer 2021, with the wind assessment occurring prior to this. The Rankin Inlet Clean Energy Project will be the first renewable energy development in Nunavut capable of displacing fossil fuel on a commercial scale. With a population of 2,700 and an annual energy demand of over 18 GWh the 2 MW project has the capacity to generate over 30% of Rankin Inlet's total electricity. A 2MW wind farm provides the capacity to displace 37 million litres of diesel (100,000 tonnes of carbon emissions) over its lifetime and, in the process, generate new economic opportunities for citizens and business to participate in renewable energy production. With an average annual wind speed of 7.4 m/s Baker Lake is the perfect candidate for a wind energy project. Energy demand in Baker Lake is approximately 8.9 GWh annually, and a 2 MW project will have the capacity to generate over 50% of Baker Lake's total electricity. This will reduce carbon emissions by over 4,000 tonnes annually; or over 1.5 tonnes per person annually.

Français:

[illegible]

Inuinnaqtun: .

Personnel

Personnel on site: 25

Days on site: 100

Total Person days: 2500

Operations Phase: from 2021-03-20 to 2021-10-19

Operations Phase: from 2021-10-19 to 2041-10-19

Post-Closure Phase: from to

Activités

Emplacement	Type d'activité	Statut des terres	Historique du site	Site à valeur archéologique ou paléontologique	Proximité des collectivités les plus proches et de toute zone protégée
Rankin Inlet Met Tower Location	Other	Municipal	This site has not had any development prior to NEC acquiring the Land Use permit. A meteorological tower has been erected to assess the wind resources of the proposed site. Wind turbines constructed in the future will provide power to the community.	None Identified.	This area is North-West of the Hamlet of Rankin Inlet, within the municipal boundaries.
Rankin Inlet: Potential Access Road	Access Road	Municipal	This area has limited development. The construction of the wind farms will require an access road be developed. These needs will be addressed in the engineering phase with significant input from the community.	None Identified.	This area is North-West of the Hamlet of Rankin Inlet, within the municipal boundaries.
Baker Lake: Potential Access Road	Access Road	Municipal	This area has limited development. The construction of the wind farms will require an access road be developed. These needs will be addressed in the engineering phase with significant input from the community.	None Identified.	This area is North of Baker Lake, within the municipal boundaries.
Baker Lake Project Site	Other	Municipal	This site has not had any development prior to NEC acquiring the Land Use permit. A meteorological tower has been erected to assess the wind resources of the proposed site. Wind turbines constructed in the future will provide power to the	None Identified.	North of Baker Lake, within the municipal boundaries.

		community.		
--	--	------------	--	--

Engagement de la collectivité et avantages pour la région

Collectivité	Nom	Organisme	Date de la prise de contact
Baker Lake	Sheldon Dorey	Baker Lake Hamlet Council	2018-10-01
Rankin Inlet	Martha Lenio	WWF Canada	2018-05-15
Rankin Inlet	Kevin Sanguin	Sakku Development Corporation	2017-09-15
Rankin Inlet	David Kakuktinniq	Sakku Development Corporation	2018-06-20

Autorisations

Indiquez les zones dans lesquelles le projet est situé:

Kivalliq

Autorisations

Organisme de régulation	Description des autorisations	État actuel	Date de l'émission/de la demande	Date d'échéance
Transports Canada	Authorization to erect the Meteorological Tower in Baker Lake.	Active	2018-11-21	
Autre	NAVCAN: Authorization to erect the Meteorological Tower in Baker Lake.	Active	2019-01-06	
Transports Canada	Authorization to erect the Meteorological Tower in Rankin Inlet	Active	2018-05-14	
Autre	NAVCAN: Authorization to erect the Meteorological Tower in Rankin Inlet	Active	2018-04-30	
Gouvernement du Nunavut, Services communautaires et gouvernementaux	Land Use Permit for Rankin Inlet Site	Active	2018-06-14	
Gouvernement du Nunavut, Services communautaires et gouvernementaux	Land Use Permit for Baker Lake Site	Active	2019-04-01	2021-03-31
Autre	With the go ahead to proceed with the clean energy project, authorization from NavCan will be required for erection of the wind turbines.	Not Yet Applied		
Gouvernement du Nunavut, Services communautaires et gouvernementaux	With the go ahead to proceed with the clean energy projects, extension of the Rankin Inlet and Baker Lake land use permit will be required.	Not Yet Applied		
Transports Canada	With the go ahead to proceed with the clean energy project, authorization from Transport Canada will be required for erection of the wind turbines at both sites.	Not Yet Applied		
Autre	There are several other permits and authorizations that will be needed for this project to proceed. Several of these,	Not Yet Applied		

	including blasting permits, will be assessed on an as-needed basis and applied for during the engineering phases.			
Institut de recherche du Nunavut	Permit for the installation of the Met mast towers.	Not Yet Applied		

Project transportation types

Transportation Type	Utilisation proposée	Length of Use
Water	Barge will be used to bring the wind turbines and other equipment to Rankin Inlet, and the same barge will be used to transport the equipment through Chesterfield Inlet to Baker Lake.	
Land	Overland transportation will be required to bring the turbines to their respective site locations.	

Project accommodation types

Collectivité

Utilisation de matériel

Équipement à utiliser (y compris les perceuses, les pompes, les aéronefs, les véhicules, etc.)

Type d'équipement	Quantité	Taille – Dimensions	Utilisation proposée
Bulldozer	1	D8 or equivalent	Road upgrading, site preparation
Excavator	2	300 series or smaller	site prep, road building, equipment handling
Dump truck	2	standard	movement of material for access upgrading and site prep
Grader	1	standard	access upgrading and development
Cement truck	2-4	standard	used to pour tower foundations
Water truck	1	standard	to supply water to rock drills from a municipal source
rock drills	1	small	to drill bedrock for blasting or direct anchor placement
skid steer and/or boom lift	1	standard	these will be used to move materials around at the laydown areas
Cranes	2	250-400 tonne main crane and a 90 tonne small crane	used for wind tower assembly

Décrivez l'utilisation du carburant et des marchandises dangereuses

Décrivez l'utilisation de carburant :	Type de carburant	Nombre de conteneurs	Capacité du conteneur	Quantité totale	Unités	Utilisation proposée
Diesel	fuel	1	500	500	Liters	Power equipment (Construction Phase)
Gasoline	fuel	1	205	205	Liters	Small gas powered equipment
Propane	fuel	1	100	100	Lbs	Propane heaters (if required)

Consommation d'eau

Quantité quotidienne (m3)	Méthodes de récupération de l'eau proposées	Emplacement de récupération de l'eau proposé
0	Water needed by equipment will be sourced by our contractors through their regular channels. Water requirements are expected to be minimal. No other water will be required on site.	

Déchets

Gestion des déchets

Activités du projet	Type des déchets	Quantité prévue	Méthode d'élimination	Procédures de traitement supplémentaires
Equipment installation	Déchets non combustibles	1 tonne maximum	General construction waste. No waste storage will occur on site. Waste will consist of general construction waste and will be disposed of at the local municipal waste facilities. No hazardous waste will be produced.	None.

Répercussions environnementales :

No predicted negative environmental impacts. This project is anticipated to significantly reduce the amount of diesel combustion in the Kivalliq region, and will therefore limit the amount of possible fuel spills as well as the need to ship significant amounts of fuel. This will improve the overall environmental health of the region.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

Description de l'environnement existant : Environnement physique

This section outlines the general condition of each site including existing infrastructure and physiological characteristics. Both the Rankin Inlet and Baker Lake sites exist within the local municipal boundaries for those respective communities and within pre-disturbed areas. Both sites consist of gently undulating shallow soils with little to no vegetation. Bedrock exists at or near ground surface at both sites.

Description de l'environnement existant : Environnement biologique

Described in part above.

Description de l'environnement existant : Environnement socio-économique

Community consultation is on-going. So far the feedback from both the Baker Lake and Rankin Inlet communities has been very positive. This project will grow and continue to employ two full-time workers at each site. The construction phase will also allow for additional employment, which will be sourced primarily from the Hamlets. Outside workers will require lodging and meals from the Hamlet during the construction phase and provide economic benefits during that time.

Miscellaneous Project Information

Identification des répercussions et mesures d'atténuation proposées

The impacts from this project are largely positive. The positive impact of diversification of the communities energy generation will take some of the load off of the aging power plants. This project represents Nunavut's first big step into clean energy will be a landmark project for the territory. This project will reduce the reliance of diesel to generate electricity in these communities, reducing all the risks associated with shipping, storing, and burning large quantities of fossil fuels.

Répercussions cumulatives

The life of a wind farm is typically 25-30 years. Rankin Inlet and Baker Lake will benefit from this infrastructure for future generations.


Impacts

Identification des répercussions environnementales

	PHYSICAL																								
	Designated environmental areas																								
	Ground stability																								
	Permafrost																								
	Hydrology / Limnology																								
	Water quality																								
	Climate conditions																								
	Eskers and other unique or fragile landscapes																								
	Surface and bedrock geology																								
	Sediment and soil quality																								
	Tidal processes and bathymetry																								
	Air quality																								
	Noise levels																								
	BIOLOGICAL																								
	Vegetation																								
	Wildlife, including habitat and migration patterns																								
	Birds, including habitat and migration patterns																								
	Aquatic species, incl. habitat and migration/spawning																								
	Wildlife protected areas																								
	SOCIO-ECONOMIC																								
	Archaeological and cultural historic sites																								
	Employment																								
	Community wellness																								
	Community infrastructure																								
	Human health																								
Construction																									
Other		-	-	-	-	-	-	-	-	-	-	-	-		-	-	N	-	-		P	-	-	-	-
Exploitation																									
Other		-	-	-	-	-	-	-	-	-	P	M		-	-	-	-	-	-		P	-	-	-	-
Désaffectation																									
-		-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-

(P = Positive, N = Négative et non gérable, M = Négative et gérable, U = Inconnue)

Site du projet



Liste des géométries de projet

1	polygon	Baker Lake Project Site
2	polygon	Rankin Inlet Project Site
3	polyline	BL: Proposed Transmission Line
4	polyline	RI: Proposed Transmission Line
5	polyline	Rankin Inlet: Potential Access Road
6	polyline	Baker Lake: Potential Access Road
7	point	Rankin Inlet Met Tower Location
8	point	BL: NW Corner
9	point	BL: NE Corner
10	point	BL: SE Corner
11	point	BL: SW Corner
12	point	RI: NW Corner

13	point	RI: NE Corner
14	point	RI: SE Corner
15	point	RI: SW Corner