



September 27, 2019

Kaviq Kaluraq  
A/Chairperson  
Nunavut Impact Review Board  
PO Box 1360  
CAMBRIDGE BAY NU X0B 0C0

kkaluraq@nirb.ca; [rbarry@nirb.ca](mailto:rbarry@nirb.ca); [info@nirb.ca](mailto:info@nirb.ca)

Dear Ms. Kaluraq:

Thank you for your letter of September 13, 2019, and enclosed screening decision of the Nunavut Impact Review Board for the City of Iqaluit's "New Landfill and Waste Transfer Station" Project Proposal, Qikiqtani Region, Nunavut (NIRB 13UN034, 148839).

Under sub-section 92(1) of the *Nunavut Planning and Project Assessment Act*, the Nunavut Impact Review Board must submit a written report to the responsible Minister. The Nunavut Impact Review Board has recommended, pursuant to paragraph 92(1)(a) of the *Nunavut Planning and Project Assessment Act*, that a review of the project is not required. The Nunavut Impact Review Board has also recommended specific terms and conditions that are appropriate for this project. I agree that a review of the project is not required and pursuant to paragraph 93(1)(a) of the *Nunavut Planning and Project Assessment Act* that the assessment of the project has been completed and the proponent may carry out the project, subject to paragraph 74(f) and the proponent obtaining any licence, permit or other authorization required by law. I would like to thank the Nunavut Impact Review Board for its diligence in reviewing this proposal.

In order to expedite the issuance of regulatory authorizations, it is important that the appropriate regulatory authorities are advised of the Nunavut Impact Review Board screening decisions. For this reason, I appreciate your efforts to copy the Land Administration Unit of the Department's Nunavut regional office on this and other screening decisions.

.../2





- 2 -

Should you have questions or concerns regarding my reply, please do not hesitate to contact Tracey McCaie, Manager, Land Administration, Nunavut Region, at (867) 975 4280.

Sincerely,

David Rochette  
Regional Director General  
Nunavut Regional Office

