



ᓄᓇᓂᓪ ᐃᓕᓂᓪᓴᓄᓪ ᐅᓂᓴᓴᓂᓪ ᐃᓕᓂᓪᓴᓄᓪ ᐃᓕᓂᓪᓴᓄᓪ #125540

Installation of an Incinerator

ᐃᓕᓂᓪᓴᓄᓪ ᐃᓕᓂᓪᓴᓄᓪ: New

ᐃᓕᓂᓪᓴᓄᓪ ᐃᓕᓂᓪᓴᓄᓪ: ᐃᓕᓂᓪᓴᓄᓪ

ᐃᓕᓂᓪᓴᓄᓪ ᐃᓕᓂᓪᓴᓄᓪ: 6/10/2020 2:05:54 PM

Period of operation: from 0001-01-01 to 0001-01-01

ᐃᓕᓂᓪᓴᓄᓪ ᐃᓕᓂᓪᓴᓄᓪ: from 0001-01-01 to 0001-01-01

ᐃᓕᓂᓪᓴᓄᓪ ᐃᓕᓂᓪᓴᓄᓪ: Raquel Labranche
Qikiqtaaluk Environmental
9935 de Châteauneuf Street
Brossard Quebec J4Z 3V4
Canada
ᐃᓕᓂᓪᓴᓄᓪ: 5142085981, ᐃᓕᓂᓪᓴᓄᓪ:

ᑭᑦᑲᑦᑲᑦᑲᑦ: QE currently operates a hazardous waste facility in Iqaluit. We would like to purchase an outdoor biomedical waste incinerator (see i8-M50 PDF attached in this application) to dispose of different types of waste including sharps, pathological and anatomical waste, surgical dressings, bandages, expired medication, pharmaceutical waste, documents, animal carcasses. We do not intend to burn any heavy metals. We would be incinerating approximately 1.5 – 2 m³ of waste daily (with an estimated weight of around 500-750 kg/weekly) and the ash will be sampled and either disposed of at the local landfill or sent south. The waste is produced by the Qikiqtani General Hospital, community health centres, dentists, correctional centers, Veterinarian, RCMP, etc. Right now, we are packaging all their waste in UN-rated boxes and storing them in 20' containers to be disposed of in the south. We would like to receive and install the incinerator this summer and have at least 2 trained operators onsite to operate the unit. The unit would be used about twice a week year-round. The air quality and wind direction will be monitored. We will refer to the Guideline for the Burning and Incineration of Solid Waste, Dept. of Environment, Nunavut Govt. Oct. 2010, Rev. 2012 and the CCME «Guidelines for the Management of Biomedical Waste in Canada rev. 1992 as guidelines for our operations. We will also update our Hazardous Waste Management Site registration. Please let us know of any other applicable regulations or guidelines not previously mentioned. We do not intend to alter the water use and waste disposal conditions covered under the current Water Licence (attached in this application). We do not believe the unit will create more risks for freshwater. Please advise us if an amendment must be made for the addition of the incinerator or if any other modifications are deemed necessary or are recommended. The i8-M50 unit will be operated using diesel fuel and will be installed in a 20 ft container (see containerized example attached). The container will include a pre-installed generator, lighting, flooring and mounted control panel. A fuel tank will be installed inside the container complete with all the necessary piping connections. The unit has a secondary chamber with a retention time of 2 sec at 850degC to reburn the exhaust gases from the waste. The emissions report demonstrates that it is below the EU standards (see Emissions EU and Emissions testing attached). The unit will never be left unattended while it is in use and it will be on a fenced lot and not accessible to the public. There will be a fire extinguisher near the unit.

ᐅᑦᑲᑦᑲᑦᑲᑦ: Qikiqtaaluk Environmental (QE) exploite actuellement un centre de gestion des déchets dangereux à Iqaluit et aimerait faire l'achat d'un incinérateur extérieur de déchets biomédicaux afin d'étendre ses services (voir la description de l'incinérateur médical i8-M50 jointe à cette demande). L'incinérateur médical servira à détruire différents déchets médicaux, dont les objets pointus ou tranchants, les déchets pathologiques ou anatomiques, les bandages et pansements chirurgicaux, les médicaments périmés, les déchets pharmaceutiques, des documents et des carcasses d'animaux. Nous n'avons pas l'intention d'incinérer des métaux lourds. Nous incinérerions environ entre 1,5 et 2 m³ de déchets par jour (représentant un poids approximatif de 500 à 750 kg par semaine). La cendre générée sera analysée et acheminée au dépot local ou vers le sud. Les déchets détruits sont ceux produits par l'hôpital Qikitani General, les centres de soins communautaires, les dentistes, les centres correctionnels, les vétérinaires, la GRC, etc. Ces déchets sont présentement emballés dans des boîtes catégorisées NU et remisés dans 20 conteneurs à être acheminés vers le sud. Nous aimerions recevoir et installer l'incinérateur cet été et avoir au moins 2 opérateurs sur le site qui auront reçu la formation adéquate. L'incinérateur serait utilisé toute l'année à raison d'environ deux fois par semaine. La qualité de l'air et la direction du vent feront l'objet d'un suivi. Nous nous servirons de la Ligne directrice environnementale sur la combustion et l'incinération des déchets solides du Gouvernement du Nunavut (ministère de l'Environnement, octobre 2010, révisée en 2012) des Lignes directrices sur la gestion des déchets biomédicaux au Canada du CCME (révisées en 1992) pour guider nos opérations. Nous garderons également à jour notre inscription de site de gestion des matières dangereuses. Veuillez nous aviser si d'autres règlements ou lignes directrices doivent également être respectés. Nous ne cherchons pas à changer les modalités de disposition et d'utilisation de l'eau précisées dans notre permis d'eau (joint à cette demande). Nous ne croyons en effet pas que l'incinérateur représentera un risque accru pour l'eau douce. Veuillez nous aviser si une modification doit être faite pour l'ajout de l'incinérateur ou si toute autre modification est jugée requise ou souhaitable. L'incinérateur i8-M50 emploiera du diesel et sera installé à l'intérieur d'un

[illegible]

Operations Phase: from 2020-06-10 to 2021-05-06

ለፍጥነት ማረጋገጫ

ደረጃ	የፍጥነት ማረጋገጫ ስራ	የፍጥነት ማረጋገጫ ደረጃ	የፍጥነት ማረጋገጫ ደረጃ	የፍጥነት ማረጋገጫ ደረጃ	የፍጥነት ማረጋገጫ ደረጃ
Environmental Waste Processing Facility	Site Cleanup/Remediation	Municipal	NA	NA	The site is located next to protected park

የፍጥነት ማረጋገጫ ስራ ለፍጥነት ማረጋገጫ ስራ ለፍጥነት ማረጋገጫ ስራ

የፍጥነት ማረጋገጫ ደረጃ	የፍጥነት ማረጋገጫ ደረጃ	የፍጥነት ማረጋገጫ ደረጃ	የፍጥነት ማረጋገጫ ደረጃ
Information is not available			

◀▷↳◀⁹⁶▷⁹⁶

Λ⁹d^c d^abΓ²Δ⁶CDσD⁴Δ⁵ Δ^cΔ⁶rDΠ³Γ^c ΔjCΔ^c, Γ^c₃dPñ^c, Δ⁶ΔCΓ²Δ⁶, Δ⁶rD^c dΓ^aΓ^c₃

ᐃᓕᓴᓴ ᐱᓄᑦ ᐃᐳᓴᐅᓂᐃᓕᓴᓴ ᓕᓄᐃᑦᑐᓂᓴ	ᓕᑦᓯᐅᑦᑦ	ᐃᓕᓴᓂᓕᓴᓴ - >ᓕᓴᓂᓕᓴᓴ	ᓴᓴᑦ ᐃᐳᓴᐅᓂᐃᓕᓴᓴ
Incinerator i8-M50	1	1.52m x 0.92m x 4.4m	Incineration of waste. See project description. And see Product PDF attached

[illegible][illegible]
$$\Delta L^{\epsilon_b} \quad \triangleleft \triangleright^{\epsilon_b} C \triangleright \triangleleft \dot{L}^{\epsilon_b} \triangleright^{\epsilon_b}$$

$\mathcal{D}^c \rightarrow \mathcal{C} \overset{\circ}{\mathcal{I}}^{\mathfrak{b}} \rightarrow \mathcal{D}^{\mathfrak{b}} \mathcal{C} \mathcal{D}^{\sigma} \mathcal{A}^{\mathfrak{b}} \mathcal{D}^{\mathfrak{b}}$	$\mathfrak{b} \rightarrow \mathfrak{b} \rightarrow \Delta \Gamma^{\mathfrak{b}} \mathcal{C}^{\mathfrak{b}} \mathcal{C}^{\mathfrak{c}} \sigma \mathcal{A}^{\mathfrak{b}} \mathcal{C}$	$\mathfrak{a} \mathcal{P}^{\mathcal{C}} \rightarrow \Delta \Gamma^{\mathfrak{b}} \mathcal{C}^{\mathfrak{b}} \mathcal{C}^{\mathfrak{c}} \sigma \mathcal{A}^{\mathfrak{b}} \mathcal{C}$
0		

$\triangleleft^b C d^c$
$$\Delta^b C d \subset \rho \sigma \Delta^a \sigma^a b$$

<p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p> <p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p>	<p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p> <p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p>	<p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p> <p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p>	<p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p> <p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p>	<p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p> <p>Λ_cΛ_bΛ_bΔ^cΔ^cΔ^c</p>
Information is not available				

$$\Delta^{\circ} \text{NFD} C_{\text{D}}^{\circ} C^{\circ} \quad \Delta^{\circ} \text{D}^{\circ} \text{C}^{\circ} \text{D}^{\circ} \text{L}^{\circ} \text{L}^{\circ}$$

The air quality and wind direction will be monitored. We will refer to the Guideline for the Burning and Incineration of Solid Waste, Dept. of Environment, Nunavut Govt.Oct. 2010, Rev. 2012 and the CCME «Guidelines for the Management of Biomedical Waste in Canada rev. 1992 as guidelines for our operations. We will also update our Hazardous Waste Management Site registration. Please let us know of any other applicable regulations or guidelines not previously mentioned. We do not intend to alter the water use and waste disposal conditions covered under the current Water Licence (attached in this application). We do not believe the unit will create more risks for freshwater.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION 11: Municipal Development

ᐱᓪᓗ ᐱᑦᑎᐅᑦ ᖃᓄᐃᑦᑐᑦ ᑕᓕᓕᓂᓪᓗ: ᓄᓗᐅᑦ ᖃᓄᐃᑦᑐᓂᓪᓗ

ᐱᓪᑦ ᐸᓂᐅᓪᑦ ᖃᓄᐃᓪᑦ ᑕᓚᐅᓂᓪᑦ: ᐅᐤᐳᖃᑕᖃᓂᓪᑦ

[illegible]

Miscellaneous Project Information

[illegible]

Cumulative Effects

Impacts

$\Delta^{\text{fb}} \subset \Sigma^{\text{fb}} \cap \Gamma^{\text{c}}$ $\Delta^{\text{fb}} \subset \Sigma^{\text{fb}} \cap \Gamma^{\text{c}}$

[illegible][illegible]

1	point	Environmental Waste Processing Facility
---	-------	---

- 1 point Environmental Waste Processing Facility