



NIRB Uuktuutinga Ihivriughikhamut #125577

Fisheries and Oceans Canada - Clyde River Small Craft Harbour - Clyde River Geotechnical and Sampling Program

Uuktuutinga Qanurittuq: New

Havaap Qanurittunia: Scientific Research

Uuktuutinga Ublua: 1/25/2021 5:31:06 PM

Period of operation: from 0001-01-01 to 0001-01-01

Piumayaat Angirutinga: from 0001-01-01 to 0001-01-01

Havauhikhaq Ikayuuqtinga: Eleanor McEwan
Fisheries and Oceans Canada -Small Craft Harbours
501 University Crescent
Winnipeg Manitoba R3T 2N6
Canada
Hivayautit Nampanga:: 204-984-1102, Kayumiktukkut Nampanga::

Personnel

Personnel on site: 11

Days on site: 15

Total Person days: 165

Operations Phase: from 2021-03-16 to 2021-04-03

Hulilukaarutit

Inigiya	Hulilukaarut Qanurittuq	Nunangga Qanurittaakhaanik	Initurlinga qanuritpa	Initurlinga utuqqarnitat unaluuniit Ingilraaqnitat Uyarannguqtut akhuurninnga	Qanitqiyauyuq qanitqiamut nunallaat kitulluuniit ahiruqtaliyainnit nuna
Clyde River Harbour - Uplands Area	Drilling	Commissioners	The harbour area has been used for fishing, harvesting, transportation of goods for at least 60 years since the community of Clyde River was established in it's current location.	An archaeological Impact Assessment (AIA) was completed by Lifeways of Canada Limited in 2019. The AIA results state that there are no known archaeological or paleontological sites in the project area.	The closest community is Clyde River, which is located within 100 m of the Project area. The closest protected area is Isabella Bay, which is approximately 80 km southwest of the Project aea.
Clyde River Harbour - Marine Area	Drilling	Crown	The harbour area has been used for fishing, harvesting, transportation of goods for at least 60 years since the community of Clyde River was established in it's current location.	An archaeological Impact Assessment (AIA) was completed by Lifeways of Canada Limited in 2019. The AIA results state that there are no known archaeological or paleontological sites in the project area.	The closest community is Clyde River, which is located within 100 m of the Project area. The closest protected area is Ninginganiq National Wildlife Area in Isabella Bay, which is approximately 80 km southwest of the Project aea.

Nunaliin Ilauyun, Aviktuqhimayuniitunullu Ikayuuhiarunguyun

Nunauyuq	Atia	Timiuyuq	Upluani Uqaqatigiyaungmata
Clyde River	James Arreak (SAO) and other council members	Hamlet Council	2020-02-24
Clyde River	Jerry Natanine (Mayor)	Hamlet Council	2020-02-24
Clyde River	James Arreak (SAO) and other council members	Hamlet Council	2020-02-26
Clyde River	Jerry Natanine (Mayor)	Hamlet Council	2020-02-26
Clyde River	Mike Jaypoody - Director, and other members	Community QIA	2020-02-24
Clyde River	Mike Jaypoody - Director and other members	Community QIA	2020-02-26
Clyde River	Joamie Apala - HTA Director, other HTA memeber	Nangmautaq HTA	2020-09-29
Clyde River	Gary Aipeelee - HTA Manager	Nangmautaq HTA	2020-09-29
Clyde River	James Arreak (SAO) and other council members	Hamlet Council	2020-09-29
Clyde River	Silas Natanine - Crew Lead	Guardians	2020-09-29
Clyde River	Joavie Ettuangat - Director	Guardians	2020-09-29

Clyde River	James Arreak - SAO Hamlet Coucil	Hamlet Council	2019-11-04
Clyde River	Gary Aipellee and HTA Members	Nangmoutaq HTA	2019-11-04

Angiuttauvaktunik

Naunaiqlugu nunanga talvani havauhikhaq ittuq:

North Baffin

Angiuttauvaktunik

Munariniqmut Ayuittiaqtuq	Angirutinga Qanurittuq	Tadja Qanurittaakhaanik	Ublua Tuniyauyuq/Uuktuqtuq	Umikvikhaa Ublua
Nunavunmi Ihivriunniqmut Timiqutigiyanga	Scientific research license application extension to existing permit 02 061 20R- M is pending NIRB screening decision.	Applied, Decision Pending		
Indigenous and Northern Affairs Canada	Class A Land Use Permit for Geotechnical Program over ice	Applied, Decision Pending		
Nunavut Kavamanga, Nunalingni Kavamatkunnilu Pivikhaqautikkut	GN Land Use Permit for upland work	Applied, Decision Pending		

Project transportation types

Transportation Type	Qanuq Atuqtauniarmangaa	Length of Use
Air	Geotechnical Drill Rig will be mobilized to Clyde River via air using the existing airport, crew will arrive to Clyde River by air at the existing airport	

Project accomodation types

Nunauyuq

Ihuaqtivaluin Atuqtauyukhan

Hanalrutit atuqtaunahuat (ukuallu ikuutat, pampiutainnik, tingmitinik, akhaluutinik, hunaluuniit)

Hanalrutit Qanurittuq	Qaffiuyut	Aktikkulaanga – Qanurittullu	Qanuq Atuqtauniarmangaa
CME 55 Drill Rig with shack on skids	1	5m x 6m	Geotechnical coring/sampling
Pick-Up truck	4	determined by availability in community	Personnel and equipment transportation
Front End Loader	1	determined by availability in community	Transportation of drill rig and shack
Diesel Generators	2	2m x 3m	Portable power source for drill shack
Herman Nelson Heaters	2	1m x 2m	Heat for drill shack
Water Pump	1	0.5m x 0.5m	Marine water for drilling
Oil fired coil heaters	1	1m x 2m	Prevent waterline from freezing

Qanurittuq Urhuqyuaq unalu Qayangnaqtut Hunavaluit Aturninnga

Qanurittuq urhuqyuaq hunavaluit aturninnga:	Urhuqyuaq Qanurittuq	Qaffiuyut qattaryut	Qattaryuk Aktikkulaanga	Atauttimut Qaffiuyut	Ilanga	Qanuq Atuqtauniarmangaa
Propane	fuel	1	30	30	Lbs	fuel for heating torch
Hydraulic Oil	hazardous	15	20	300	Liters	Drill Rig
0/30 oil	hazardous	20	4	80	Liters	Drill Rig
Heavy Duty Bearing Grease	hazardous	48	1	48	Liters	Drill Rig
Transmission Fluid	hazardous	5	4	20	Liters	Drill Rig
SAE 90 Transmission Oil	hazardous	20	4	80	Liters	Drill Rig
Antifreeze	hazardous	20	4	80	Liters	Drill Rig
Diesel	fuel	30	250	7500	Liters	fuel for generator and equipment
Gasoline	fuel	15	250	3750	Liters	fuel for equipment

Imaqmik Aturninnga

Ubluq qanuraaluk (m3)	Aturumayain imavaluin utiqittagaani qanuq	Atulirumayain imavaluin utiqittagani humi
38	No freshwater use. Marine water from Patricia Bay to be used for drilling and circulated back into Patricia Bay (temporary use). Approximately 38m3/day water use via 1.5 water intake pump.	no freshwater use - marine water from Patricia Bay to be used for drilling and circulated back into Patricia Bay (temporary use) via 1.5 intake pump.

Iqqakuq

Ikkakunik Munakgiyauyunik

Havauhikhaq Hulilukaarut	Qanurittuq Iqqakut	Ihumagiyauyuq Qanuraaluktut Atuqtait	Qanuq Iqqakuurniarmangaa	Halummaqtirarnirutikhan piyutin
Drilling	Hivuuranaqtun iqakuuvaluin	as listed in materials section	All hazardous waste will be packaged securely in original containers and transported south for disposal at a certified facility	n/a
Drilling	Ikulalimanngittun iqqakuuvaluin	15 Garbage Bags	municipal waste disposal site	n/a

Avatiliriniqmut Ayurhauingit:

Wildlife may be disturbed and move away from or be attracted to drilling activities. Local field assistants will accompany the geotechnical field program personnel to monitor for disturbance to marine and terrestrial wildlife and their habitat. If marine mammals are observed within 500 m of the drilling location, drilling activities will cease until the marine mammal has left the area. Disruption of fish habitat through direct alteration of the seabed, increased turbidity, or accidental spills. Fish could be drawn into water intake while pumping water from Patricia Bay. Shellfish mortality may occur where sedentary species are in the direct path of the drill head. A screen will be used for water intake to prevent fish entrainment, and the drill head will be advanced slowly to allow mobile species to escape. The alteration of the seabed is temporary and limited to the small area occupied by each borehole. A low magnitude increase in suspended sediment will be temporary and limited to the area surrounding each in-water borehole. The amount of fuel and drilling additive will be limited to that required to complete the drilling for each day. A non-toxic, biodegradable drilling additive will be used, if required. Secondary containment will be in place under the drill rig motor. A spill response plan and spill response kit adequate to contain the potential volume of fuel in the equipment will be maintained on-site and implemented in the event of a spill. Although the geotechnical program is in marine waters, DFO's Interim code of practice: End-of-pipe fish protection screens for small water intakes in freshwater will be followed.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

Qanurittuq Ittunik Avatinga: Avatingalluanga

The Project area is a community fishing harbour. The closest protected area is Ninginganiq National Wildlife Area in Isabella Bay, which is approximately 80 km southwest of the Project area. The onshore harbour area is part of the terrestrial environment and consists of a relatively flat, compacted sand parking area for the existing community sealift and boat launch. The parking area also functions as a temporary storage and stockpiling location for equipment, building supplies, and shipping containers. The intertidal shoreline is part of the marine environment and primarily consists of a shallow sloped sandy beach with occasional patches of mixed gravel, cobble, and boulders in the Project area. The upper and mid-intertidal zones consist primarily of coarse sand and limited algal wrack, whereas substrate in the lower intertidal and shallow subtidal areas are coarse sand with patches and narrow bands of gravel, cobble and boulder. A low boulder wall runs parallel to shore along the beach from west to east through the lower intertidal zone. Benthic substrate in the subtidal Project area is generally flat with little relief and primarily consisted of sand with small, patchy clusters of gravel, cobble and boulders in the area. Boulders are also present in a low wall running parallel to shore through the lower intertidal / shallow subtidal zone. Sediment samples collected from the Project area indicated that no exceedances were reported with respect to Disposal at Sea Regulations, CCME sediment quality guidelines and CCME soil quality guidelines. Marine water samples in the Project area indicated that no exceedances were reported with respect to CCME marine water quality guidelines. The nearshore area is ice-covered in the winter season, when this Project is scheduled to be completed. Noise levels are expected to be low.

Qanurittuq Ittunik Avatinga: Inuuhimayunut Avatinga

Terrestrial fauna observed during field surveys in the parking area consisted of common Arctic bird species (seagulls, ravens, etc.) which temporarily occupied the area while foraging. Terrestrial mammals likely migrate through the open parking area; however, they were not observed during field surveys. Terrestrial mammals and birds are not anticipated to be present in the area at the time of the survey. Terrestrial flora is absent from the area. Marine flora and fauna are largely absent from the intertidal and foreshore harbour area during the winter period. The shallow nearshore area is also likely within the ice scour zone, therefore flora and motile fauna are anticipated to be largely absent from the area. Infauna, such as the truncate softshell clam (*Mya truncata*), may be present below the surface of fine sediment in the subtidal portion of the harbour. One species at risk, Polar Bear, may occur in or near the Project area during the winter when the project will be carried out.

Qanurittuq Ittunik Avatinga: Inungit-maniliurutingit Avatinga

The closest community is Clyde River, which is located within 100 m of the Project area. The closest protected area is Ninginganiq National Wildlife Area in Isabella Bay, which is approximately 80 km southwest of the Project area. An archaeological Impact Assessment (AIA) was completed by Lifeways of Canada Limited in 2019. The AIA results state that there are no known archaeological or paleontological sites in the project area. Infrastructure constructed in the intertidal shoreline is limited and consists of the existing community sealift and boat launch, as a small sheltered area for landing boats.

Miscellaneous Project Information

Naunaiyainiq ukuninnga Ayurhautingit unalu Piumayaat Ikkliyuumiutinahuarutit

Disturbance or Injury Due to Underwater SoundThe use of an underwater borehole drill has the potential to temporarily increase underwater sound levels in the harbour for the duration of the Project. Underwater noise generated by geotechnical drilling can temporarily increase the risk of injury and behavioural changes in fish. Impacts to fish are generally short in duration, and related to temporary hearing loss in the immediate vicinity of the drill, and behavioural changes. Behavioural changes include area avoidance, reduced foraging success, altered predator-prey interactions, increased concentrations of stress hormones, and decreased growth rates (Wenger et al. 2017). Underwater noise generated by the borehole drill is not expected to reach levels that are likely to disturb marine mammals. Further, the Project is being carried out in late winter when the harbour is ice-covered, therefore air breathing marine mammals are not expected to be present in the vicinity of the drill.

Sediment and Water QualityBorehole drilling has the potential to temporarily resuspend a minute quantity of marine sediment into the water column near the borehole, which could potentially affect water quality and temporarily increase suspended sediment near the boreholes during the Project. Marine water will be pumped into the borehole and later returned to the harbour, and contains a moderate quantity of suspended sediment. Temporary impacts associated with increased levels of suspended sediments in the water column may include decreased visibility, avoidance of the Project Area, gill abrasion and potential stress increases, and accidental mortality (Cairns, 2002). Suspended sediment has the potential to contain contaminants; however, none of the sediment collected and analyzed from the harbour as part of the 2019 and 2020 field programs had concentrations that exceeded the Canadian Council of Ministers of the Environment (CCME) probable effect levels (PEL) for marine sediment (Advisian, 2020; CBCL, 2020a; CCME, 2014).

Fish MortalityFish could be drawn into water intakes while pumping water from Patricia Bay for use during drilling. Fish mortality in the harbour may temporarily increase during the Project if fish that become impinged on water intake screens or entrained in the water pumping system. Motile species are expected to temporarily relocate to other areas in the harbour and nearby suitable habitats. These species are expected to return to the Project area soon after completion of the Project.

Alteration and Destruction of Fish HabitatDisruption of fish habitat can occur through direct alteration of the seabed, increased turbidity, or accidental spills. The alteration of the seabed due to borehole drilling is temporary and limited to the small area occupied by each borehole. A low magnitude increase in suspended sediment will be temporary and limited to the area surrounding each in-water borehole.

Risk of Spills and Environmental PollutionHazardous materials such as diesel fuel, oil, and lubricants are common on geotechnical worksites as part of the operation and maintenance of drilling equipment. Proper transportation, storage, and handling of these materials must conform to territorial regulations and guidelines. Suppliers of these materials have recommendations for the appropriate transportation, storage, and handling of these materials, and these will be used in conjunction with best management practices.

6.7 **Disruption of Traditional Use**Traditional use of the Project area is not anticipated to be affected during the completion of the Project.

Tamatkiumayunik Ihuikgutivaktunik

There are no residual effects of the Project that will result in cumulative environmental effects.


Impacts

Ilitariyauniq Avatiliriniqmut Ayurhautingit

	PHYSICAL	Designated environmental areas	Ground stability	Permafrost	Hydrology / Limnology	Water quality	Climate conditions	Eskers and other unique or fragile landscapes	Surface and bedrock geology	Sediment and soil quality	Tidal processes and bathymetry	Air quality	Noise levels	BIOLOGICAL	Vegetation	Wildlife, including habitat and migration patterns	Birds, including habitat and migration patterns	Aquatic species, incl. habitat and migration/spawning	Wildlife protected areas	SOCIO-ECONOMIC	Archaeological and cultural historic sites	Employment	Community wellness	Community infrastructure	Human health
Havakvinga																									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aulapkaininnga																									
Drilling	-	-	-	-	M	-	-	-	M	-	M	M	-	-	N	-	N	-	-	-	P	-	P	-	-
Piiqtauniq																									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(P = Nakuuyuq, N = Nakuungittut unalu mikhilimaittuq, M = Nakuungittut unalu mikhittaaqtuq, U = Naluyayuq)

Havaariyauyukhamut Nayugaa



List of Project Geometries

- | | | |
|---|-------|------------------------------------|
| 1 | point | Clyde River Harbour - Marine Area |
| 2 | point | Clyde River Harbour - Uplands Area |