



New

Pits and Quarries

3/2/2021 1:33:07 PM

ᐱᓕᓂᑦᐳᓄᓚᓴᓴ: Danny Zita
Government of Nunavut
PO Box 272
Kugluktuk Nunavut X0B 0E0
Canada
ᐃᓴᓂᓪᐅᑦᑎᓪ: (867) 982-7661, ᓇᓴᓴᓄᓚᓴ:

$\text{b}^{\flat}\Delta^{\flat}\dot{\text{c}}\text{n}_{\sigma^{\flat}} \quad \Lambda_{\tau}\text{n}\nabla^{\flat}\text{b}^{\flat}\sigma\nabla\text{n}\nabla^{\flat}\text{l}^{\flat}\sigma^{\flat}$

ᑭᓄᓗᓴᓐᓂᑦ: The Kugluktuk quarry deposits sites will be used to extract aggregate (gravel, sand etc...) to meet the construction demands of the community. These sites are located south-west of Kugluktuk. The equipment that will be working on site if approved will be dump trucks to haul aggregate, crushers to break up material and loaders to extract aggregate. These quarries will remain active until all its aggregate are depleted. The Hamlet will use the proceeds from Quarry permit fees to remediate the area to a point in which the area's vegetation can grow back. These sites contain gravel, sand and silt suitable for construction purposes and road maintenance in reasonable quantities which makes these sites desirable locations. The sites are in reasonable proximity to Kugluktuk which results in easier access for the residents of the community to retrieve gravel and also minimizes costs to the contractors and the Hamlet due to the fact that the dump trucks do not need to travel long distances. There are existing access roads to both quarry sites. The Hamlet did explore other quarry sites but felt this was the best option due to the reasonable proximity to Kugluktuk, its gravel reserves and the quality of the gravel.

DΔΛNƆ: Les carrières de Kugluktuk serviront à l'extraction de granulats (gravier, sable, etc.) pour répondre aux besoins en construction de la collectivité. Ces sites se trouvent au sud-ouest de Kugluktuk. Si le projet est approuvé, l'équipement qui sera utilisé sur place consistera en des camions à benne, des concasseurs et des chargeuses qui serviront respectivement à transporter, à fragmenter et à extraire le granulat. Les carrières seront exploitées jusqu'à l'épuisement du granulat. Le hameau utilisera les revenus des permis d'exploitation pour restaurer les sites afin que la végétation puisse y repousser. Les sites en question contiennent de bonnes quantités de gravier, de sable et de silt pouvant servir à la construction et à l'entretien des routes, ce qui fait d'eux des terrains convoités. Les sites se trouvent à une distance raisonnable de Kugluktuk; il sera donc facile pour les résidents de se procurer du gravier. De plus, cela réduira les coûts pour les entrepreneurs et pour le hameau, car les camions à benne n'auront à voyager que sur une courte distance. Il existe déjà des voies d'accès aux deux carrières. Le hameau a étudié d'autres sites possibles, mais il considère ceux-ci comme la meilleure option, en raison de leur proximité à Kugluktuk ainsi que de la quantité et de la qualité du gravier qui s'y trouve. Je vous prie d'agréer l'expression de mes sentiments les meilleurs.

[illegible]

Inuinnaqtun: Ukuat Kugluktukmi ujaraliaqtarviit atuqtauniatun amuhijaami ujaralianik (ujaraliat, hiurat aallallu...) hailihimajaanginni nappaqtirnikkut ihiariagijaujuni nunallaami. Hapkuat ujaraliaqtarviit ittun hivuraani-uangani Kugluktumi. Akhaluutirjuat hapkuat havangniaqtun ujaraliaqtarvingmi angiqtau kpata agjaqtautit akhaluutit agjariami ujaralianik, pilurjaktirijiit ahiruqtirijaami ujaranik pualrihautillu amuhijukhat ujaralianik. Hapkuat uraliaqtarviit atuqtaraanginnarniaqtun talvunga ujaraliaqtarviit nunguttau kpata. Haamlatkut aturniaqtaut maniliurutit talvannga Ujaraliaqtarvingmin laisikkut akingit pinnirharnirnun nunami talvunga nunaup nauttiangit nauffaalirianginnun. Hapkuat ujaraliaqtarviit pilgit ujaralianik, hiurarnik pujutun-ittunin hiurarnin nakuujun nappaqtirnikkut hulidjutiknun apqutinilu ihuarhaidjtikhanun nakuujuni amigainninginni pidjutijun hapkuninga ujaraliaqtarvingni

pijumajaulluarviujunik. Hapkuat ujaraliaqtarviit qanittun Kugluktumun pidlutiplotik
ajurnaitqijamik pijaami nunallaamiutanun ujaraliaqtariami taimaalu akittuqtivallaangitait
akinginnun kaantraaktinun Haamlatkunnullu talvannga akhaluutirjuat
ungahiktuliangidjutainnun. Pilik tahamaniittuni apqutikhanik tamarmingnun
ujaraliaqtarvingnun. Haamlatkut naunaijaqpaktait aallat ujaraliaqtarvikhat kihimi ihumagijun
una nakuutqijaujuq qanuriliurutikhaq qanitqijaungmat Kugluktumun, ujaraliakhat
amigainmata nakuungmallu ujaraliakhaq.

Personnel

Personnel on site: 3

Days on site: 1500

Total Person days: 4500

Operations Phase: from 2021-01-23 to 2031-01-23

$\Lambda \subset \mathbb{N} \triangleleft \mathbb{N} \hookrightarrow \mathbb{D} \sigma \triangleleft^{\mathfrak{q}_b} \mathbb{D}^c$

ᐱᓕ	ᖃᓄᐃᑦᑐᒥᑦ ᐱᑦᑎᐳᖃᑦᓂᐳᖅ	ᑭᐊᑦ ᓄᓇᑦᑯᑦᓂ	ᑐᔨᐃᒪᓴᖅ ᓄᓇᐅᑦ ᖃᓄᖅ ᐳᑐᒪᐅᑦᐅᖅ ᓯᒪᓴᑎᐳᖅ	ᐃᑦᔨᑦᓂᑦᖃᑦᐱᐅᑦᑲᐅᑦ ᐃᓄᖅ ᓇᓯᖅᑲᐅᖅᑲᑦᓂᑯᑦᐅᑦ ᑲᐃᑦᓯᒪᓂᑐᖅᐅᑦᖅ	ᖃᓂᓂᖅᑲᑦᑲᑦ ᓄᓇᑦᒥᓴᐅᓯᖅ ᐳᒪᓴ ᔨᑐᒥᖅᓯᐱᐅᑦ ᓯᓄᑦ
Lot 572 Plan 3925	Quarry/Borrow pit	Municipal	Site has been used and continues to be used as the primary location for the Hamlet's quarry material.	n/a	Site is located within 4 km of the Hamlet's core.
501-SK- QUA- Site1	Quarry/Borrow pit	Commissioners	The Hamlet of Kugluktuk has used this site in the past to quarry fine material for the construction needs.	n/a	Site is located within 2 km of the Hamlet's core. Site lies outside surveyed airport lot.

മേന്മയ്ക്ക് അനുയോജ്യമായതായും മേന്മയ്ക്ക് അനുയോജ്യമായതായും അനുയോജ്യമായതായും അനുയോജ്യമായതായും

ᓄᑦᓇᒃᕐ ᖅ	ᐱᑏᔪ	ᕐᕈᙳᐸᓴᓂᐱᑎᑲᕐᕐ ᖅ	ᖅᗵᓚ ᐭᖅᐱᕐᕈᕋᕐᕈᕋᕐᕈᕋᕐᕐ ᖅ
ᓴᓴᓤᓶᕐᕐ	Chris Saleem - Planning Lands Officer	Hamlet of Kugluktuk	2021-02-16
ᓴᓴᓤᓶᕐᕐ	Kimberly Young - SAO	Hamlet of Kugluktuk	2021-02-07

ሬፈሳሥ ለገጽ ልማት ልማት

ሬፈሳሥ ለገጽ ልማት ልማት በበላይ:

Kitikmeot

ሬፈሳሥ ለገጽ ልማት

ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት	ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት	ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት	ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት	ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት ሬፈሳሥ ለገጽ ልማት
ሬፈሳሥ ለገጽ ልማት, ሬፈሳሥ ለገጽ ልማት	Authorization confirming that no other permits are required and to confirm that the application can proceed to screening with NIRB.	Active	2021-03-02	

Project transportation types

Transportation Type	ሬፈሳሥ ለገጽ ልማት	Length of Use
Land	dump trucks, light vehicles	

Project accomodation types

ሬፈሳሥ,

◀▷↳◀⁹⁶▷⁹⁶

Λ⁹d^c d^ab^rz^{5b} d^{3b}c^dσ^dy^z^{5b} Δ^cb^rdⁿω^r^c ΔjCΔ^c, Γ^cωd^pñ^c, y^bu^cC^j^{5b}, ωe^rd^c d^ru^r^cω

ᐃᓕᑦᑲᓄᑦ ᐱᓂᑦ ᐋᑐᒪᐅᓂᐊᓖᑐᓖᓖ ᓖᓂᓄᐅᑦᑐᓂᓖᒪ	ᓖᓂᑦᑲᑦᑲᑦ	ᐃᓕᑦᑲᓄᑦ - >ᓖᑐᓂᓖᑦ	ᑭᐱᑦ ᐋᑐᒪᐅᓂᐊᓖᑦ
Loader	1	5.7m x 2.7m	excavate quarry material
Dump Truck	1	2.5mx3.4m	Haul quarry material
Water Truck	1	10 tons	Dust control
Crusher	1	15 tons	to crush large material

[illegible]

ᐱᓄᑦᑐᒃ ᐅᕐᓂᐱᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ ᐳᐸᐸᐸᐸᐸᕐᕐ	ᕐᓂᓄᐳᕐᕐᕐᕐᕐᕐᕐᕐ ᐅᕐᓂᐱᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ	ᕐᓂᕐᕐᕐᕐᕐᕐᕐᕐ ᐅᕐᓂᐱᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ	ᕐᓂᕐᕐᕐᕐᕐᕐᕐᕐᕐ ᐳᐸᕐᓂᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ	ᕐᓂᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ	ᕐᓂᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ ᐳᐸᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ	ᐱᓄᑦᑐᒃ ᐳᐸᐸᐸᐸᐸᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ
Gasoline	fuel	1	1	1	Liters	Fuel will be provided by the Hamlet's facilities and supplies. There will be no storage of fuel on site.
NA	hazardous	1	0	0	Liters	There will be no storage of hazardous material on site.

$\Delta L^{\epsilon_b} \quad \triangleleft \triangleright^{\epsilon_b} C \triangleright \triangleleft \dot{L}^{\epsilon_b} \triangleright^{\epsilon_b}$

$\mathbb{D}^c \rightarrow \mathbb{C} \overset{i}{\mathbb{F}}^b \rightarrow \mathbb{D}^{\mathbb{F}^b} \mathbb{C} \mathbb{D}^{\sigma} \mathbb{D}^{\mathbb{F}^b} \mathbb{D}^{\mathbb{F}^b}$	$\mathbb{F}^b \rightarrow \mathbb{F}^b \rightarrow \Delta \Gamma^{\mathbb{F}^b} \mathbb{C} \mathbb{F}^b \mathbb{C}^{\mathbb{F}^b} \sigma \mathbb{D}^{\mathbb{F}^b} \mathbb{C}^{\mathbb{F}^b}$	$\mathbb{D}^{\mathbb{F}^b} \mathbb{C} \rightarrow \Delta \Gamma^{\mathbb{F}^b} \mathbb{C} \mathbb{F}^b \mathbb{C}^{\mathbb{F}^b} \sigma \mathbb{D}^{\mathbb{F}^b} \mathbb{C}^{\mathbb{F}^b}$
0	n/a	n/a

$\triangleleft^b C d^c$
$$\Delta^b C d_{\sigma} \sim \Delta^a \sigma^a$$
[illegible]
$$4^n n! D^n C \circ^C D^C \quad 4^b D^{f_b} C D^r L^r C$$

Accidental leaks and spillages of substances such as fuel or petroleum-based lubricants - if this occurs the Hamlet will call the NU 24-hour spill report line at (867) 920-8130 and immediately extract and remove the aggregate at the point of the spill. The contaminated soil will be relocated to the community land farm. Noise and vibration effects from rock crushing/breaking and machinery.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

No known carving stone deposits are located in this area. If a carving stone deposit is located then extraction of aggregate will cease until the Municipality decides what they wish to do. The extraction of the aggregate will go down 1-3 meters. Should flooding become an issue, drainage ditches will be constructed to promote drainage away from the pit. We will continually monitor erosion or potential for erosion and implement control measures to minimize erosion. Minor slumping may occur to the landscape due to the extraction of aggregate but will be levelled off once the quarry is depleted. No evidence of ice lenses in the area. We currently do not blast and do not foresee having to blast. We will inform the public about the sight, and post signs around the site about the safety. Staff will also follow WSCC safety regulations around the site and area. Once this site is depleted of essential aggregate, the quarry will be levelled off to avoid any steep ditches using sand, silt and any other undesirable aggregate

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D4: Vessel Use

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION 11: Municipal Development

ᐱᓪᓇ ᐃᑦᐅᐅᑦ ᖃᓄᐃᑦᑐᑦ ᑕᓚᐅᓂᖅ: ᓄᓇᐅᑦ ᖃᓄᐃᑦᑐᓂᖅ

Air quality – Appears excellent. There is no reason to believe that air quality should not be excellent.
Climate conditions and predicted future climate trends – The arctic is undergoing apparent raise in average temperature in the long term. This will have no incidence of this quarry.Noise levels – Noise level is of low concern but will be typical of such heavy equipment.

$\dot{L}^{\infty}_t \nabla \rho \cap D^{1,\infty}_{x,t} \psi_{\Delta^C} \subset L^\infty_t D^{1,\infty}_{x,t} \psi_L$; $\dot{D}L^{\infty}_t \psi_C \subset \psi_L$

Wildlife, including habitat and migration patterns – No wildlife observed, although any wildlife observed will be respected at all times during the work. Birds, including habitat and migration patterns – No birds observed, although any wildlife observed will be respected at all times during the work.

[illegible]

Archaeological and culturally significant sites (e.g. pingos, soap stone quarries) in the project and adjacent areas – None observed
Land and resource use in the area, including subsistence harvesting, tourism, trapping and guiding operations – The area surrounding the quarry areas is used as a gravel extraction activity. There are no subsistence harvesting or tourism activity within the surrounding quarry areas.

Miscellaneous Project Information

Impacts

$\omega \rightarrow \omega \Delta^{\epsilon_b} C D \sigma^{\epsilon_b} \Gamma^C$ $\Delta \epsilon \cap \Gamma D C \dot{\sigma}^C \gamma^C$ $\Delta^b \gamma^{\epsilon_b} C D \Gamma L \dot{\gamma}^C$

Physical														
Designated environmental areas	Ground stability	Permafrost	Hydrology / Limnology	Water quality	Climate conditions	Eskers and other unique or fragile landscapes	Surface and bedrock geology	Sediment and soil quality	Tidal processes and bathymetry	Air quality	Noise levels	Biological		
Vegetation	Wildlife, including habitat and migration patterns	Birds, including habitat and migration patterns	Aquatic species, incl. habitat and migration/spawning	Wildlife protected areas	Socio-Economic					Archaeological and cultural historic sites	Employment	Community wellness	Community infrastructure	Human health
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarry/Borrow pit														
-	-	N	-	-	-	-	-	-	-	-	N	-	-	-
U														
P														
P														
-														

$$(P = \langle b \rangle \Delta \langle p \rangle \langle \lambda \rangle \langle a \rangle \langle b \rangle^c, N = \langle b \rangle \langle p \rangle \langle \lambda \rangle \langle \Delta \rangle \langle a \rangle \langle b \rangle^c \langle \Delta \rangle \langle \Gamma \rangle \langle \lambda \rangle \langle b \rangle \langle \Delta \rangle \langle a \rangle \langle p \rangle^c \rangle, M = \langle b \rangle \langle p \rangle \langle \lambda \rangle \langle \Delta \rangle \langle a \rangle \langle b \rangle^c \langle \Delta \rangle \langle \Gamma \rangle \langle \lambda \rangle \langle b \rangle \langle \Delta \rangle \langle a \rangle \langle b \rangle^c \rangle, U = \langle b \rangle \langle \lambda \rangle \langle L \rangle \langle a \rangle \langle p \rangle^c \rangle \langle b \rangle)$$

1	polygon	501-SK-QUA-Site1
2	polygon	Lot 572 Plan 3925

1	polygon	501-SK-QUA-Site1
2	polygon	Lot 572 Plan 3925