



## Demande de la CNER faisant l'objet d'un examen préalable #125690 Shipping Emissions in the Arctic and North Atlantic Atmosphere

**Type de demande :**

New

**Type de projet:**

Scientific Research

**Date de la demande :**

4/26/2022 1:51:13 PM

**Period of operation:**

from 0001-01-01 to 0001-01-01

**Autorisations proposées:**

from 0001-01-01 to 0001-01-01

**Promoteur du projet:**

Zongbo Shi

University of Birmingham

School of Geography Earth and Environmental Sciences

BIRMINGHAM West Midlands B17 8PS

United Kingdom

Téléphone :: 00447548132896, Télécopieur ::

# DÉTAILS

## Description non technique de la proposition de projet

- Anglais: The research cruise we are proposing is part of a UK Natural Environment Research Council funded project – “Shipping Emissions in the Arctic and North Atlantic Atmosphere: SEANA”. The project is hosted by the University of Birmingham and led by Professor Zongbo Shi. The research cruise will be conducted entirely onboard the UK's National Oceanography Centre's UK flagged Royal Research Ship DISCOVERY which will remain at sea for the duration of the cruise. Ship emissions have a marked influence on the concentrations of aerosol particles in the marine atmosphere. These tiny particles, invisible to our eyes, affect the climate by scattering light back to space and by forming clouds. Melting sea ice in the Arctic in the future will lead to increased shipping in the region, which could significantly affect the concentration of these tiny particles and climate. Quantifying these influences is challenging, however, due to a lack of understanding of where the aerosol particles are coming from and how they are formed or change in the Arctic atmosphere. SEANA aims to better understand the impact of ship traffic along the Northwest Passage on aerosol particles and the climate in western Arctic, and to predict the impact of future ship traffic in this region. To this aim, the SEANA Project will involve a research cruise to the Labrador Sea, the Davis Strait and potentially South Baffin Bay (ice conditions permitting). The DISCOVERY will sail from Reykjavik, Iceland on 19 May 22 for the Davis Strait and return directly back to the UK, docking in Southampton on 27 June 22. The ship is not scheduled to make any other port calls. The research cruise will involve 19 scientists, supported by 29 crew and technicians, all of whom will remain onboard the ship for the duration of the cruise. DISCOVERY is not an icebreaker; her Ice Class limiting her to operations in open water with a maximum 1/10th surface ice. The cruise programme plan will see the ship (ice conditions allowing) conduct atmospheric sampling operations adjacent to the south east coast of Baffin Island and the east coast of Labrador and Newfoundland as well as in waters adjacent to the west coast of Greenland. The ship will not enter any areas where the ice coverage is greater than 1/10th ice. Depending on the ice conditions at the time, it is highly unlikely that the ship will close within 90-100 nautical miles off Baffin Island or get closer than 40-60 nautical miles off the Labrador coast. Noting the location of the proposed sampling areas and her Ice Class limitations, it is anticipated that DISCOVERY will not come in direct contact with any local communities or protected areas ashore or enter any Canadian Marine Protected Area during the cruise. It is anticipated the ship will be conducting sampling operations in the areas detailed above between 23 May and 19 Jun 22. During the research cruise, we will make a comprehensive observation of aerosol particles, and related cloud condensation and ice nuclei (which form clouds). After the cruise, we will analyse the new data to quantity the sources of aerosol particles in the region (e.g., from biomass burning, mineral dust, or shipping) and understand the chemical processes affecting the ability of the particles to form clouds. The new datasets and process understanding will be used to evaluate and improve a state-of-the-art global aerosol model to represent key aerosol sources and processes, including shipping emissions. These datasets along with the final cruise report will be made available to the Canadian Authorities as required by the United national Convention of the Law of the Sea (UNCLOS). SEANA will apply the improved model to provide robust predictions on both the impact of future ship traffic on aerosol and the climate in the western Arctic. This will inform future policies to limit shipping emissions to protect the Arctic environment, which may be highly sensitive to shipping emissions.
- Français: La croisière de recherche que nous proposons fait partie d'un projet financé par le Conseil de recherche sur l'environnement naturel du Royaume-Uni - Émissions bateau dans l'atmosphère arctique et nord-atlantique : SEANA. Le projet est hébergé par l'Université de Birmingham et dirigé par le professeur Zongbo Shi. La croisière de recherche se déroulera entièrement à bord du navire de recherche royal DISCOVERY du Centre national d'océanographie du Royaume-Uni, qui restera en mer pendant toute la durée de la croisière. Les émissions des navires ont une influence marquée sur les concentrations de particules d'aérosols dans l'atmosphère marine. Ces minuscules particules, invisibles à nos yeux, affectent le climat en renvoyant la lumière vers l'espace et en formant des nuages. La fonte des glaces de mer dans l'Arctique à l'avenir entraînera une augmentation de la navigation dans la région, ce qui pourrait affecter considérablement la concentration de ces minuscules particules et le climat. Il est cependant difficile de quantifier ces influences en raison d'un manque de compréhension de l'origine des particules d'aérosol et de la manière dont elles se forment ou changent dans l'atmosphère arctique. SEANA vise à mieux comprendre l'impact du trafic maritime le long du passage du Nord-Ouest sur les particules d'aérosol et le climat dans l'ouest de l'Arctique, et à prédire l'impact du futur trafic maritime dans cette région. À cette fin, le projet SEANA comprendra une croisière de recherche dans la mer du Labrador, le détroit de Davis et potentiellement le sud de la baie de Baffin (si les conditions de glace le permettent). Le DISCOVERY partira de Reykjavik, en Islande, le 19 mai 22 pour le détroit de Davis et retournera directement au Royaume-Uni, accostant à Southampton le 27 juin 22. Le navire ne devrait pas faire d'autres escales. La croisière de recherche impliquera 19 scientifiques, soutenus par 29 membres d'équipage et techniciens, qui resteront tous à bord du navire pendant toute la durée de la croisière. DISCOVERY n'est pas un brise-glace; sa classe de glace la limitant aux opérations en eau libre avec un maximum de 1/10e de glace de surface. Le plan du programme de croisière verra le navire (si les conditions de glace le permettent)

effectuer des opérations d'échantillonnage atmosphérique à proximité de la côte sud-est de l'île de Baffin et de la côte est du Labrador et de Terre-Neuve ainsi que dans les eaux adjacentes à la côte ouest du Groenland. Le navire n'entrera dans aucune zone où la couverture de glace est supérieure à 1/10e de glace. Selon les conditions de glace à ce moment-là, il est très peu probable que le navire se rapproche à moins de 90-100 milles marins de l'île de Baffin ou se rapproche à moins de 40-60 milles marins de la côte du Labrador. Compte tenu de l'emplacement des zones d'échantillonnage proposées et des limites de sa classe de glace, il est prévu que DISCOVERY n'entrera pas en contact direct avec des communautés locales ou des zones protégées à terre ou n'entrera pas dans une zone de protection marine canadienne pendant la croisière. Il est prévu que le navire effectuera des opérations d'échantillonnage dans les zones décrites ci-dessus entre le 23 mai et le 19 juin 22. Au cours de la croisière de recherche, nous effectuerons une observation complète des particules d'aérosol, de la condensation des nuages et des noyaux de glace (qui forment les nuages). Après la croisière, nous analyserons les nouvelles données pour quantifier les sources de particules d'aérosols dans la région (par exemple, la combustion de la biomasse, la poussière minérale ou le transport maritime) et comprendre les processus chimiques affectant la capacité des particules à former des nuages. Les nouveaux ensembles de données et la compréhension des processus seront utilisés pour évaluer et améliorer un modèle mondial d'aérosols de pointe afin de représenter les principales sources et processus d'aérosols, y compris les émissions des navires. Ces ensembles de données ainsi que le rapport final de la croisière seront mis à la disposition des autorités canadiennes, comme l'exige la Convention nationale des Nations Unies sur le droit de la mer (UNCLOS). SEANA appliquera le modèle amélioré pour fournir des prédictions robustes à la fois sur l'impact du futur trafic maritime sur les aérosols et sur le climat dans l'ouest de l'Arctique. Cela éclairera les politiques futures visant à limiter les émissions du transport maritime afin de protéger l'environnement arctique, qui peut être très sensible aux émissions du transport maritime.

Inuinnaqtun: Not applicable

## Personnel

Personnel on site: 48

Days on site: 35

Total Person days: 1680

Operations Phase: from 2022-05-20 to 2022-06-25

## Activités

Emplacement	Type d'activité	Statut des terres	Historique du site	Site à valeur archéologique ou paléontologique	Proximité des collectivités les plus proches et de toute zone protégée
South Baffin / David Strait	Scientific/International Polar Year Research	Marine	Not being studied before	Not relevant	Far away from the protected areas / communities
David Strait	Scientific/International Polar Year Research	Marine	None	None	Far away from the communities and protected area; considering the thick sea ice and RRS Discovery can only work in 1/10 sea ice and open water, the research area will be much limited and will likely to be very far away from the land
Proposed ship track - David Strait, South Baffin and Labrador Sea	Scientific/International Polar Year Research	Marine	None	None	Considering the thick sea ice and RRS Discovery can only work in 1/10 sea ice and open water, the research area will be much limited and will likely to be very far away from the land

### Engagement de la collectivité et avantages pour la région

Collectivité	Nom	Organisme	Date de la prise de contact
Iqaluit	Not contacted	Environmental Agency	2022-05-30

## Autorisations

Indiquez les zones dans lesquelles le projet est situé:

Transboundary  
South Baffin

### Autorisations

Organisme de régulation	Description des autorisations	État actuel	Date de l'émission/de la demande	Date d'échéance
Autre	Not Applicable	Not Yet Applied		

### Project transportation types

Transportation Type	Utilisation proposée	Length of Use
Water	Royal Research Ship DISCOVERY	

### Project accomodation types

Autre,

## Utilisation de matériel

Équipement à utiliser (y compris les perceuses, les pompes, les aéronefs, les véhicules, etc.)

Type d'équipement	Quantité	Taille – Dimensions	Utilisation proposée
Research Ship RRS Discovery	1	96 m long	To carry out scientific research on the sources of airborne particles that are important for the clouds and climate in the Arctic
Sea containers for hosting scientific instruments	3	2.4 * 2.6*6.1 m	Measure the chemical composition and physical properties of airborne particles and gaseous pollutants
Airborne particle samplers	12	05*0.5*1.5m	To collect airborne particles for offline chemical composition analyses
Aerosol analysers	30	0.8*1*1.2m	Measure the chemical composition and physical properties of airborne particles
Gas analysers	20	0.5*0.5*1m	To measure the concentrations of various gases in the air

Décrivez l'utilisation du carburant et des marchandises dangereuses

Décrivez l'utilisation de carburant :	Type de carburant	Nombre de conteneurs	Capacité du conteneur	Quantité totale	Unités	Utilisation proposée
Chemical - acids	hazardous	3	1	3	Liters	Chemical reagents for research
chemicals - organic solvents	hazardous	6	2	12	Liters	For use within different instruments
Diesel	fuel	14	14	196	Cubic Meters	low sulphur fuel
chemicals - bases / neutral	hazardous	8	1	8	Kg	For use in the lab

Consommation d'eau

Quantité quotidienne (m3)	Méthodes de récupération de l'eau proposées	Emplacement de récupération de l'eau proposé
0	Directly pumping seawater through an underway pump to the laboratory. The amount of water we will use is minimal - we will take a very small amount of water to measure water chemistry.	Water samples will be taken along the research cruise track (which is shown in the project map).

# Déchets

## Gestion des déchets

Activités du projet	Type des déchets	Quantité prévue	Méthode d'élimination	Procédures de traitement supplémentaires
Scientific/International Polar Year Research	Déchets combustibles	500 kg	incinerated at sea	N/A
Scientific/International Polar Year Research	Eaux grises	3000kg	Stored and disposed when back to the UK (Southampton port)	N/A
Scientific/International Polar Year Research	Déchet dangereux	50 kg	Safely stored on the ship and disposed appropriately when returned to the UK (Southampton port)	N/A
Scientific/International Polar Year Research	Déchets non combustibles	5000kg	Stored and disposed of unpon arrival in Southampton port in the UK	N/A
Scientific/International Polar Year Research	Eaux usées (matières de vidange)	1500kg	Stored safely onboard and disposed when back to the UK (Southampton port)	N/A

## Répercussions environnementales :

The ship will release air pollutants from the fuel burning. The impact is negligible due to the huge air volume in the study area. Chemicals: All chemicals will have accompanying COSHH and risk assessments. They will be stored, handled and disposed of appropriately as per standard NMF procedure. Ship's waste: All cardboard and paper products are incinerated at sea on the Discovery. Recyclable items are stored for appropriate recycling upon arrival into port. Any non-burnable or non-recyclable waste (e.g. batteries) is stored appropriately and disposed of upon arrival into port. Incidental waste: It is intended that all equipment will be recovered. Acoustic-based data collection The potential impacts associated with acoustic data collection relate to marine mammals. The primary concerns to marine mammals as a result of acoustic systems are considered to be masking effects, behavioural changes, and physiological effects such as temporary threshold shift (TTS) and permanent threshold shift (PTS). While it is difficult to be certain of the potential for physiological damage as a result of various acoustic activities, localised behavioural disturbance is considered a possibility. These concerns are considered below. Deep-water multibeam echosounder: The effects of multibeam echosounders on marine mammals has not been widely studied, such that it is unclear what impacts these may have on them. While Lurton and DeRuiter (2011) suggested that the risk of the sounds causing physiological auditory damage to marine mammals is likely to be low, a few studies have observed potential behavioural changes as an apparent result of the operation of multibeam echosounders (Quick et al 2016; Cholewiak et al 2017). Due to this uncertainty, the JNCC have created a set of best-practice guidelines to follow in the case of deep-water multibeam echosounder surveys (see MEMP). With the proposed mitigation recommendations outlined in the MEMP, the effects of the multibeam echoso

# **Additional Information**

**SECTION A1: Project Info**

**SECTION A2: Allweather Road**

**SECTION A3: Winter Road**

**SECTION B1: Project Info**

**SECTION B2: Exploration Activity**

**SECTION B3: Geosciences**

**SECTION B4: Drilling**

**SECTION B5: Stripping**

**SECTION B6: Underground Activity**

**SECTION B7: Waste Rock**

**SECTION B8: Stockpiles**

**SECTION B9: Mine Development**

**SECTION B10: Geology**

**SECTION B11: Mine**

**SECTION B12: Mill**

**SECTION C1: Pits**

**SECTION D1: Facility**

**SECTION D2: Facility Construction**

**SECTION D3: Facility Operation**

**SECTION D4: Vessel Use**

**SECTION E1: Offshore Survey**

**SECTION E2: Nearshore Survey**

**SECTION E3: Vessel Use**

## **SECTION F1: Site Cleanup**

## **SECTION G1: Well Authorization**

## **SECTION G2: Onland Exploration**

## **SECTION G3: Offshore Exploration**

## **SECTION G4: Rig**

## **SECTION H1: Vessel Use**

## **SECTION H2: Disposal At Sea**

## **SECTION I1: Municipal Development**

### **Description de l'environnement existant : Environnement physique**

This research will primarily be on air composition. The ship will sail in open water with no sea ice or less 1/10 of sea ice. Air quality in the area is usually predicted to be extremely clean and that is the reason we are studying it. We expect that in the future when there are more ships, the emissions from the ships could significantly affect the sensitive Arctic environment and climate. It is predicted that sea ice will be completely melted in the summer long the Northwest Passage. This makes Arctic shipping possible. The single ship we will use will have minimum impact on the noise level in the study area.

### **Description de l'environnement existant : Environnement biologique**

The research cruise will sail in the David Strait and will be far away from wildlife species

### **Description de l'environnement existant : Environnement socio-économique**

Not applicable - no direct engagement identified

## **Miscellaneous Project Information**

Our ship RRS DISCOVERY will be 200 km away from the Iqaluit. Unfortunately we cannot have no engagement with the local communities as we are 100% on sea. Depending on the ice conditions at the time, it is highly unlikely that the ship will come within 90-100 nautical miles off Baffin Island or get closer than 40-60 nautical miles off the Labrador coast. Noting the location of the proposed sampling areas and her Ice Class limitations, it is anticipated that DISCOVERY will not come in direct contact with any local communities (including those who will hunt from sea ice) or protected areas ashore or enter any Canadian Marine Protected Area during the cruise. We do not expect to have any direct contact / engagement with the local community because the ship will not call at any Canadian port (for scientific and logistic reasons). Our results will eventually benefit all Nunavut communities as they contribute to a better understanding of the Arctic climate and climate change.

### **Identification des répercussions et mesures d'atténuation proposées**

The ship will release air pollutants from the fuel burning. The impact is negligible due to the huge air volume in the study area. Chemicals: All chemicals will have accompanying COSHH and risk assessments. They will be stored, handled and disposed of appropriately as per standard NMF procedure. Ship's waste: All cardboard and paper products are incinerated at sea on the Discovery. Recyclable items are stored for appropriate recycling upon arrival into port. Any non-burnable or non-recyclable waste (e.g. batteries) is stored appropriately and disposed of upon arrival into port. Incidental waste: It is intended that all equipment will be recovered. Acoustic-based data collection: The potential impacts associated with acoustic data collection relate to marine mammals. The primary concerns to marine mammals as a result of acoustic systems are considered to be masking effects, behavioural changes, and physiological effects such as

temporary threshold shift (TTS) and permanent threshold shift (PTS). While it is difficult to be certain of the potential for physiological damage as a result of various acoustic activities, localised behavioural disturbance is considered a possibility. These concerns are considered below. Deep-water multibeam echosounder: The effects of multibeam echosounders on marine mammals has not been widely studied, such that it is unclear what impacts these may have on them. While Lurton and DeRuiter (2011) suggested that the risk of the sounds causing physiological auditory damage to marine mammals is likely to be low, a few studies have observed potential behavioural changes as an apparent result of the operation of multibeam echosounders (Quick et al 2016; Cholewiak et al 2017). Due to this uncertainty, the JNCC have created a set of best-practice guidelines to follow in the case of deep-water multibeam echosounder surveys (see MEMP). With the proposed mitigation recommendations outlined in the MEMP, the effects of the multibeam echoso

### **Répercussions cumulatives**

Impacts on the environment and wildline is minimal.

# Impacts

## Identification des répercussions environnementales

PHYSICAL																		
	Designated environmental areas																	
	Ground stability																	
	Permafrost																	
	Hydrology / Limnology																	
	Water quality																	
	Climate conditions																	
	Eskers and other unique or fragile landscapes																	
	Surface and bedrock geology																	
	Sediment and soil quality																	
	Tidal processes and bathymetry																	
	Air quality																	
	Noise levels																	
BIOLOGICAL																		
	Vegetation																	
	Wildlife, including habitat and migration patterns																	
	Birds, including habitat and migration patterns																	
	Aquatic species, incl. habitat and migration/spawning																	
	Wildlife protected areas																	
SOCIO-ECONOMIC																		
	Archaeological and cultural historic sites																	
	Employment																	
	Community wellness																	
	Community infrastructure																	
	Human health																	

(P = Positive, N = Négative et non gérable, M = Négative et gérable, U = Inconnue)

## Site du projet



## Liste des géométries de projet

- |   |          |   |
|---|----------|---|
| 1 | polygon  | South Baffin / David Strait                                       |
| 2 | polygon  | David Strait  |
| 3 | polyline | Proposed ship track - David Strait, South Baffin and Labrador Sea |