



NIRB Uuktuutinga Ihivriuhikhamut #125716

Baker Lake Geothermal Project

Uuktuutinga Qanurittuq:	New
Havaap Qanurittunia:	Scientific Research
Uuktuutinga Ublua:	6/14/2022 1:07:55 PM
Period of operation:	from 0001-01-01 to 0001-01-01
Piumayaat Angirutinga:	from 0001-01-01 to 0001-01-01
Havauhikhaq Ikayuqtinga:	Derek Allerton Qulliq Energy Corporation (QEC) P.O. Box 250 Iqaluit Nunavut X0A 0H0 Canada Hivayautit Nampanga:: 8679797586, Kayumiktukkut Nampanga:: 8679797519

Hulilukaarutit

Inigiya	Hulilukaarut Qanurittuq	Nunannga Qanurittaakhaanik	Initurlinga qanuritpa	Initurlinga utuqqarnitat unaluuniit Ingilraaqnitat Uyarannguqtut akhuurninnga	Qanitqiyauyuq qanitqiamut nunallaat kitulluuniit ahiruqtailyainnit nuna
QEC_Baker_Lake_Proposed_Drillhole_n83z14_20220401	Drilling	Municipal	The hole will be drilled to test for the potential for Geothermal Energy on QEC's Baker Lake Power Plant Lot 447.	There is a low potential for archeological/paleontological artifacts/sites as the drillhole is located in a pre-disturbed lot within the Hamlet of Baker Lake. If an artifact/site is discovered all work in the area will halt and the Project Supervisor will immediately contact the GN Department of Culture and Heritage.	Within the municipal boundary of eth Hamlet of Baker Lake.

Nunaliin Ilauyun, Aviktuqhimayuniitunullu Ikayuuhiarunguyun

Nunauyuq	Atia	Timiuyuq	Upluani Uqaqatigiyaungmata
Qamaniittuaq	Shawn Attungala	Mayor, Hamlet of Baker Lake - Letter of Support	2019-02-22
Qamaniittuaq	Mayor & SAO	Hamlet of Baker Lake Phone call and review of emailed Powerpoint presentation	2020-07-30
Qamaniittuaq	Sheldon Dorey	SAO Hamlet of Baker Lake provided forms for working in Municipality	2020-03-16
Qamaniittuaq	Sheldon Dorey	SAO Hamlet of Baker Lake phone call regarding community consultation preparation	2020-04-03
Qamaniittuaq	Sheldon Dorey	SAO Hamlet of Baker Lake community consultation protocols due to Covid-19 Pandemic	2020-06-10

Angiuttauvaktunik

Naunaiqlugu nunanga talvani havauhikhaq ittuq:

Kivalliq

Angiuttauvaktunik

Munariniqmut Ayuittiaqtuq	Angirutinga Qanurittuq	Tadja Qanurittaakhaanik	Ublua Tuniyauyuq/Uuktuqtuq	Umikvikhaa Ublua
Nunavunmi Ihivriuniquqmut Timiqutigiyanga	SCIENTIFIC RESEARCH LICENCE APPLICATION Physical / Natural Sciences RESEARCH	Not Yet Applied		
Hamlets and Municipalities	Business Licence	Not Yet Applied		

Project transportation types

Transportation Type	Qanuq Atuqtauniarmangaa	Length of Use
Land	Flatbed truck to mob/demob drill & Pick up Truck for personnel. Only on existing roads and within Lot 447..	

Project accomodation types

Nunauyuq

Ihuaqutivaluin Atuqtauyukhan

Hanalrutit atuqtaunahuat (ukuallu ikuutat, pampiutainnik, tingmitinik, akhaluutunik, hunaluuniit)

Hanalrutit Qanurittuq	Qaffiuyut	Aktikkulaanga – Qanurittullu	Qanuq Atuqtauniarmangaa
Truck	2	Pickup	Transport crew and equipment to and from drillsite.
Truck	1	Water	Supply drillhole with water if source to far to directly pump.
Diamond Drill	1	Zinex A5 or similar	Drill test hole for geothermal energy potential.
Pump	1	Water	Supply drill with water.
Tank	1	Water	Supply drill with water.
Tank	1	Mix	Mix additives for drilling fluids.
Generator	1	Diesel - 20 Kw	Supply power to drill.
Truck	1	Flatbed	Mobilize and demobilize drill and equipment to site.

Qanurittuq Urhuqyuaq unalu Qayangnaqtut Hunavaluit Aturninnga

Qanurittuq urhuqyuaq hunavaluit aturninnga:	Urhuqyuaq Qanurittuq	Qaffiuyut qattaryut	Qattaryuk Aktikkulaanga	Atautilmut Qaffiuyut	Ilanga	Qanuq Atuqtauniarmangaa
Diesel	fuel	5	205	1025	Liters	Fuel for diamond drill.
Gasoline	fuel	1	205	205	Liters	Fuel for drilling equipment.
Propane	fuel	2	100	200	Lbs	Fuel for water heater.
CaCl2	hazardous	50	50	2500	Lbs	Antifreeze
Oil	hazardous	20	1	20	Liters	Hydraulic and motor oil for drilling equipment.
Cleaning Supplies	hazardous	5	1	5	Liters	Cleaning products such as degreasers, Javex and hand sanitizer

Imaqmik Aturninnga

Ubluq qanuraaluk (m3)	Aturumayain imavaluin utiqittagaani qanuq	Atulirumayain imavaluin utiqittagani humi
100	Water will either be acquired directly from a source using a pump or will be brought to site via a water truck. The water intake for drilling will be screened as per DFO requirements to prevent fish.	Water source will be near the drillhole within the Municipal boundary of the Hamlet of Baker Lake. If a water source is not able to be found, water delivery may be contracted from the Hamlet.

Iqqakuq

Ikkakunik Munakgiyauyunik

Havauhikhaq Hulilukaarut	Qanurittuq Iqqakut	Ihumagiyauyuq Qanuraaluktut Atuqtait	Qanuq Iqqakuurniarmangaa	Halummaqfirarnirutikhan piyutin
Drilling	Ikulalaaqtun iqqakuuvaluin	Minimal	The small amount of combustible waste such as meal and paper products produced during each shift can be disposed of at drilling personnel accommodations. Anything else such as cardboard will be disposed of at the Baker Lake waste facility.	QEC currently has timber for the rig matting located at their Bid Construction site to be transferred to the drillsite when needed. When the drillhole is completed the timber will be dismantled, bundles and stored for future use.
Drilling	Qirnarivyaktuq imaq	100m3/day	QEC currently has timber for the rig matting located at their Bid Construction site to be transferred to the drillsite when needed. When the drillhole is completed the timber will be dismantled, bundles and stored for future use.	If available, coarse gravel will be placed in the bottom of the sump to provide filtration, and supports will be built on the sides to prevent slumping. When full, sumps will be covered with enough material to allow for future ground settlement.
Drilling	Qayangnaqtut	Minimal	A hazardous waste storage area will be established adjacent to the main fuel cache at the drill site within secondary containment until they are backhauled to a registered hazardous waste receiver/ disposal facility.	All hazardous wastes will be sealed in appropriate containers, labeled, documented. A waste manifest will accompany hazardous waste in transit and all parties involved will be properly accredited.
Drilling	Ikulalimangittun iqqakuuvaluin	Minimal	Non-combustible solid waste, bulky items and scrap metal such as glass bottles, tires, plastic packaging and broken equipment that cannot be recycled will be transported to the Baker Lake Waste Facility.	Any material that can be recycled or cannot be accepted at the Baker Lake Waste Facility will be transported to an approved recycling or disposal site.

Avatiliriniqmut Ayurhauingit:

Qulliq Energy Corporation is firmly committed to the protection and conservation of the natural environment and to ensuring the health and safety of all employees, contractors, and people in surrounding communities. Potential environmental impacts of the Baker Lake Geothermal Project are negligible and mitigatable with little impacts on the environment. A single drill site will be located at least 31 m from any waterbody. Recirculation and filtration equipment will be used to minimize the amount of water used during drilling activities. Any residual drill water will be contained in sumps at least 31 m from any waterbody. Secondary containment will be used for all fuel and chemicals and appropriate spill kits will be located at each fuel cache and drill site. The drill site will be photographed to comply with environmental due diligence. All waste materials will be recycled and/or disposed of within Baker Lake or transported south to an accredited facility. For further details please see the Spill and Fuel Management Plan, Waste Management Plan, Abandonment and Restoration Plan, and Environmental Management Plan.

Additional Information

SECTION A1: Project Info

SECTION A2: Allweather Road

SECTION A3: Winter Road

SECTION B1: Project Info

SECTION B2: Exploration Activity

SECTION B3: Geosciences

SECTION B4: Drilling

SECTION B5: Stripping

SECTION B6: Underground Activity

SECTION B7: Waste Rock

SECTION B8: Stockpiles

SECTION B9: Mine Development

SECTION B10: Geology

SECTION B11: Mine

SECTION B12: Mill

SECTION C1: Pits

SECTION D1: Facility

SECTION D2: Facility Construction

SECTION D3: Facility Operation

SECTION D4: Vessel Use

SECTION E1: Offshore Survey

SECTION E2: Nearshore Survey

SECTION E3: Vessel Use

SECTION F1: Site Cleanup

SECTION G1: Well Authorization

SECTION G2: Onland Exploration

SECTION G3: Offshore Exploration

SECTION G4: Rig

SECTION H1: Vessel Use

SECTION H2: Disposal At Sea

SECTION I1: Municipal Development

Qanurittuq Iftunik Avatinga: Avatingalluanga

The Project will be completed in a pre-disturbed area of the QEC Power Plant Lot 447, within the municipal boundaries of the Hamlet of Baker Lake.

Qanurittuq Iftunik Avatinga: Inuuhimayunut Avatinga

The Project will be completed in a pre-disturbed area of the QEC Power Plant Lot 447, within the municipal boundaries of the Hamlet of Baker Lake.

Qanurittuq Iftunik Avatinga: Inungit-maniliurutingit Avatinga

The Project will consist of the completion of a small diameter, temperature gradient hole in which geothermal properties will be studied. Should this work yield positive results, further investigations, will be conducted that might ultimately lead to the construction of a geothermal heat and power facility that would help reduce, if not eliminate, the hamlet's dependence on fossil fuels.

Miscellaneous Project Information**Naunaiyainiq ukuningga Ayurhautingit unalu Piumayaat Ikikliyuumiutinahuarutit**

Qulliq Energy Corporation is firmly committed to the protection and conservation of the natural environment and to ensuring the health and safety of all employees, contractors, and people in surrounding communities. Potential environmental impacts of the Baker Lake Geothermal Project are negligible and mitigatable with little impacts on the environment. A single drill site will be located at least 31 m from any waterbody. Recirculation and filtration equipment will be used to minimize the amount of water used during drilling activities. Any residual drill water will be contained in sumps at least 31 m from any waterbody. Secondary containment will be used for all fuel and chemicals and appropriate spill kits will be located at each fuel cache and drill site. The drill site will be photographed to comply with environmental due diligence. All waste materials will be recycled and/or disposed of within Baker Lake or transported south to an accredited facility. For further details please see the Spill and Fuel Management Plan, Waste Management Plan, Abandonment and Restoration Plan, and Environmental Management Plan.

Tamatkiumayunik Ihuikgutivaktunik

QEC will communicate and coordinate with the Hamlet of Baker Lake to ensure there are no negative cumulative effects that arise from the implementation of this project.


Impacts

Ilitariyauniq Avatiliriniqmut Ayurhautingit

	PHYSICAL																	BIOLOGICAL																	SOCIO-ECONOMIC			
	Designated environmental areas	Ground stability	Permafrost	Hydrology / Limnology	Water quality	Climate conditions	Eskers and other unique or fragile landscapes	Surface and bedrock geology	Sediment and soil quality	Tidal processes and bathymetry	Air quality	Noise levels	Vegetation	Wildlife, including habitat and migration patterns	Birds, including habitat and migration patterns	Aquatic species, incl. habitat and migration/spawning	Wildlife protected areas	Archaeological and cultural historic sites	Employment	Community wellness	Community infrastructure	Human health																
Havakvinga																																						
Drilling	-	-	-	-	-	-	-	-	N	-	N	N	N	-	-	-	-	-	-	-	-	-	P	P	P	P												
Aulapkaininnga																																						
Drilling	-	-	-	-	-	-	-	P	N	-	M	N	N	-	-	-	-	-	-	-	-	-	-	P	P	P	P											
Piiqtauniq																																						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											

(P = Nakuuyuq, N = Nakuungittut unalu mikhilimaittuq, M = Nakuungittut unalu mikhittaaqtuq, U = Naluyayuq)

Havaariyauyukhamut Nayugaa



List of Project Geometries

1 point QEC_Baker_Lake_Proposed_Drillhole_n83z14_20220401

