

[illegible][illegible]

ክልሉ ለጥቅምታዊ ምርመራ ለሚገኝ ሰው ማስገባት ይቻላል።

[illegible][illegible][illegible]

- ፈቃደኛ-ጥራት ምርመራ

- [illegible]

ጋሜሌል ኃላርኤ
(ካይጋል ሮክ ሮከር ምኒሙ ላሊጋ
ፈቃድ በሮ-ሊዊል ላላባባሮ)

- [illegible]

[illegible]

ኤፌልሮኤርሮጤጤ ላዕባባሪ ርዕሰገብር
 ርዕሰገብር፣ ርዕሰገብር፣ ርዕሰገብር
 ርዕሰገብር፣ ርዕሰገብር፣ ርዕሰገብር
 ርዕሰገብር፣ ርዕሰገብር፣ ርዕሰገብር
 ርዕሰገብር፣ ርዕሰገብር፣ ርዕሰገብር
 ርዕሰገብር፣ ርዕሰገብር፣ ርዕሰገብር

- [illegible]

 $\Delta^c \rhd^b C \triangleright L \sigma^c \Gamma^c \quad q \rightarrow q \Delta \triangleright \Delta \sigma^b$

- [illegible]

[illegible]

[illegible][illegible][illegible]

- [illegible]

- [illegible]

Δφ⁵Π⁶Π⁷σ⁸ ρ⁹Δ¹⁰Π¹¹Π¹²Π¹³Δ¹⁴Π¹⁵Π¹⁶Π¹⁷σ¹⁸ Δ¹⁹Π²⁰σ²¹σ²²Π²³ σ²⁴Π²⁵Δ²⁶σ²⁷Π²⁸σ²⁹Π³⁰

[illegible]

- [illegible]

- [illegible]

၁၆၆၆

[illegible]

- [illegible]

ᐅᓂᐃᔭᔭᔭᔭ ᑲᐃᔭᔭᔭᔭ

[illegible]

- [illegible]

[illegible]

[illegible][illegible]

- [illegible]

