



NIRB File No.: 23WA065

Associated NIRB File No.: 12XN020, 21QN005, 21XN012, 21UN002

NPC File No.: 149859

Associated NPC File Nos.: 148232, 148241, 148746, 149440, 149457, 149457

March 14, 2023

To: The Honourable Dan Vandal, P.C., M.P.
Minister of Northern Affairs
House of Commons
Ottawa, ON K1A 0A6

The Honourable Joyce Murray, P.C.
Minister of Fisheries and Oceans and the
Canadian Coast Guard
House of Commons
Ottawa, ON K1A 0A6

Sent via email: dan.vandal@parl.gc.ca and min@dfo-mpo.gc.ca

Re: Screening Decision for AECOM Canada Ltd.'s (on behalf of Environment and Climate Change Canada (ECCC) "Eureka High Arctic Weather Station Water Use Increase Type A Water License" Project Proposal, Qikiqtani (North Baffin) Region

Dear Honourable Ministers:

On December 14, 2022 the Nunavut Impact Review Board (NIRB or Board) received a referral to screen AECOM Canada Ltd. (AECOM)'s (on behalf of Environment and Climate Change Canada (ECCC) "Eureka High Arctic Weather Station Water Use Increase Type A Water License" project proposal from the Nunavut Planning Commission (NPC or Commission), with an accompanying positive conformity determination with the North Baffin Regional Land Use Plan. The NPC noted that the previous conformity determination issued on February 22, 2021 for the activities associated with the current proposal continues to apply and has determined that the project proposal is a significant modification to the project because of the increase in daily water use requiring a Type A water license.

Pursuant to Article 12, Sections 12.4.1 and 12.4.4 of the *Agreement between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in right of Canada (Nunavut Agreement)* and s. 87 of the *Nunavut Planning and Project Assessment Act*, S.C. 2013, c. 14, s. 2 (*NuPPAA*), the NIRB commenced screening this project proposal. Due to the proposal containing activities that were sufficiently related to previously assessed activities under NIRB file number **21XN012**, the NIRB viewed this project proposal as an amendment to the previously screened project and assigned this proposal with this previous file number.

Following the assessment of all material information provided, the NIRB is recommending that a review of AECOM’s “Eureka High Arctic Weather Station Water Use Increase Type A Water License” project is not required pursuant to paragraph 92(1)(a) of the *NuPPAA*.

Pursuant to its discretion under paragraph 92(2)(a) of the *NuPPAA*, the NIRB has determined that specific terms and conditions are appropriate for this project.

Accordingly, the NIRB is issuing the attached Screening Decision Report dated March 14, 2023 to the responsible Minister(s). The Screening Decision Report provides, among other things, the regulatory framework, project overview and the NIRB’s assessment process, factors relevant for the determining significance of impacts and recommended project-specific terms and conditions.

Please note that the project proposal will not be enclosed due to the size of the electronic document and the limited bandwidth. However, an electronic copy of the project proposal is accessible online from the NIRB’s online public registry at www.nirb.ca/project/125746

Please note that, the Board only directly addresses these notice letters to those individuals considered to be a “responsible Minister with decision-making authority” for the project as set out under the *NuPPAA*. However, regulatory authorities and other authorizing agencies associated with a proposed project (e.g. Regional Inuit Associations, Nunavut Water Board) will continue to be copied on the Notice of Release of the Screening Decision Report. The NIRB is providing these parties with notice and access to the Board’s Screening Decision Report as required under s. 200(2) and in support of these parties in the fulfillment of their responsibilities under the *NuPPAA* and the *Nunavut Agreement* to address, and as appropriate, implement, to the fullest extent possible, any relevant NIRB recommendations contained in the Screening Decision Report.

We look forward to receiving a response from the responsible Ministers and the NIRB remains available for consultation with the Ministers regarding this report as necessary. If you have any questions or require clarification, please do not hesitate to contact the NIRB’s Director, Technical Services, Tara Arko at (867) 983-4611 or tarko@nirb.ca.

Sincerely,



Kaviq Kaluraq
Chairperson
Nunavut Impact Review Board

Enclosure (1): Screening Decision Report, NIRB File No.: 23WA065 (March 14, 2023)

cc: Lootie Toomasie, Chairperson of the Nunavut Water Board
The Honourable David Joanasie, Minister of Culture and Heritage