



March 11, 2024
NPC FILE No. 150279

Mosha Cote

Manager-Research Liaison
Nunavut Research Institute
P.O. Box 1720, Iqaluit, NU X0A 0H0
By email: mosha.cote@arcticcollege.ca

Tracey McCaie,

Manager Land Administration
Indigenous and Northern Affairs Canada (INAC)
P.O. Box 100, Iqaluit, NU X0A 0H0
By email: tracey.mccaie@canada.ca;
aadnc.landsmine.aandc@canada.ca; isa.qamanig-mason@canada.ca

Wynter Kuliktana

Director, Lands, Environment & Resources
Kitikmeot Inuit Association
P.O. Box 360,
Kugluktuk, NU X0B 0E0
By email: wkuliktana@lands.kitia.ca;
projectofficer@kitia.ca; tbolt@lands.kitia.ca

Jared Ottenhof

Director, Qikiqtani Nunalirijikkut
Qikiqtani Inuit Association (QIA)
P.O. Box 1340, Iqaluit NU X0A 0H0
By email: jottenhof@qia.ca; jfortier@qia.ca;
JSimic@qia.ca

Cassel Kapolak

Manager, Technical Administration
Nunavut Impact Review Board (NIRB)
P.O. Box 1360, Cambridge Bay, NU X0B 0C0
By email: ckapolak@nirb.ca; info@nirb.ca;
kmorrison@nirb.ca

Stephanie Coulombe

Polar Knowledge Canada
1 Uvajuq Road, Cambridge Bay, NU X0B 0C0
By email: stephanie.coulombe@polar.gc.ca

Dear Mosha Cote, Tracie McCaie, Wynter Kuliktana, Jared Ottenhof, Cassel Kapolak, and Stephanie Coulombe:

RE: NPC File # 150279 [Coastal hazard assessment in Kugluktuk and Grise Fiord (Ajuittuq), Nunavut]

The following works and activities have been proposed in the above-noted project proposal:

1. Continue scientific research to establish a quantitative assessment of coastal hazards for two (2) Arctic communities (Kugluktuk and Grise Fiord) which includes the following activities:
 - Drone surveys over the communities to recreate the coastal topography using photogrammetric analysis.
 - Offshore buoy and nearshore bottom-mounted sensors to measure wave and water levels.
 - Use of portable earth drill to sample permafrost.
 - Use of thermistor string and a datalogging system installed in 1 or 2 borehole(s) to monitor/measure permafrost temperatures.
 - Excavation of stratigraphic sections in landslide scar to study surficial geology and geomorphology of the area and assess the sensitivity of soil to erosion.
 - Installation of a permanent structure of small size: vertical 3-inc ABS pipe rising about one (1) meter out of the ground. This pipe shelters the thermistor cable and the data logger that will measure and record soil temperature data.

2. Modifications to the original/amended project proposal: For the upcoming field campaign, the field methodology will be similar to that of the previous years (2021-2022-2023). The proponent will continue their monitoring activities established since 2021.
3. Associated NPC File No: 149466; 149748; 150060; Related NIRB File No: 21YN021
4. Location: Kitikmeot Region; [Hamlet of Kugluktuk] and North Baffin [Hamlet of Grise Fiord]

A complete description of the project proposal reviewed by the Nunavut Planning Commission (NPC) can be accessed online using the link below.

The NPC has completed its review of the above-noted project proposal. The NPC previously reviewed works and activities associated with the current project proposal, and a conformity determination was issued on February 12, 2021, April 7, 2022, and March 27, 2023, which still applies. In addition, associated activities were previously screened by the Nunavut Impact Review Board (NIRB File No.: 21YN021). It conforms to the North Baffin Regional Land Use Plan (NBRLUP). The proponent has undertaken to comply with the applicable conformity requirements of Appendix C, H, and I of the NBRLUP.

The above-noted project proposal is exempt from screening by the NIRB because the NPC is of the understanding that the currently proposed activities does not change the general scope of the original project activities, and the exceptions noted in Section 12.4.3 (a) and (b) of the Nunavut Agreement do not apply.

By way of this letter, the NPC is forwarding the project proposal to the regulatory authorities identified by the proponent. Project materials are available at the following address:

<https://lupit.nunavut.ca/portal/registry/registry.aspx?appid=150279>

The regulatory authorities to which this letter is addressed are responsible under the Nunavut Planning and Project Assessment Act (NUPPAA) to implement any of the applicable requirements by incorporating the requirements directly, or otherwise ensuring that they must be met, in the terms and conditions of any authorizations issued.

This conformity determination applies only to the above noted project proposal as submitted. Proponents may not carry out projects and regulatory authorities may not issue licenses, permits and other authorizations in respect of projects if a review by the NPC is required. Regulatory authorities may consult with the NPC to obtain recommendations on their duties to implement the existing land use plans prior to issuing licenses, permits and other authorizations under subsection 69(6) of the NUPPAA.

My office would be pleased to discuss how best to implement the applicable requirements and to review any draft authorizations that regulatory authorities wish to provide for that purpose. If you have any questions, please do not hesitate to contact me at (867) 983-4982.

Sincerely,



Solomon Amuno, PhD
Senior Planner
Nunavut Planning Commission