



AGNICO EAGLE

MELIADINE GOLD MINE

Ocean Discharge Monitoring Plan

**APRIL 2026
VERSION 5**

EXECUTIVE SUMMARY

Agnico Eagle Mines Limited (Agnico Eagle) operates the Meliadine Gold Mine (the Mine), located approximately 25 kilometres (km) north of Rankin Inlet, and 80 km southwest of Chesterfield Inlet in the Kivalliq Region of Nunavut. The mine plan includes open pit and underground mining methods for the development of the Tiriganiaq, Wesmeg/Wesmeg North, Pump, F Zone, and Discovery gold deposits.

Tiriganiaq underground Mine is planned to reach approximately 700 m below the ground surface; therefore, part of the underground mine will operate below the continuous permafrost. The underground excavations will act as a sink for groundwater flow during operation, with water induced to flow through the bedrock to the underground works once mining has advanced below the permafrost. Pump underground Mine will remain within permafrost boundaries, therefore the expected groundwater inflow to the underground work will be minimal compared to the Tiriganiaq underground Mine.

Saline water from the Tiriganiaq and Pump underground mines will be collected in underground sumps, transported to a clarification system, and subsequently recirculated for use in various underground operations such as make-up water for underground drilling. The remaining underground saline contact water will be pumped to surface to be managed and stored in pits Tiri02, Pump02 and WES02 until it can be discharged to Itivia Harbour via the Waterline.

This document presents the Mine's Ocean Discharge Monitoring Plan (ODMP) for discharge of treated effluent into the marine environment. It summarizes the field sampling study design strategy, methods, laboratory requirements, quality assurance and quality control (QA/QC), and reporting.

TABLE OF CONTENTS

| | |
|---|------------|
| Executive Summary | i |
| Table of Contents | ii |
| Tables and Figures | iii |
| Appendices | iii |
| Document Control | iv |
| Acronyms | v |
| Section 1 • Introduction | 1 |
| Section 2 • Rationale for Monitoring Approach | 4 |
| 2.1 Discharge Overview | 4 |
| 2.2 Environmental Conditions | 5 |
| 2.3 Marine Reconnaissance Survey Summary..... | 6 |
| 2.4 Modelling Assessments..... | 7 |
| 2.5 Related Management Plans..... | 7 |
| 2.6 Potential Effects..... | 8 |
| Section 3 • Monitoring Design | 9 |
| 3.1 Effluent Monitoring..... | 10 |
| 3.1.1 Deleterious Substances..... | 10 |
| 3.1.2 Acute Lethality..... | 10 |
| 3.1.3 Effluent Characterization..... | 10 |
| 3.1.4 Sublethal Toxicity Testing..... | 11 |
| 3.2 Water Quality Monitoring..... | 11 |
| 3.2.1 Sampling Locations and Depths | 11 |
| 3.2.2 Field and Laboratory Requirements..... | 14 |
| 3.3 Community Based Shellfish Monitoring Program | 14 |
| 3.4 Quality Assurance/Quality Control (QA/QC)..... | 15 |
| Section 4 • Benchmarks and difference criteria | 17 |
| 4.1 Effluent Monitoring..... | 17 |

4.2 Water Quality..... 17

Section 5 • Reporting.....18

Section 6 • References19

TABLES AND FIGURES

Table 1: Management Plans Applicable to the Ocean Discharge Activities 8

Table 2: Ocean Discharge Monitoring Program – Monitoring Locations 9

Table 3: Ocean Discharge Monitoring Program – Sampling Summary10

Table 4: List of Sampling Stations and Coordinates in Melvin Bay12

Figure 1: Saline Effluent Discharge System Location at Itivia Harbour (Great Pacific, 2026) 3

Figure 2: Ocean Discharge Monitoring Plan – Marine Sampling Stations13

APPENDICES

APPENDIX A

Saline Effluent Discharge System Record Drawings

APPENDIX B

Meliadine Reconnaissance Program 2018

APPENDIX C

Meliadine Melvin Bay Diffuser Conceptual Design – Effluent Near Field Modelling (Tetra Tech 2020)

APPENDIX D

2026 Shellfish Harvest Monitoring Plan

DOCUMENT CONTROL

| Version | Date | Section | Page | Revision | Author |
|---------|----------------|---------|-------|--|-------------------------|
| 1 | June 2018 | All | All | Conceptual Plan developed for the Treated Groundwater Effluent Discharge into Melvin Bay | Golder Associates Ltd. |
| 2 | July 2019 | All | All | Updated Plan to comply with applicable commitments and/or approval conditions for the Mine, including incorporation of the 2018 Marine Reconnaissance results, 2018 Modelling Assessment for groundwater discharge and per requirements under MDMER for water quality. | Golder Associates Ltd. |
| 3 | June 2020 | All | All | General Plan update | Agnico Eagle Mines Ltd. |
| | | 2 | 4-11 | Updated Plan to reflect the increased discharge to sea of 1600 m ³ /day | |
| | | 3 | 13-14 | Updated to include toxicity testing of the effluent | |
| 4 | September 2021 | All | All | General Plan update | Agnico Eagle Mines Ltd. |
| | | 3 | 11 | Updated Plan to reflect minor changes to FDP (MEL-26) | |
| | | 3 | 13 | Updated Plan to reflect MDMER amendment | |
| 5 | April 2026 | All | | General Plan update to reflect effluent discharge via the Waterline, NIRB Project Certificate No. 006, Amendment 002 T&C133, updated monitoring stations | Agnico Eagle Mines Ltd. |

ACRONYMS

| | |
|-----------------|--|
| Agnico Eagle | Agnico Eagle Mines Limited |
| BC MOE | British Columbia Ministry of Environment & Climate Change Strategy |
| CALA | Canadian Association for Laboratory Accreditation |
| CCME | Canadian Council of Ministers of the Environment |
| DDH | Diamond Drill Hole |
| CTD | Conductivity, Temperature, Depth |
| ECCC | Environment and Climate Change Canada |
| EEM | Environmental Effects Monitoring |
| FEIS | Final Environmental Impact Statement |
| FDP | final discharge point |
| Golder | Golder Associates Ltd. |
| GWMP | Groundwater Management Plan |
| IOL | Inuit Owned Lands |
| ISQG | Interim Sediment Quality Guidelines |
| MDMER | Metal and Diamond Mining Effluent Regulations |
| Mine or Project | Meliadine Gold Mine |
| NIRB | Nunavut Impact Review Board |
| NPC | Nunavut Planning Commission |
| NTU | Nephelometric Turbidity Units |
| NWB | Nunavut Water Board |
| ODMP | Ocean Discharge Monitoring Plan |
| QA/QC | Quality Assurance and Quality Control |
| RSA | Regional Study Area |
| SARA | Species at Risk Act |
| TDS | total dissolved solids |
| TGD | (Metal Mining) Technical Guidance Document |
| TSS | total suspended solids |
| UCLM | Upper Confidence Level of the Mean |
| WMP | Water Management Plan |
| WQG | water quality guideline |

SECTION 1 • INTRODUCTION

Agnico Eagle Mines Limited (Agnico Eagle) operates the Meliadine Gold Mine (the Mine), located approximately 25 kilometres (km) north of Rankin Inlet, and 80 km southwest of Chesterfield Inlet in the Kivalliq Region of Nunavut. The Mine is located within the Meliadine Lake watershed of the Wilson Water Management Area (Nunavut Water Regulations Schedule 4).

The Mine is subject to the terms and conditions of both the amended Project Certificate 006 issued by the Nunavut Impact Review Board (NIRB) in accordance with the Nunavut Land Claims Agreement Article 12.5.12 on March 2, 2022 (NIRB 2022) and the Amended Water Licence No. 2AM-MEL1631 (the Licence), issued by the Nunavut Water Board (NWB) on October 25, 2024 and approved by the Minister of Northern Affairs on November 22, 2024 (NWB 2024).

Tiriganiaq underground Mine is planned to extend to approximately 700 m below the ground surface; therefore, part of the underground mine will operate below the continuous permafrost. The underground excavations will act as a sink for groundwater flow during operation, with water induced to flow through the bedrock to the underground works once the Mine has advanced below the permafrost. Pump underground Mine will remain within permafrost boundaries, therefore the expected groundwater inflow to the underground work will be minimal compared to the Tiriganiaq underground Mine.

The overall water management for the life of the Mine and post-closure is described in the Water Management Plan (WMP) and the Groundwater Management Plan (GWMP). The WMP provides descriptions of the Mine water control structures and associated design criteria, while the GWMP describes groundwater monitoring program and management strategies. Application for discharge of treated effluent to Itivia Harbour via the Waterline was submitted to the appropriate authorities in 2020 and approved under Project Certificate (No. 006) Amendment 002 issued on March 2, 2022 by the NIRB. The discharge through the Waterline will follow the Adaptive Management Plan for Water Management.

This document presents the Ocean Discharge Monitoring Plan (ODMP) for the discharge of treated effluent into the marine environment at Itivia Harbour in Melvin Bay (Figure 1). This ODMP has been prepared in accordance with the NIRB Project Certificate No. 006 (Amendment 002), and applicable legislation. As per the Metal and Diamond Mining Effluent Regulations (MDMER), the regulation applies to effluent discharge from a mine exceeding a flow rate of 50 cubic metres (m³) per day.


The ODMP describes the following:

- Compliance with the federal MDMER.
- Adherence to applicable guidelines for the protection of marine aquatic life, including those published by the Canadian Council of Ministers of the Environment and the British Columbia Ministry of Environment and Climate Change Strategy in the regulatory mixing zone.

- Measures to detect short- and long-term effects of the discharge on the receiving environment.
- Identification of unforeseen adverse effects and provide early warnings of undesirable changes in the water quality.
- Inform potential mitigation measures based on results reported.

The ODMP will be updated as the Mine development advances, to include changes and/or regulatory conditions as applicable through construction, operations and closure.

Figure 1: Saline Effluent Discharge System Location at Itivia Harbour (Great Pacific, 2026)



SECTION 2 • RATIONALE FOR MONITORING APPROACH

The ODMP outlines management of the discharge of treated effluent to the marine environment during the life of the Mine to support long-term water management.

The ODMP focuses on water quality. No adverse effects are predicted from the marine discharge, based on the environmental conditions recorded, hydrogeological investigations and modelling assessments completed, adherence to existing management plans in addition to this ODMP, and the effects assessed in the Final Environmental Impact Statement (FEIS) Addendums (Agnico Eagle 2018; Agnico Eagle 2020a). This is based on the following rationale:

- Treated saline groundwater is the primary effluent discharged to Melvin Bay via the Waterline; treated surface contact water may also be diverted to the waterline under adaptive management conditions.
- Effluent discharged via the Waterline is treated prior to discharge to comply with the MDMER.
- Modelling results indicate that, following discharge, marine water quality is predicted to meet relevant CCME and BCMOE guidelines within the 100 m regulatory mixing zone.

As per Term and Condition 133 of Project Certificate (No. 006) Amendment 002, additional monitoring will be conducted to validate that the volume and/or water quality discharged into the marine environment via the waterlines does not have acute or chronic adverse effects on the marine environment, including marine water quality, marine mammals, fish, shellfish and other organisms and marine sediment. Additional monitoring includes:

- Post-discharge monitoring in the receiving environment to validate that the concentrations of saline effluent measured 100 m from the diffuser reach near zero before ice formation;
- sublethal toxicity testing (also required per MDMER);
- a community-based shellfish monitoring program; and
- monitoring of the marine environment (including marine water quality, marine mammals, fish, shellfish and other organisms and marine sediment) under the regulatory requirements (regulations, authorizations and permits) applicable to the Waterlines Proposal.

Summaries of relevant information and studies identified above are presented in the following subsections.

2.1 Discharge Overview

The suspension of continuous hauling operation followed the approval of the Waterline to discharge to sea under the Amendment 002 of the NIRB Project Certificate No. 006 (GWMP). Saline contact water from the underground Mine (i.e., saline groundwater) will be contained in underground sumps and the water storage stope and reused for mining operations. Excess saline contact water volumes will be stored in Tiriganiaq Pit, PUMP02 Pit and WES02 pit until the Waterline is commissioned and saline water can be treated for discharge to Itivia Harbour. Once in operation, the Waterline will be used in combination with the Saline Effluent Treatment Plant within the Water Treatment Complex (SETP-WTC) to discharge treated saline water to Melvin Bay.

The 34 km Waterline will be constructed from the Mine site to Itivia Harbour over land. The approved activities also include the installation of a new multiport diffuser connected to a discharge pipe through a horizontal directional drilled (HDD) conduit (Figure 1). The HDD conduit will run approximately 84 m through the rock and daylight at a depth of -7.8 m relative to the site vertical datum of mean sea level (Great Pacific 2026). The detailed design of the carrier pipe through the HDD conduit and of the diffuser is presented in Appendix A.

While the primary purpose of the Waterline is for discharge of saline groundwater, it will also be used to divert surface contact water through the Waterline as a means to reduce discharges to Meliadine Lake. More details are included in the Adaptive Management Plan for Water Management (AMP). Under Normal Operating Conditions as per the AMP, the dual Waterline capacity is 6,000 to 12,000 m³ /day of saline water and up to 14,000 m³ /day of surface contact water, for a total capacity of 20,000 m³ /day. Adaptive management actions will be implemented when site conditions divert from Normal Operating Conditions and are described in the AMP.

Discharge will continue to be carried out during the open water season only. On an annual basis, and prior to initiating marine effluent discharge, Agnico Eagle will engage with the Kangiqliniq Hunters and Trappers Organization (KHTO) to discuss local marine conditions relevant to identifying the open water season in Melvin Bay and Itivia Harbour. Records of engagement and a summary of outcomes will be maintained for reporting purposes.

2.2 Environmental Conditions

The receiving environment for the treated effluent discharge is located in Melvin Bay, northwest Hudson Bay at Rankin Inlet. Hudson Bay, and particularly the area including Melvin Bay, is usually ice-covered from November to June and ice-free from July to October (Stewart and Lockhart 2005; Cohen et al. 1994).

- At Rankin Inlet, the tidal range varies between 2.0 and 4.6 m and mean currents flow southward at around 0.22 m/s. Isobath lines are nearly parallel to coastline and depth rapidly increases reaching more than 20 m within 230 m from shore.
- There was no water column stratification with the mean temperature ranging from 8.9°C at the surface to 8.5°C at the bottom (up to approximately 13 m depth), and the mean salinity ranging from 29.32 ppt at the surface to 29.33 ppt at the bottom. Water was well oxygenated with dissolved oxygen saturation ranging from 113.6 to 115.6% (10.8 to 11.2 mg/L). Nutrients and metals were mostly below detection limits and lower than the water quality guidelines (WQG) for the Protection of Aquatic Life (Marine; CCME 2003).
- Sediments in the areas with water depths of up to 6.6 m were dominated by coarse material (cobble and gravel) in most samples (Nunami Stantec 2012).
- In general, benthic invertebrate abundance and diversity in the area is low; in the intertidal zone, benthic communities occur seasonally when the habitat is not influenced by ice (Stewart and Lockhart 2005). Abundance in the subtidal habitat was also low in late summer (August),

- with most of the organisms observed less than 1 cm in length, suggesting a low biomass (Nunami Stantec 2012).
- Greenland cod (*Gadus ogac*) represented over 50% of fish captured, followed by slender eelblenny (27%) and minor contributions of different species of sculpins. Arctic char was not observed during the baseline field study, but was reported to be in the area at the time of the field study (west of Melvin Bay near the Barrier Islands).
 - Most marine birds that occur in the vicinity of Rankin Inlet are summer residents and no SARA listed marine bird species occur near Rankin Inlet (Nunami Stantec 2012).
 - Marine mammals potentially present in the north and northwest Hudson Bay for variable periods of time include 4 species of cetaceans (3 toothed whales and one baleen whale), 6 species of pinnipeds (seals and walrus), and polar bear (*Ursus maritimus* – Special Concern under SARA). (see Table B-3 of Appendix D in the Shipping Management Plan; Agnico Eagle 2025a). Polar bears are uncommon to the area. A summary of listed marine mammal species with potential to occur in marine RSA is provided in Table B-5 of Appendix D in the Shipping Management Plan (Agnico Eagle 2025a).

2.3 Marine Reconnaissance Survey Summary

A marine reconnaissance survey was carried out in September 2018 to establish appropriate reference areas and collect baseline data on physical properties of the water column, water and sediment quality, benthic substrate, benthic communities and marine mammal occurrence (Golder 2019a).

For the purpose of the ODMP, this section will focus on water quality results; however, sediment quality, benthic substrate and benthic community data are available in Appendix B. The program collected data from the exposure area and three reference areas (A, B and R1).

In situ profiles were taken using a conductivity, temperature and depth (CTD) probe. Uniform physical properties were observed in the water column, indicating well-mixed conditions with no vertical stratification. Water temperature was slightly lower near the bottom and ranged from 5.1 to 6.2°C, whilst salinity results ranged from 30.7 to 30.9 ppt. Water was clear, with turbidity usually between 1.2 and 2.4 NTU, and the exposure area and reference area R1 were slightly more turbid than reference areas A and B. A maximum turbidity was 6.1 NTU was observed at surface in reference area B, which could possibly be related to dust deposition. Chlorophyll *a* concentrations were typical for Arctic waters, being classified as oligotrophic to mesotrophic marine systems (0.4 to 1.5 µg/L), consistent with total phosphorus results.

Total suspended solids (TSS) concentration varied between non-detect (<2 mg/L) to 3.8 mg/L, while total organic carbon concentrations were between 1.01 and 1.79 mg/L, with a large fraction of dissolved organic carbon. As observed in previous programs, results for several nutrients and most metals were below detection limits and did not exceed CCME guidelines. Variability in concentrations of detected metals was small, with greater variability recorded between sampling days. This

observation emphasizes the well-mixed characteristic of the waters in Melvin Bay and adjacent areas, as well as similarity among areas. Similar oceanographic conditions were observed for reference areas A, B and R1 and the exposure area, and with the exception of R1, which is shallower, similar depth contours were also observed.

2.4 Modelling Assessments

A modelling assessment was completed in March 2020 (Tetra Tech 2020), consisting of near-field effluent mixing performance and is presented in the FEIS Addendum (Agnico Eagle 2020b) and Appendix C. Near-field effluent mixing performance was simulated to compare dilutions reached within the regulatory mixing zone (100 m from the diffuser) and water quality criteria to evaluate the performance of the final diffuser design for discharge of 6,000 m³/day and 12,000 m³/day. This diffuser is also designed for discharge of up to 20,000 m³/day.

Discharge conditions took into account the marine environment per baseline data available for open water conditions, including a conservative ocean temperature of 0°C and sensitivity analysis with -1.9°C water temperature and salinity in the range of 31 to 33 practical salinity units (PSU). Modelling was completed for weak to strong current conditions with treated groundwater effluent conditions as modeled by Golder for consistency (2019a,b,c).

This model also indicated that a dilution factor of 11:1 is required to comply with required criteria within the regulatory mixing zone. This target dilution is consistent with guidance from the British Columbia Ministry of Environment and Climate Change Strategy, which recommends that human activities should not cause chloride concentrations in marine and estuarine waters to vary by more than 10% from natural background conditions.

Model results for the proposed diffuser design for the open-water season (May to October) indicate the following:

- Treated and untreated groundwater effluent can be effectively diluted to reach this target dilution factor. Under all modelled scenarios, including 20,000 m³/day discharge, the target dilution was reached within 1 m of the diffuser.
- The maximum plume rise under the modelled scenarios is 12.1 m, indicating the effluent plume would not reach the bottom of the ice layer.

2.5 Related Management Plans

Agnico Eagle has developed Management Plans that are applicable to the Mine site, the All-Weather Access Road (AWAR), and the Itivia Fuel Storage Facility.

Updates to the plans have been developed, as required, and submitted to the NIRB throughout development of the Mine (Table 1). Agnico Eagle is committed to adhering to existing plans that have been developed for the Mine as part of NIRB Project Certificate No. 006 terms and conditions. This

includes reporting requirements required to measure the achievement of objectives as set out by approval conditions or to demonstrate compliance, such as annual reporting on monitoring programs.

Table 1: Management Plans Applicable to the Ocean Discharge Activities

| Management Plan |
|--|
| Spill Contingency Plan |
| Roads Management Plan |
| Water Management Plan |
| Groundwater Management Plan |
| Shipping Management Plan (including the Marine Environmental Management Plan as Appendix D) |
| Ocean Discharge Monitoring Plan |
| Sediment and Erosion Management Plan |

2.6 Potential Effects

The potential effects from the discharge of treated groundwater effluent to the marine environment were assessed in the FEIS Addendums (Agnico Eagle 2018, 2020a).

SECTION 3 • MONITORING DESIGN

The following are the main components of the ODMP:

- Effluent monitoring at the Final Discharge Point (FDP), to verify compliance of treated effluent properties with the discharge criteria and to characterize effluent quality under MDMER.
- Monitoring to assess short- and long-term effects to water quality from the discharge of treated effluent on marine environment (Receiving Environment, Exposure Area and Reference Area A), in relation to CCME and BCMOE guidelines as well as background concentrations.

The objectives of the ODMP are to:

- Comply with applicable regulatory requirements.
- Detect short- and long-term effects of the discharge on the receiving environment based on the results obtained, and identify unforeseen adverse effects and provide early warnings of undesirable changes in the water quality.
- Inform mitigation through adaptive management measures, as appropriate, based on the results and trends observed.

Monitoring locations including the FDP, Receiving Environment, Exposure Area and Reference Area are listed in Table 2, while a summary of monitoring components, sampling frequency and design is provided in Table 3.

Table 2: Ocean Discharge Monitoring Program – Monitoring Locations

| Description | Location | UTM Coordinates (NAD 83 Zone 15) | | Latitude/Longitude (Decimal Degrees, NAD 83) | |
|--------------------------|--|-------------------------------------|-----------------|---|-----------------|
| | | Easting (m) | Northing (m) | Longitude (°) | Latitude (°) |
| FDP | MEL-26, Sampling Valve (SETP-WTC) | 539,606.93 | 6,989,848.66 | -92.217086 | 63.036065 |
| Receiving Environment | MWE-1, Diffuser Location | 545,763.00 | 6,963,300.9 | -92.102731 | 62.797093 |
| Exposure Area | Itivia Harbour, Melvin Bay (stations listed in Table 4) | 545,763.00 | 6,963,300.9 | -92.102731 | 62.797093 |
| Reference Area A | Melvin Bay (stations listed in Table 4) | 545,055.03 | 6,961,614.96 | -92.117064 | 62.782050 |

Table 3: Ocean Discharge Monitoring Program – Sampling Summary

| Monitoring Component | Sampling Frequency | Monitoring Location | Samples and Parameters |
|---|---|--|---|
| Deleterious Substances (MDMER Schedule 4) | Once per week | ▪ FDP | One grab sample for parameters listed in Schedule 4 of the MDMER |
| Effluent Characterization | Four times a year, at least one month apart, during discharge | ▪ FDP | One grab sample for parameters listed in Schedule 5, Paragraph 4(1) of the MDMER |
| In situ Water Column Measurements | Four times a year, at least one month apart, during discharge and once post discharge | <ul style="list-style-type: none"> ▪ Receiving Environment ▪ Exposure Area (7 stations) ▪ Reference Area A (3 stations) | One vertical profile at each station (pH, specific conductivity, dissolved oxygen, temperature) |
| Water Quality | Four times a year, at least one month apart, during discharge and once post discharge | <ul style="list-style-type: none"> ▪ Receiving Environment ▪ Exposure Area (7 stations) ▪ Reference Area A (3 stations) | One sample at 1 m below the surface and one sample at 5 m above the bottom at each station, for parameters listed in Schedule 4 and Schedule 5, Paragraph 4(1) of the MDMER, and salinity |
| Acute lethality | Monthly during discharge (sampled concurrently with effluent characterization) | ▪ FDP | One grab sample, species per MDMER requirements. |
| Sublethal toxicity | Twice a year during discharge, at least one month apart | ▪ FDP | One grab sample, species per MDMER requirements. |

Notes:

Sampling requirements per Metal and Diamond Mining Effluent Regulations (MDMER).

FDP = Final Discharge Point.

Receiving Environment = Diffuser Location.

3.1 Effluent Monitoring

3.1.1 Deleterious Substances

Effluent water at the FDP (end-of-pipe) is measured for dissolved oxygen, pH, temperature and specific conductivity per MDMER, and analyzed for concentrations of deleterious substances listed in MDMER Schedule 4 once per week during discharge.

3.1.2 Acute Lethality

End-of-pipe effluent is sampled once per month during discharge for acute lethality testing per MDMER requirements. Effluent characterization samples (Section 3.1.3) are collected at the same time to aid in interpretation of acute lethality test results.

3.1.3 Effluent Characterization

Effluent characterization is conducted at least one month apart, four times a year. Effluent is sampled and analyzed for the following parameters:

- General parameters, including pH, TDS, total suspended solids, hardness, alkalinity, specific conductivity, salinity and temperature;
- anions including sulphate and chloride;
- nutrients, including phosphorus and nitrate;
- total metals, including those listed in MDMER Schedule 5, paragraph 4 (1).

3.1.4 Sublethal Toxicity Testing

As per MDMER requirements and Term and Condition 133 of the NIRB Project Certificate Amendment 002, sublethal toxicity testing will be conducted on the effluent.

These tests are conducted on aliquots of the same sample collected for effluent characterization. The species will meet MDMER requirements.

3.2 Water Quality Monitoring

Agnico Eagle adheres to MDMER Environmental Effects Monitoring (EEM) requirements for water quality assessments outlined in Table 3.

Samples are collected four times a year, at least one month apart during discharge, at seven stations in the Exposure Area and three stations in Reference Area A.

In addition, one sampling event will be conducted at all stations in the Receiving Environment, Exposure Area and Reference stations after discharge to Melvin Bay has stopped for the year. The timing for the sampling event will depend on ice conditions in the Bay and safe access.¹

Further details on sampling and analytical requirements are provided below.

3.2.1 Sampling Locations and Depths

Sampling locations in the Receiving Environment and Exposure Area are based on the current diffuser location (Appendix A). The coordinates for the monitoring locations are presented in Table 4 for the Receiving Environment, the Exposure Area and the Reference Area A. Locations are sampled based on the following rationale:

- One station at the FDP (sampling valve within the SETP-WTC).
- One station at the Receiving Environment location to characterize water quality at the point of the discharge (diffuser location).
- Four stations at 100 m in the Exposure Area – these stations are at the edge of the mixing zone and can be downstream of the Receiving Environment discharge point depending on current direction (i.e., tidal and wind-driven).

¹ If sampling is not possible due to safety concerns, another sampling event will be conducted once the ice is safe to work on.

- Two stations at 250 m in the Exposure Area – as per MDMER Schedule 5, these are additional stations to estimate concentration of effluent in the Exposure Area at 250 m from the discharge point.
- Two water depths are sampled at each station to account for horizontal and vertical dispersion of the discharge plume due to oceanographic conditions of water column structure, e.g., horizontal and vertical currents, mixing/stratification. These are 1 m below the water surface and 5 m above the bottom.

At Reference Area A, three sampling stations are visited to comply with the recommended minimum requirement to account for variability, as per the Metal Mining Technical Guidance Document (TGD; GC 2012). As in the Exposure Area, samples are collected from two depths at each sampling station.

Coordinates for the Exposure Area and the Reference Area A are provided below in Table 4. Monitoring stations are shown in Figure 2.²


Table 4: List of Sampling Stations and Coordinates in Melvin Bay

| Sampling Area | Station Name | UTM Coordinates (NAD 83 Zone 15) | | Latitude/Longitude (Decimal Degrees, NAD 83) | |
|---|--------------|----------------------------------|--------------|--|--------------|
| | | Easting (m) | Northing (m) | Longitude (°) | Latitude (°) |
| Receiving Environment (Diffuser location) | MWE-1 | 545,763 | 6,963,301 | -92.1027 | 62.7971 |
| Exposure Area | WS | 545,729 | 6,963,207 | -92.1034 | 62.7963 |
| | MWE-2 | 545,797 | 6,963,395 | -92.1020 | 62.7979 |
| | MBE-1 | 545,528 | 6,963,386 | -92.1073 | 62.7979 |
| | MBE-2 | 545,669 | 6,963,335 | -92.1046 | 62.7974 |
| | MBE-4 | 545,857 | 6,963,267 | -92.1009 | 62.7968 |
| | MBE-5 | 545,998 | 6,963,215 | -92.0981 | 62.7963 |
| Reference Area A | MWRefA-1 | 545,070 | 6,961,511 | -92.1168 | 62.7811 |
| | MWRefA-2 | 545,025 | 6,961,609 | -92.1176 | 62.7820 |
| | MWRefA-3 | 543,985 | 6,961,768 | -92.1380 | 62.7836 |

Notes: UTM = Universal Transverse Mercator coordinate system; NAD 83 = North American Datum 83.

² Locations shown in Table 4 and Figure 2 are provisional and will be confirmed during the first sampling event.

Figure 2: Ocean Discharge Monitoring Plan – Marine Sampling Stations



3.2.2 Field and Laboratory Requirements

To provide sufficient information for the interpretation of the results, *in situ* profile measurements will be taken with a CTD probe at every water quality sampling station to assess water column physical properties (i.e., temperature, salinity, and turbidity). Dissolved oxygen point measurements will also be recorded.

Samples are stored in clean laboratory-provided containers, preserved accordingly and sent to accredited commercial analytical laboratories for analysis as quickly as feasible. For parameters with short hold-time requirements (i.e., 72 h or less: pH, turbidity, ammonia, nitrate, nitrite or toxicity tests), hold-time exceedances may occur occasionally, due to the remote location of the Meliadine Mine and the associated logistical constraints.

Laboratory analysis will follow the MDMER detection limit requirements as per Schedule 3 and include deleterious substances listed in Schedule 4 and Schedule 5 paragraph 4(1), as well as other metals and additional parameters recommended by TGD (GC 2012).

3.3 Community Based Shellfish Monitoring Program

As per Term and Condition 133 of Project Certificate No. 006 Amendment 002, a community-based shellfish monitoring program (SHMP) was developed by Nunavut Environmental Consulting Ltd. (NEC) and Agnico Eagle in partnership with the Kivalliq Wildlife Board (KWB), Quamajuq Environmental Ltd. (QEL, an Inuit-owned consulting firm based in Rankin Inlet), and community members. The 2026 Shellfish Harvest Monitoring Plan is presented in Appendix D and summarized below.

The guiding principles of the SHMP include:

- **Inuit Qaujimaqatuqangit (IQ)** - Driven by Inuit culture, values, and traditional knowledge (TK);
- **Community Involvement** - Led by Inuit communities for the benefit of Kivalliq Inuit communities;
- **Collaboration** - Developed in partnership with the KWB and with input from the community; and
- **Capacity Building** - Provides training and skills development for community members.

Key features of the SHMP include:

- **Monitoring Shellfish Health** – The program is looking at the productivity of shellfish populations over time by documenting the size and age of collected specimens. The presence of contaminants are being assessed in Melvin Bay and other known harvesting areas through the collection and testing of water and shellfish tissue samples. Sampling locations are selected based on community input and include known prime shellfish harvesting areas;
- **Adaptation of a Federal Program** – The program builds upon existing Canadian Shellfish Sanitation Program (CSSP) principles; and

- **Community Engagement** – Engagement will include shellfish harvest events, and ongoing communication with community members through regular community meetings and social media.

The intent of the SHMP is to develop a long-term community-run monitoring approach for shellfish health and shellfish harvesting in the Rankin Inlet area. A long-term strategy will be developed following further community engagement with the local community, and discussions between Agnico Eagle, KWB, and other regional (KHTO) and territorial organizations like the Kivalliq Inuit Association (KIA). Components of a long-term monitoring approach may include:

- Monitoring shellfish catch-per-unit-effort over time to track population trends, impacts of invasive species, and/or changing habitats;
- Monitoring shellfish community composition, age structure, and growth rates over time;
- Collecting consistent datasets;
- Conducting regular contaminant monitoring;
- Facilitating information sharing with the community of Rankin Inlet;
- Holding regular community meetings and promoting community involvement;
- Regularly evaluating the program approach and outcomes; and
- Determining when the program can be fully supported by the community of Rankin Inlet.

Results of the SHMP will be included in the Annual Report.

3.4 Quality Assurance/Quality Control (QA/QC)

Quality assurance (QA) refers to plans or programs that encompass a wide range of internal and external management and technical practices designed to ensure the collection of data of known quality that matches the intended use of the data. Quality control (QC) is a specific aspect of QA that refers to the internal techniques used to measure and assess data quality.

Quality assurance protocols will be followed so data are of known, acceptable, and defensible quality. To make certain that field data collected are of known, acceptable, and defensible quality, field staff are trained to be proficient in standardized sampling procedures, data recording using standardized forms, and equipment operations applicable to the monitoring program. Field work will be completed according to specified instructions and established technical procedures for sample collection, preservation, handling, storage, and shipping. Canadian Association for Laboratory Accreditation (CALA) accredited laboratories will be selected for sample analysis. Accreditation programs are utilised by the laboratories so that performance evaluation assessments are conducted routinely for laboratory procedures, methods, and internal quality control. A data management system is utilized

so that an organized consistent system of data control, data analysis, and filing will be applied to the program.

The QC component consists of applicable field and sample handling procedures, and the preparation and submission of two types of QC samples for laboratory analysis: blank and duplicate samples. QC samples will be collected as per the Quality Assurance/Quality Control Plan.

SECTION 4 • BENCHMARKS AND DIFFERENCE CRITERIA

This section sets quality benchmarks and difference criteria against which the effluent and/or the marine environment will be monitored, and whose exceedance will be considered to indicate effects of the treated effluent discharge.

4.1 Effluent Monitoring

The benchmarks applicable for effluent monitoring (i.e., end-of-pipe) for deleterious substances are the authorized limits outlined in Schedule 4 of the MDMER.

In compliance with MDMER Section 14.2 effluent is not expected to be acutely lethal. As previously indicated, the effluent is treated prior to discharge in compliance with MDMER requirements, and the modelling assessment (Section 2.4) shows that the required dilution is met well within the regulatory mixing zone from the diffuser, under the assumed conditions. If the salinity value of the effluent is equal to or greater than ten parts per thousand, the mine will evaluate whether the effluent is acutely lethal by conducting an acute lethality test in accordance with the procedures set out in section 5 or 6 of Reference Method EPS 1/RM/10.

4.2 Water Quality

Water quality at stations located at or beyond the mixing zone in the receiving environment will be compared to applicable guidelines for the protection of marine aquatic life, including those published by the Canadian Council of Ministers of the Environment and the British Columbia Ministry of Environment and Climate Change Strategy.

For all parameters, including those without applicable guidelines, concentrations in the exposure area will also be compared to baseline and reference conditions to distinguish effluent-related changes from regional trends. As recommended in the Technical Guidance Document for Environmental Effects Monitoring (Environment Canada 2012), a factor-of-two difference will be applied as a screening criterion when comparing exposure area concentrations to baseline or reference conditions to help distinguish meaningful changes from natural variability and analytical uncertainty.

SECTION 5 • REPORTING

Reporting will include the raw data obtained during sampling programs, as well as data interpretation, graphical presentation and comparison to applicable guidelines, baseline data and literature data, where applicable. Monitoring results will be integrated to evaluate the presence and overall direction of change to marine water quality. Reporting will follow applicable MDMER reporting requirements.

Reports will be prepared and delivered to Environment and Climate Change Canada (ECCC, as per the MDMER requirements), and to NIRB and NWB annually following the discharge of treated effluent to the marine environment. Reports will be available on the respective public registries for regulator and stakeholder review and input.

SECTION 6 • REFERENCES

- Agnico Eagle. 2018. Meliadine Gold Mine – Final Environmental Impact Statement Addendum. Environmental Assessment of Treated Groundwater Effluent Discharge into Marine Environment, Rankin Inlet – Meliadine Gold Project, Nunavut. Submitted to Agnico. Eagle June 2018.
- Agnico Eagle. 2020a. Meliadine Gold Mine – Final Environmental Impact Statement Addendum. Conveyance of Saline Effluent to Discharge into Marine Environment, Rankin Inlet – Meliadine Gold Project, Nunavut. March 2020.
- Agnico Eagle. 2020b. Meliadine Mine Ocean Discharge Monitoring Plan. Version 3_NIRB. April 2020.
- Agnico Eagle 2021. Meliadine Gold Mine Ocean Discharge Monitoring Plan. Version 4. September 2021.
- Agnico Eagle. 2024a. Meliadine Gold Mine Quality Assurance/Quality Control Plan. Version 5_NWB. January 2024.
- Agnico Eagle. 2024b. Meliadine Gold Mine Adaptive Management Plan for Water Management. Version 2B. August 2024.
- Agnico Eagle. 2025a. Meliadine Gold Mine Shipping Management Plan. Version 10. March 2025.
- Agnico Eagle. 2025b. Meliadine Gold Mine Groundwater Management Plan. Version 13. June 2025.
- Agnico Eagle. 2026a. Meliadine Gold Mine Spill Contingency Plan. Version 17. March 2026.
- Agnico Eagle. 2026b. Meliadine Gold Mine Roads Management Plan. Version 12. March 2026.
- Agnico Eagle. 2026c. Meliadine Gold Mine Water Management Plan. Version 17. March 2026.
- Agnico Eagle. 2026d. Meliadine Gold Mine Mine Waste Management Plan. Version 14. March 2026.
- BC MOE (British Columbia Ministry of the Environment & Climate Change Strategy). 2019. Approved Water Quality Guidelines: Aquatic Life, Wildlife & Agriculture.
- BC MOE. 2021. Working Water Quality Guidelines: Aquatic Life, Wildlife & Agriculture.
- CCME. 2001. Canadian Sediment Quality Guidelines for the Protection of Aquatic Life: Introduction. Updated. Canadian Environmental Quality Guidelines, 1999. Winnipeg, MB, Canada.
- CCME. 2003. Canadian Environmental Quality Guidelines – Water Quality Guidelines for the Protection of Aquatic Life.

- Cohen, S.J., T.A. Agnew, A. Headley, P.Y.T. Louie, J. Reycraft, and W. Skinner. 1994. Climate variability, climatic change, and implications for the future of the Hudson Bay bioregion. An unpublished report prepared for the Hudson Bay Programme. Canadian Arctic Resources Council (CARC), Ottawa, ON. viii + 113 p.
- Environment Canada. 2012. Metal Mining Technical Guidance for Environmental Effects Monitoring. Metal Mining EEM Guidance Document.
- Golder. 2019a. Meliadine Gold Mine Ocean Discharge Monitoring Plan – Marine Reconnaissance and Baseline Programs. 2018 Marine Reconnaissance Survey Data Report. Technical Report prepared for Agnico Eagle Mines Limited Meliadine Division, Nunavut, Canada.
- Golder. 2019b. Modelling Assessment of Groundwater Discharge into Melvin Bay Marine Environment (Revision B). Technical Memorandum prepared for Agnico Eagle Mines Limited Meliadine Division, Nunavut, Canada.
- Golder. 2019c. Melvin Bay Diffuser Performance for Increased Flow Rates (Revision B). Technical Memorandum prepared for Agnico Eagle Mines Limited Meliadine Division, Nunavut, Canada.
- Great Pacific Consulting Ltd. (Great Pacific). 2025. Technical Memorandum: Meliadine Mine – Itivia Outfall Construction & Deployment. April 2025.
- Great Pacific. 2026. IFR drawings 65-180-270-016 to 65-180-270-024. April 2026.
- Great Pacific. 2026. Meliadine Mine – Itivia Outfall Hazards and Operability Study. REV0. April 2026.
- GC. Metal and Diamond Mining Effluent Regulations (SOR/2002-222), last amended June 13, 2025, current to March 17, 2026.
- Nunami Stantec Ltd. 2012. Meliadine Gold Project: Marine Baseline Report, Itivia Harbour, Rankin Inlet, Nunavut. Prepared for Agnico Eagle Mines Limited. Yellowknife, NT. 75 p.
- Nunavut Impact Review Board (NIRB). 2022. NIRB Meliadine Gold Mine Project Certificate (No. 006), Amendment 002. March 2, 2022.
- Nunavut Water Board (NWB). 2024. Amended Water Licence No. 2AM-MEL1631. October 25, 2024.
- Tetra Tech (Tetra Tech Canada Inc.). 2020. Meliadine Melvin Bay Diffuser Conceptual Design – Effluent Near-Field Modelling. Prepared for Agnico Eagle Mines Limited. 16 March 2020.
- Stewart, D.B., and W.L. Lockhart. 2005. An overview of the Hudson Bay marine ecosystem. Canadian Technical Report of Fisheries and Aquatic Sciences 2586: 487 p.

APPENDIX A – SALINE EFFLUENT DISCHARGE SYSTEM RECORD DRAWINGS



MELIADINE ITIVIA HARBOUR SALINE EFFLUENT DISCHARGE SYSTEM - DETAILED DESIGN

GENERAL NOTES:

- 1. THESE DRAWINGS ARE PART OF THE DETAILED ENGINEERING DESIGN FOR THE OUTFALL PIPELINE AND DIFFUSER SYSTEM TO BE INSTALLED IN ITIVIA HARBOUR, NEAR RANKIN INLET, NU, IN SUPPORT OF THE MELIADINE MINE OPERATIONS.
2. THESE DRAWINGS AND THE OUTFALL DESIGN DEPICTED HEREIN HAVE BEEN GENERATED BASED UPON DRAWINGS AND ENGINEERING DESIGN WORKS DONE BY TETRA TECH, THESE DESIGN DOCUMENTS WERE PROVIDED TO GREATPACIFIC CONSULTING LTD. BY AGNICO EAGLE MINES LTD. (AGNICO) FOR THE PURPOSES OF DESIGN REFINEMENT. IT HAS BEEN ASSUMED THAT THE SITE ENVIRONMENTAL CONDITIONS EMPLOYED BY TETRA TECH IN THEIR DESIGN ARE ACCURATE.
3. THE CANADIAN HYDROGRAPHIC SERVICE (CHS) CHART OF RANKIN INLET IS CHART 5628.
4. VERTICAL ELEVATIONS ARE MEASURED FROM GEODETIC DATUM. GEODETIC DATUM (GD) IS ASSUMED TO BE EQUIVALENT TO MEAN WATER LEVEL (MWL). MWL AT RANKIN INLET-05100 CHS BENCHMARK IS 2.38 m ABOVE CHART DATUM. SEE TIDE ELEVATION TABLE FOR CONVERSION DETAILS.
5. HORIZONTAL COORDINATES ARE PROVIDED IN UTM 15 NAD 83 CSRS (GEOID HT V2.0).
6. AGNICO TO OBTAIN ALL NECESSARY PERMITTING, STAKEHOLDER MANAGEMENT, & REGULATORY AGENCY ENGAGEMENT FOR CONSTRUCTION.

TABLE 1. LIST OF DRAWINGS:

Table with 2 columns: DRAWING NUMBER and TITLE. Lists drawings 65-180-270-016 through 65-180-270-024 with their respective titles like KEY PLAN, PROFILE, and various detail drawings.


TABLE 2. TIDE LEVELS INFORMATION:

ALL TIDE AND ELEVATION DATA PROVIDED BY AGNICO EAGLE MINES AND ATKINS REALIS/ SNC LAVELIN.

Table with 3 columns: TIDE LEVEL, HEIGHT ABOVE GD, DESCRIPTION. Lists HWL (2.20 m), MWL (0.00 m), and LWL (-2.27 m) with their corresponding descriptions and drawing references.

CONSTRUCTION SPECIFICATIONS:

- 1. GENERAL:
1.1. THIS DRAWING SET IS TO BE MADE AVAILABLE TO THE CONTRACTOR IN CONJUNCTION WITH AN ACCOMPANYING OUTFALL/DIFFUSER CONSTRUCTION EXECUTION PLAN AND A CONSTRUCTION RISK MITIGATION PLAN, ALSO PRODUCED BY GREATPACIFIC. THE CONTRACTOR IS TO REVIEW THESE DRAWINGS IN CONJUNCTION WITH THESE ACCOMPANYING DOCUMENTS AND TO PROVIDE WRITTEN CONFIRMATION OF REVIEW OF THESE DOCUMENTS TO AGNICO EAGLE MINES PRIOR TO MOBILIZATION.
1.2. ANY COMMENTS OR CONCERNS WITH THE DESIGN DESCRIBED IN THESE DRAWINGS OR WITH THE CONSTRUCTION METHODOLOGY PROPOSED IN THE CONSTRUCTION EXECUTION PLAN ARE TO BE PRESENTED TO THE MARINE ENGINEER OF RECORD 30 DAYS PRIOR TO MOBILIZATION.
1.3. CONSTRUCTION IS TO BE CONDUCTED UNDER THE SUPERVISION OF THE MARINE ENGINEER OF RECORD.
1.4. CONSTRUCTION IS ASSUMED TO BE CONDUCTED BY A HIGHLY TRAINED MARINE CONTRACTING TEAM, WITH EXPERIENCE IN THE CONSTRUCTION OF MARINE PIPELINES.
1.5. THE CONTRACTOR IS TO MAKE ALL APPROPRIATE PROVISIONS FOR ENVIRONMENTAL PROTECTION INCLUDING BUT NOT LIMITED TO:
1.5.1. ANY AND ALL SITE ENVIRONMENTAL PROTECTION MEASURES STIPULATED BY AGNICO EAGLE MINES LTD.
1.5.2. ALL CONTRACTOR PRODUCED WASTE IS TO BE COLLECTED AND DISPOSED OF AS DIRECTED BY AGNICO.
1.5.3. PIPE FUSIONS SHOULD BE CONDUCTED IN A CONTAINED AREA WHERE PLASTIC SHAVINGS CAN BE EASILY CONTAINED AND REMOVED FROM SITE.
1.5.4. REFUELING SHOULD NOT BE CONDUCTED WITHIN 30 m OF THE WATERS EDGE.
1.5.5. MARINE EQUIPMENT SHOULD BE CLEAN AND FREE OF EXPOSED OILS AND GREASE. HYDRAULIC FLUIDS SHOULD BE SPECIFIED AS MARINE FRIENDLY AND BIODEGRADABLE.
2. MARINE PIPELINE:
2.1. PIPELINE IS TO BE DEPLOYED BY "CONVENTIONAL S-LAY" PROCEDURE.
2.2. ALL PIPE AND FITTINGS ARE TO BE NEW, CLEAN AND UNMARRIED. PIPE OR FITTINGS WITH DAMAGE EXCEEDING 10% OF WALL THICKNESS MAY BE DISMISSED BY THE MARINE ENGINEER.
2.3. ALL PIPE AND FITTINGS MUST BE MANUFACTURED AT THE SAME FACILITY.
2.4. ALL PIPE AND FITTINGS SHALL BE MANUFACTURED FROM A PE 4710 RESIN LISTED WITH THE PLASTIC PIPE INSTITUTE (PPI) AS TR-4. THE RESIN MATERIAL WILL MEET THE SPECIFICATIONS OF ASTM D3350 WITH A CELL CLASSIFICATION OF PE445574C. PIPE SHALL HAVE A MANUFACTURING STANDARD OF ASTM D3035. PIPE SHALL BE SUPPLIED WITH THE DIMENSION RATIO AND ASSOCIATED PRESSURE CLASS AS SPECIFIED ON THE CONTRACT DRAWINGS. THE PIPE SHALL CONTAIN NO RECYCLED COMPOUNDS EXCEPT THAT GENERATED IN THE MANUFACTURER'S OWN PLANT FROM RESIN OF THE SAME SPECIFICATION FROM THE SAME RAW MATERIAL.
2.5. PIPE TO BE HANDLED AND STORED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS AND IN A MANNER THAT PREVENTS DAMAGE.
2.6. ALL PIPE JOINTS ARE TO BE MADE BY BUTT FUSION WELD, EXCEPT AT THOSE FLANGE CONNECTIONS DETAILED IN THE ENGINEERING DRAWINGS AND OTHERWISE AT THE DISCRETION OF THE MARINE ENGINEER OF RECORD.
2.7. ELECTROFUSIONS NOT PERMITTED.
2.8. ALL FUSION WELDS ARE TO BE COMPLETED BY A CERTIFIED FUSION TECHNICIAN. FUSION MACHINE IS TO BE EQUIPPED WITH A FUSION DATA LOGGER AND FUSION LOGS ARE TO BE PROVIDED TO THE MARINE ENGINEER FOR REVIEW. FUSION TEMPERATURES ARE TO BE COLLECTED USING A CALIBRATED INFRARED THERMOMETER. CALIBRATION RECORDS ARE TO BE PROVIDED TO THE MARINE ENGINEER OF RECORD.
2.9. PIPE FUSIONS CONDUCTED IN COLD WEATHER (TEMPERATURE < 0° C) ARE TO BE PERFORMED IN ACCORDANCE WITH PLASTIC PIPE INSTITUTE MUNICIPAL ADVISORY BOARD GUIDELINES FOR FUSING HDPE PIPE IN COLD AND INCLEMENT WEATHER.
2.10. PIPELINE IS NOT TO EXCEED A MINIMUM BEND RADIUS OF 27 X THE OUTER DIAMETER OF THE PIPE DURING THE DEPLOYMENT. EXPECTED PULL FORCE TO MAINTAIN 27 X OD BEND RADIUS = 0.6 METRIC TON.
2.11. CONTRACTOR TO PROVIDE APPURTENANCES TO ENABLE THE RECORDING OF PIPELINE INTERNAL AIR PRESSURE AND TOW LINE TENSION DURING THE DEPLOYMENT PROCESS.
2.12. PIPE IS TO BE LAYED TO WITHIN ± 2 m OF THE PROPOSED ALIGNMENT HORIZONTALLY AND WITH CONTINUOUS DOWNHILL GRADE OFFSHORE (i.e. NO REVERSE GRADES).
2.13. ALL FITTINGS ARE TO BE MOLDED UNLESS SPECIFIED OTHERWISE IN THE ENGINEERING DRAWINGS OR OTHERWISE AT THE DISCRETION OF THE MARINE ENGINEER OF RECORD.
2.14. FABRICATED FITTINGS ARE TO BE CONSTRUCTED TO PROVIDE PRESSURE RATING OF DIMENSION RATIO SPECIFIED IN THE ENGINEERING DRAWINGS.
2.15. ALL SUBMERGED FLANGE BACKING RINGS ARE TO BE IPPI DELTAFLEX GLASS REINFORCED POLYPROPYLENE ENCAPSULATED DUCTILE IRON DR 13.5 WITH ANSI B16.5/B16.47 BOLT PATTERNS.
2.16. ALL SUBMERGED BOLTS/ STUDS ARE TO BE 2507 SUPER DUPLEX STAINLESS STEEL. BOLT SIZES TO AWWA C110 WITH AT LEAST TWO THREADS VISIBLE OUTBOARD OF ANY NUT.
2.17. ALL SUBMERGED NUTS AND FLAT WASHERS TO BE 2507 SUPER DUPLEX STAINLESS STEEL. MINIMUM 2 WASHERS PER FASTENER SET ARE REQUIRED.
2.18. ALL FASTENERS USED IN THE FINAL INSTALLATION ARE TO BE ONLY SUBJECTED TO ONE TORQUE SEQUENCE (INITIAL INSTALLATION & RE-TORQUES). NO PERMANENT FASTENERS ARE TO BE SUBJECTED TO CONSTRUCTION, DISASSEMBLY, AND THEN REUSED FOR THE FINAL INSTALLATION. THROWAWAY BLACK STEEL FASTENERS ARE TO BE USED FOR TEMPORARY FLANGES USED IN DEPLOYMENT.
2.19. ALL FASTENERS ARE TO BE INSTALLED IN COMPLIANCE WITH PLASTIC PIPE INSTITUTE - "BOLT TORQUE FOR POLYETHYLENE FLANGED JOINTS TN-38/2021" AND MANUFACTURERS SPECIFICATIONS. PRECEDENCE IS TO BE GIVEN TO MANUFACTURERS SPECIFICATIONS FOR IPPI DELTAFLEX BACKING RINGS.
2.20. ALL STAINLESS STEEL FASTENERS ARE TO BE COATED WITH LOCITE LB B023 MARINE GRADE ANTI-SEIZE PRIOR TO INSTALLATION.
2.21. ALL FLANGED JOINTS TO INCLUDE 1 GASKET. GASKETS TO BE GARLOCK MULTI-SWELL STYLE 3760 COMPRESSED FIBER GASKET SHEET - 0.4 mm (0.016") THICK - CUT TO SUIT. GASKET MODEL NOMINATED BY AGNICO EAGLE MINES LTD.



CONSTRUCTION SPECIFICATIONS

- 2.22. PRESSURE TESTING:
2.22.1. UPON ASSEMBLY OF THE BUOYANT PIPE STRING, THE CONTRACTOR SHALL PERFORM A LOW-PRESSURE PNEUMATIC PRESSURE TEST TO THE SATISFACTION OF THE MARINE ENGINEER OF RECORD THAT SHOWS THE OUTFALL PIPE IS AIR/WATERTIGHT AND IS FIT FOR SUBSEQUENT TOWING AND DEPLOYMENT/LAY PROCESSES.
2.22.2. ANY PORTION OF THE PIPELINE LAID TO THE SEABED SHALL HOLD THE SPECIFIED PNEUMATIC TEST PRESSURE OF 5 PSI FOR A PERIOD OF 1 HOUR IN ACCORDANCE WITH ASTM F1417.
2.22.3. PIPELINES WHICH FAIL TO HOLD THE AGREED TEST PRESSURE SHALL BE REPAIRED AND RETESTED.
2.22.4. UNLESS OTHERWISE APPROVED BY THE OWNER, CONTRACTOR SHALL CONDUCT ALL TESTS IN THE PRESENCE OF THE MARINE ENGINEER OF RECORD.
3. PRECAST CONCRETE
3.1. PRECAST CONCRETE MANUFACTURER SHALL BE CERTIFIED IN ACCORDANCE WITH THE CSA CERTIFICATION PROGRAM FOR STRUCTURAL PRECAST CONCRETE AND/OR CANADIAN PRECAST/PRESTRESSED CONCRETE INSTITUTE (CPCI) CERTIFICATION PROGRAM AT THE START OF PRODUCTION AND FOR THE ENTIRE DURATION OF THE PRECAST MANUFACTURING PROCESS. PRECAST CONCRETE IS TO BE EXPOSURE CLASS "C1" IN ACCORDANCE WITH CSA 23.1 - NOMINAL 28 DAY COMPRESSIVE STRENGTH 35 MPa.
3.2. PRECAST CONCRETE TO HAVE NO FERROUS REINFORCING. FIBER REINFORCED WITH BARCHIP 48 OR MAC 244 FIBER. FIBER DOSED AT A RATE OF 4.0 kg/m3.
3.3. MANUFACTURER TO SUBMIT COPIES OF QUALITY CONTROL TESTS RELATED TO THIS PROJECT AS SPECIFIED IN CSA A23.4. COPIES OF REPORTS SHALL BE SUBMITTED FOR EACH DAY OF PRODUCTION WITHIN 7 DAYS OF PRODUCTION AND POST POUR REVIEW.
3.4. MANUFACTURER TO SUBMIT MATERIALS TEST REPORTS TO VERIFY THAT MATERIALS MEET THE REQUIREMENTS OF THE SPECIFICATION.
3.5. MANUFACTURER TO SUBMIT STATEMENT OF CONFORMANCE TO CSA A23.4 OF MANUFACTURED PRODUCTS SIGNED AND SEALED BY THE QUALITY CONTROL ENGINEER WITHIN 35 DAYS FROM THE COMPLETION OF THE PRECAST PRODUCT. SUBMIT TEST REPORT CONFIRMING COMPLIANCE WITH TOUGHNESS REQUIREMENT OF PROPOSED CONCRETE MIXTURE. ALTERNATIVELY, PROVIDE MIX DESIGN WITH DOSAGE OF FIBER AND CALCULATION OF EXPECTED TOUGHNESS OF CONCRETE MIXTURE.
3.6. MANUFACTURER TO SUBMIT CURING PLAN MEETING THE REQUIREMENTS OF THE SPECIFICATION 14 DAYS PRIOR TO THE COMMENCEMENT OF PRODUCTION.
3.7. MATERIALS SPECIFICATIONS:
3.9.1. NON FERROUS REINFORCING TO: CSA-A23.1
3.9.2. FORMS TO: CSA-A23.4
3.9.3. HARDWARE AND MISCELLANEOUS MATERIALS TO: CSA A23.1

KEY PLAN SCALE 1:7500

- 3.9.4. ANCHORS AND SUPPORTS TO BE NON-FERROUS TO: CSA-A23.1
3.9.5. AGGREGATE TO: CSA A23.1
3.9.6. CEMENT AND SUPPLEMENTARY CEMENTITIOUS MATERIALS TO: CSA A 3000
3.9.7. WATER TO: CSA A23.1
3.9.8. AIR ENTRAINING ADMIXTURES TO ASTM C260
3.9.9. FIBERS TO: ASTM C1116M TYPE 3 SYNTHETIC
3.10. CONCRETE MIX
3.10.1. CONCRETE IS SPECIFIED TO ALTERNATIVE 1 OF TABLE 5 OF CSA A23.1 "PERFORMANCE".
3.10.2. CONCRETE SHALL BE DESIGNED TO MEET THE FOLLOWING REQUIREMENTS OF CSA A23.1:
3.10.2.1. COMPRESSIVE STRENGTH AT 28 DAYS (MPa): 35
3.10.2.2. EXPOSURE CLASS: C1
3.10.2.3. MAX. WATER TO CEMENT RATIO: 0.40
3.10.2.4. MAX. AGGREGATE SIZE (mm): 20
3.10.2.5. AIR CONTENT (%): TO TABLE 4 OF CSA A23.1
3.11. THE CONCRETE SHALL ALSO HAVE A TOUGHNESS IN ACCORDANCE WITH ASTM C1609 AS FOLLOWS, WHICH MAY BE ACHIEVED WITH THE INCLUSION OF SYNTHETIC FIBER-REINFORCING:
3.11.1. TOUGHNESS T150.3.0 (Nm): 27
3.12. PRECAST CONCRETE DOGHOUSE WEIGHTS TO BE HANDLED WITH CARE - WEIGHTS NOT DESIGNED TO BE DROPPED, STACKED, OR LIFTED OTHER THAN BY THE LIFTING HARDWARE SPECIFIED. WEIGHTS NOT TO BE LIFTED/ DEMOLDED UNTIL REACHING 20 MPa COMPRESSIVE STRENGTH
3.13. PRECAST CONCRETE DOGHOUSE WEIGHTS TO BE PROGRESSIVELY NUMBERED ON THREE SIDES WITH WATER RESISTANT SPRAY PAINT. NUMBERING TO BEGIN AT "1" WITH A "TYPE 1" (INSHORE) DOGHOUSE WEIGHT.
3.14. LIFTING HARDWARE TO BE DAYTON SUPERIOR PU75-4U4444 UTILITY ANCHORS (SAFE WORKING LOAD TENSION 90 = 1455 kg (3200 lbs).
3.15. LIFTING ANCHOR KNOCKOUTS TO BE COATED WITH DENSE BITUMEN MASTIC PRIOR TO DEPLOYMENT.
4. POST CONSTRUCTION
4.1. AT COMMISSIONING THE OUTFALL SHALL BE TESTED FOR LEAKS BY DISCHARGE OF NON-TOXIC TRACER DYE DURING DIVES THROUGH EACH PORT AND 360 DEGREE VIEWS OF EACH FLANGE CONNECTION.
4.2. CONTRACTOR TO PERFORM POST CONSTRUCTION SIDESCAN SONAR RECORD SURVEY WITH 1 m GPS ACCURACY. TO BE PROVIDED TO THE MARINE ENGINEER OF RECORD FOR REVIEW PRIOR TO DEMOBILIZATION.
4.3. CONTRACTOR TO PERFORM POST CONSTRUCTION ON-LAND SURVEY WITH ± 1 cm ACCURACY. TO BE PROVIDED TO THE MARINE ENGINEER OF RECORD FOR REVIEW PRIOR TO DEMOBILIZATION. TO BE PROVIDED IN UTM Z15 NAD 83 COORDINATE SYSTEM.

PLAN CLE KEY PLAN

THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND EXCLUSIVELY INTENDED FOR USE ON THE SPECIFIC PROJECT BY THE AUTHORIZED PERSONNEL. ALL DRAWING CONTENT, INCLUDING BUT NOT LIMITED TO GRAPHIC ELEMENTS, SYMBOLS, LIBRARIES, BLOCKS, TECHNICAL DETAILS, COORDINATE DATA, LINEWORK, AND DIMENSIONAL SPECIFICATIONS, ARE STRICTLY PROTECTED AND MAY NOT BE REPRODUCED, TRANSFERRED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPRESS WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.

RECOGNIZING THE INHERENT VULNERABILITIES OF DIGITAL DATA TRANSMISSION AND THE LIMITATIONS IN CONTROLLING ITS SUBSEQUENT USE, GREATPACIFIC CONSULTING LTD. DISCLAIMS ALL LIABILITY FOR ANY CONSEQUENCES ARISING FROM THIS DOCUMENT'S UTILIZATION. THE USER BEARS FULL RESPONSIBILITY FOR INDEPENDENTLY VERIFYING THE ACCURACY AND COMPLETENESS OF ALL INFORMATION PRESENTED. GREATPACIFIC CONSULTING LTD. RESERVES THE RIGHT TO MODIFY THIS DOCUMENTATION WITHOUT PRIOR NOTIFICATION TO ANY RECIPIENT. CONSEQUENTLY, USERS ARE ADVISED TO RELY EXCLUSIVELY ON HARD COPY OR OFFICIALLY SEALED DRAWINGS ISSUED DIRECTLY BY THE ENGINEERING OFFICE. BY ACCESSING OR UTILIZING THIS DIGITAL INFORMATION, THE USER EXPLICITLY ASSUMES ALL ASSOCIATED RISKS AND POTENTIAL LIABILITIES. SHOULD THE USER NOT AGREE WITH THE TERMS OF THIS DISCLAIMER, THEY ARE REQUIRED TO IMMEDIATELY CEASE USAGE AND PERMANENTLY DELETE ALL COPIES OF THIS DOCUMENT FROM THEIR SYSTEMS. CONTINUED ENGAGEMENT WITH THIS DIGITAL CONTENT CONSTITUTES FULL ACCEPTANCE OF THE DISCLAIMER'S CONDITIONS.

RECORD DRAWING DISCLAIMER: THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERGOER'S ATTENTION. THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDENDA, CHANGE ORDERS AND OTHER MATERIALS DESCRIBED IN THESE DRAWINGS. NOT NECESSARILY ALL SITE INSTRUCTIONS, THE UNDERSIGNER DOES NOT WARRANT OR GUARANTEE, NOR ACCEPT ANY RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE AS-CONSTRUCTED INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS, BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS-CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS-CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLETES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.

RECORD DRAWING DISCLAIMER: THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERGOER'S ATTENTION. THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDENDA, CHANGE ORDERS AND OTHER MATERIALS DESCRIBED IN THESE DRAWINGS. NOT NECESSARILY ALL SITE INSTRUCTIONS, THE UNDERSIGNER DOES NOT WARRANT OR GUARANTEE, NOR ACCEPT ANY RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE AS-CONSTRUCTED INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS, BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS-CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS-CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLETES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.



INFORMATION CONTAINED IN THIS DRAWING IS THE PROPERTY OF AGNICO EAGLE LTD. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT THE WRITTEN PERMISSION OF AGNICO EAGLE LTD.

Table with 2 columns: DESSIN EN RÉFÉRENCE / REFERENCE DRAWINGS and DWG. Lists drawing numbers and titles like DISCHARGE TO SEA GENERAL EARTH WORKS 65-180-230-209_R1.



Table with 4 columns: REV, DATE, DESCRIPTION, PAR/REV. Lists drawing revisions with dates and descriptions.


Table with 2 columns: REVISIONS and RECORD DRAWING. Shows the current drawing status as RECORD DRAWING.

TITLE / TITRE
AGNICO EAGLE - MELIADINE DIVISION
180 - SALINE EFFLUENT DISCHARGE SYSTEM
270 - PIPING
KEY PLAN

Table with 2 columns: DESIGNED BY / DRAWN BY and DATE. Lists ERIK LIDSTONE, ASct and the date 2026-04-24.

NO. DESSIN PROJECT NO. 65-180-270-016

Table with 3 columns: REVISION, FEUILLE / SHEET. Shows revision 3 and sheet 1/1.



- NOTES GÉNÉRALES / GENERAL NOTES**
1. COORDINATE SYSTEM UTM 15 NAD83 CSRS (GEOD HT V2.0).
 2. VERTICAL DATUM BASED UPON ATKINS REALIS DWG 65-180-230-258_R2.
 3. OUTFALL STATIONING DATUM BASED UPON HDD DAYLIGHT (SEE NOTE 5). UPSTREAM CASING PIPE ALIGNMENT AND PROFILE BY OTHERS.
 4. BATHYMETRY FROM DRAWING "65-180-230-210_R0 - OUTFALL/DIFFUSER SYSTEM SITE PLAN - TETRA TECH".
 5. OUTFALL ALIGNMENT SURVEYED BY GREATPACIFIC ON 2025-08-05 USING LOWRANCE ELITE FS9 CHART PLOTTER, SINGLE BEAM ECHO SOUNDER, AND FURUNO QUAD HEAD GPS.



INFORMATION CONTAINED HEREIN IS THE PROPERTY OF AGNICO EAGLE LTD. AND MUST BE RETURNED AND DESTROYED WITHOUT DELAY. NO INFORMATION IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. © AGNICO EAGLE LTD.

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | DWG |
|--------------------------------------|---------------------|
| DISCHARGE TO SEA GENERAL EARTH WORKS | 65-180-230-209_R1 |
| DISCHARGE TO SEA GENERAL EARTH WORKS | 65-180-230-210_R1 |
| OUTFALL/DISCHARGE SYSTEM SITE PLAN | 65-180-270-201-2_R0 |



| REV. | DATE | DESCRIPTION | ENG/DR | VER. | CLIENT |
|------|------------|-------------------|--------|------|--------|
| 3 | 2026-04-24 | RECORD DRAWING | ECL | AH | JPH |
| 2 | 2026-04-08 | RECORD DRAWING | ECL | AH | JPH |
| 1 | 2025-05-16 | FOR PERMITTING | ECL | AH | JPH |
| 0 | 2025-04-17 | FOR PERMITTING | ECL | AH | JPH |
| 1 | 2025-04-10 | FOR CLIENT REVIEW | ECL | AH | JPH |

RECORD DRAWING
2026-04-24

TITRE / TITLE
AGNICO EAGLE - MELIADINE DIVISION
180 - SALINE EFFLUENT DISCHARGE SYSTEM
270 - PIPING
PLAN
STA 0+000 TO -0+145

| DESIGNER | DATE |
|-----------------------|------------|
| ERIK LIDSTONE, ASct. | 2026-04-24 |
| ADRIAN HANNAM, P.Eng. | 2026-04-24 |
| JASON CLARKE, P.Eng. | 2026-04-24 |

| NO. DESIGN | REVISION | FEUILLE / SHEET |
|----------------|----------|-----------------|
| 65-180-270-017 | 3 | 1 / 1 |


TERMS OF USE:
THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND EXCLUSIVELY INTENDED FOR USE ON THE SPECIFIC PROJECT BY THE AUTHORIZED RECIPIENT. ALL DRAWING CONTENT HEREIN, INCLUDING BUT NOT LIMITED TO GRAPHIC ELEMENTS, SYMBOL LIBRARIES, BLOCKS, TECHNICAL DETAILS, COORDINATE DATA, NETWORKS, AND DIMENSIONAL SPECIFICATIONS, ARE STRICTLY PROTECTED AND MAY NOT BE REPRODUCED, TRANSFERRED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPLICIT WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.

RECOGNIZING THE INHERENT VULNERABILITIES OF DIGITAL DATA TRANSMISSION AND THE LIMITATIONS IN CONTROLLING ITS SUBSEQUENT USE, GREATPACIFIC CONSULTING LTD. DISCLAIMS ALL LIABILITY FOR ANY CONSEQUENCES ARISING FROM THIS DOCUMENT'S UTILIZATION. THE USER BEARS FULL RESPONSIBILITY FOR INDEPENDENTLY VERIFYING THE ACCURACY AND COMPLETENESS OF ALL INFORMATION PRESENTED. GREATPACIFIC CONSULTING LTD. RESERVES THE RIGHT TO MODIFY THIS DOCUMENTATION WITHOUT PRIOR NOTIFICATION TO ANY RECIPIENT. CONSEQUENTLY, USERS ARE ADVISED TO RELY EXCLUSIVELY ON HARD COPY OR OPTICALLY SEALED DRAWINGS ISSUED DIRECTLY BY THE ENGINEERING OFFICE. BY ACCESSING OR UTILIZING THIS DIGITAL INFORMATION, THE USER EXPLICITLY ASSUMES ALL ASSOCIATED RISKS AND POTENTIAL LIABILITIES.

SHOULD THE USER NOT AGREE WITH THE TERMS OF THIS DISCLAIMER, THEY ARE REQUIRED TO IMMEDIATELY CEASE USAGE AND PERMANENTLY DELETE ALL COPIES OF THIS DOCUMENT FROM THEIR SYSTEMS. CONTINUED ENGAGEMENT WITH THIS DIGITAL CONTENT CONSTITUTES FULL ACCEPTANCE OF THE DISCLAIMER'S CONDITIONS.

RECORD DRAWING DISCLAIMER:
THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL. DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERSIGNED'S ATTENTION, THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDENDA, CHANGE ORDERS, AND OTHER MATERIAL DESIGN CHANGES, BUT NOT NECESSARILY ALL SITE INSTRUCTIONS. THE UNDERSIGNED DOES NOT WARRANT OR GUARANTEE, NOR ACCEPT ANY RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE AS-CONSTRUCTED INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS. BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS-CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS-CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLIES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.

APPROXIMATE OUTFALL PROFILE (2V:1H)



NOTES GÉNÉRALES / GENERAL NOTES

- COORDINATE SYSTEM UTM 15 NAD83 CSRS (GEOID HT V2.0).
- VERTICAL DATUM BASED UPON ATKINS REALIS DWG 65-180-230-258_R2.
- OUTFALL STATIONING DATUM BASED UPON HDD DAYLIGHT (SEE NOTE 5). UPSTREAM CASING PIPE PROFILE BY OTHERS AND NOT SHOWN TO SCALE IN PROFILE VIEW.
- BATHYMETRY FROM DRAWING "65-180-230-210_R0 - OUTFALL/DIFFUSER SYSTEM SITE PLAN - TETRA TECH".
- OUTFALL ALIGNMENT SURVEYED BY GREATPACIFIC ON 2025-08-05 USING LOWRANCE ELITE F59 CHART PLOTTER, SINGLE BEAM ECHO SOUNDER, AND FURUNO QUAD HEAD GPS.
- HDD DRILL LENGTH COMMUNICATED TO BE 84 m FROM COMMENCEMENT AS WITNESSED BY JEAN-PHILIPPE HOULE, P. ENG (OVERVIEWED HDD INSTALLATION), AND IN ACCORDANCE WITH ATKINS REALIS DWG 65-180-230-258_R2.



INFORMATION CONTAINED ON THIS DRAWING IS THE PROPERTY OF GREATPACIFIC CONSULTING LTD. AND MUST BE KEPT CONFIDENTIAL. NO PART OF THIS DRAWING IS TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF GREATPACIFIC CONSULTING LTD. © 2026 GREATPACIFIC CONSULTING LTD.

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | # DWG |
|--------------------------------------|-------------------|
| DISCHARGE TO SEA GENERAL EARTH WORKS | 65-180-230-209_R1 |
| DISCHARGE TO SEA GENERAL EARTH WORKS | 65-180-230-210_R1 |
| OUTFALL/DIFFUSER SYSTEM PROFILE | 65-180-270-018_R1 |



| REV. | DATE | DESCRIPTION | PAR/REV | VER. | CLIENT |
|------|------------|-------------------|---------|------|--------|
| 3 | 2026-04-24 | RECORD DRAWING | ECL | AH | JPH |
| 2 | 2026-04-08 | RECORD DRAWING | ECL | AH | JPH |
| 1 | 2025-05-16 | FOR PERMITTING | ECL | AH | JPH |
| 0 | 2025-04-17 | FOR PERMITTING | ECL | AH | JPH |
| A | 2025-04-10 | FOR CLIENT REVIEW | ECL | AH | JPH |

REVISIONS

RECORD DRAWING
2026-04-24

TITRE / TITLE
AGNICO EAGLE - MELIADINE DIVISION
180 - SALINE EFFLUENT DISCHARGE SYSTEM
270 - PIPING
PROFILE
STA 0+000 TO -0+150

| DESSINÉ PAR DRAWN BY | DATE |
|-------------------------|------------|
| ERIK LIDSTONE, ASCT. | 2026-04-24 |

| REVU PAR REVIEWED BY | DATE |
|-------------------------|------------|
| ADRIAN HANNAM, P.Eng | 2026-04-24 |

| VÉRIFIÉ PAR CHECKED BY | DATE |
|---------------------------|------------|
| JASON CLARKE, P.Eng. | 2026-04-24 |

ÉCHELLE
SCALE: 1:400 DATE: 2026-04-24


| NO. DESSIN DRAWING NO. | NO. PROJET PROJECT NO. | REVISION | FUILLE / SHEET |
|---------------------------|---------------------------|----------|----------------|
| 65-180-270-018 | 6537 | 3 | 1 / 1 |

TERMS OF USE:
THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND EXCLUSIVELY INTENDED FOR USE ON THE SPECIFIC PROJECT BY THE AUTHORIZED RECIPIENT. ALL DRAWING CONTENT HEREIN, INCLUDING BUT NOT LIMITED TO GRAPHIC ELEMENTS, SYMBOLS, LIBRARIES, BLOCKS, TECHNICAL DETAILS, COORDINATE DATA, LINEWORK, AND DIMENSIONAL SPECIFICATIONS, ARE STRICTLY PROTECTED AND MAY NOT BE REPRODUCED, TRANSFERRED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPLICIT WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.

RECOGNIZING THE INHERENT VULNERABILITIES OF DIGITAL DATA TRANSMISSION AND THE LIMITATIONS IN CONTROLLING ITS SUBSEQUENT USE, GREATPACIFIC CONSULTING LTD. DISCLAIMS ALL LIABILITY FOR ANY CONSEQUENCES ARISING FROM THIS DOCUMENT'S UTILIZATION. THE USER BEARS FULL RESPONSIBILITY FOR INDEPENDENTLY VERIFYING THE ACCURACY AND COMPLETENESS OF ALL INFORMATION PRESENTED. GREATPACIFIC CONSULTING LTD. RESERVES THE RIGHT TO MODIFY THIS DOCUMENTATION WITHOUT PRIOR NOTIFICATION TO ANY RECIPIENT. CONSEQUENTLY, USERS ARE ADVISED TO RELY EXCLUSIVELY ON HARD COPY OR OFFICIALLY SEALED DRAWINGS ISSUED DIRECTLY BY THE ENGINEERING OFFICE. BY ACCESSING OR UTILIZING THIS DIGITAL INFORMATION, THE USER EXPLICITLY ASSUMES ALL ASSOCIATED RISKS AND POTENTIAL LIABILITIES.

SHOULD THE USER NOT AGREE WITH THE TERMS OF THIS DISCLAIMER, THEY ARE REQUIRED TO IMMEDIATELY CEASE USAGE AND PERMANENTLY DELETE ALL COPIES OF THIS DOCUMENT FROM THEIR SYSTEMS. CONTINUED ENGAGEMENT WITH THIS DIGITAL CONTENT CONSTITUTES FULL ACCEPTANCE OF THE DISCLAIMER'S CONDITIONS.

RECORD DRAWING DISCLAIMER:
THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERSIGNED'S ATTENTION. THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDENDA, CHANGE ORDERS, AND OTHER MATERIAL DESIGN CHANGES, BUT NOT NECESSARILY ALL SITE INSTRUCTIONS. THE UNDERSIGNED DOES NOT WARRANT OR GUARANTEE, NOR ACCEPT ANY RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE AS-CONSTRUCTED INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS, BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS-CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS-CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLIES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.



- NOTES GÉNÉRALES / GENERAL NOTES**
1. DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
 2. GEOTECHNICAL CONDITIONS AT SITE ARE UNKNOWN. WEIGHTS MAY UNDERGO DIFFERING LEVELS OF SETTLEMENT INTO THE SEABED OVER TIME.
 3. SEABED CONDITIONS MAY CHANGE OVER TIME.



INFORMATION CONTAINED HEREIN IS THE PROPERTY OF GREATPACIFIC ENGINEERING & ENVIRONMENT. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED, STORED IN A RETRIEVING SYSTEM, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF GREATPACIFIC ENGINEERING & ENVIRONMENT.

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | # DWG |
|-------------------------------------|---------------------|
| BALLAST BLOCK REINFORCEMENT DETAILS | 65-180-270-201-7_R0 |
| HOPE PIPE BALLAST BLOCK | 65-180-270-201-6_R0 |
| | |
| | |



| REV. | DATE | DESCRIPTION | PREP'D | VER. | CLIENT |
|------|------------|-------------------|--------|------|--------|
| 3 | 2026-04-24 | RECORD DRAWING | ECL | AH | JPH |
| 2 | 2026-04-08 | RECORD DRAWING | ECL | AH | JPH |
| 1 | 2025-05-16 | FOR PERMITTING | ECL | AH | JPH |
| 0 | 2025-04-17 | FOR PERMITTING | ECL | AH | JPH |
| 1 | 2025-04-10 | FOR CLIENT REVIEW | ECL | AH | JPH |

REVISIONS

RECORD DRAWING
2026-04-24

TITRE / TITLE
AGNICO EAGLE - MELIADINE DIVISION
180 - SALINE EFFLUENT DISCHARGE SYSTEM
270 - PIPING
DETAIL
TIE-IN & WEIGHTING DETAILS

| DESINÉ PAR DRAWN BY | DATE DATE |
|----------------------------|--------------|
| ERIK LIDSTONE, ASCT. | 2026-04-24 |
| REVU PAR REVIEWED BY | DATE DATE |
| ADRIAN HANNAM, P.Eng. | 2026-04-24 |
| VÉRIFIÉ PAR VERIFIED BY | DATE DATE |
| JASON CLARKE, P.Eng. | 2026-04-24 |


| NO. DESSIN DRAWING NO. | REVISION | FEXILLE / SHEET |
|---------------------------|----------|-----------------|
| 65-180-270-019 | 3 | 1 / 1 |
| 6537 | | |

TERMS OF USE:
THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND EXCLUSIVELY INTENDED FOR USE ON THE SPECIFIC PROJECT BY THE AUTHORIZED RECIPIENT. ALL DRAWING CONTENT HEREIN, INCLUDING BUT NOT LIMITED TO GRAPHIC ELEMENTS, SYMBOL LIBRARIES, BLOCKS, TECHNICAL DETAILS, COORDINATE DATA, LINEWORK, AND DIMENSIONAL SPECIFICATIONS, ARE STRICTLY PROTECTED AND MAY NOT BE REPRODUCED, TRANSFERRED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPLICIT WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.

RECOGNIZING THE INHERENT VULNERABILITIES OF DIGITAL DATA TRANSMISSION AND THE LIMITATIONS IN CONTROLLING ITS SUBSEQUENT USE, GREATPACIFIC CONSULTING LTD. DISCLAIMS ALL LIABILITY FOR ANY CONSEQUENCES ARISING FROM THIS DOCUMENT'S UTILIZATION. THE USER BEARS FULL RESPONSIBILITY FOR INDEPENDENTLY VERIFYING THE ACCURACY AND COMPLETENESS OF ALL INFORMATION PRESENTED. GREATPACIFIC CONSULTING LTD. RESERVES THE RIGHT TO MODIFY THIS DOCUMENTATION WITHOUT PRIOR NOTIFICATION TO ANY RECIPIENT. CONSEQUENTLY, USERS ARE ADVISED TO RELY EXCLUSIVELY ON HARD COPY OR OFFICIALLY SEALED DRAWINGS ISSUED DIRECTLY BY THE ENGINEERING OFFICE. BY ACCESSING OR UTILIZING THIS DIGITAL INFORMATION, THE USER EXPLICITLY ASSUMES ALL ASSOCIATED RISKS AND POTENTIAL LIABILITIES.

SHOULD THE USER NOT AGREE WITH THE TERMS OF THIS DISCLAIMER, THEY ARE REQUIRED TO IMMEDIATELY CEASE USAGE AND PERMANENTLY DELETE ALL COPIES OF THIS DOCUMENT FROM THEIR SYSTEMS. CONTINUED ENGAGEMENT WITH THIS DIGITAL CONTENT CONSTITUTES FULL ACCEPTANCE OF THE DISCLAIMER'S CONDITIONS.

RECORD DRAWING DISCLAIMER:
THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERSIGNED'S ATTENTION. THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDENDA, CHANGE ORDERS, AND OTHER MATERIAL DESIGN CHANGES, BUT NOT NECESSARILY ALL SITE INSTRUCTIONS. THE UNDERSIGNED DOES NOT WARRANT OR GUARANTEE, NOR ACCEPT ANY RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE AS-CONSTRUCTED INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS, BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS-CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS-CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLIES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.



- NOTES GÉNÉRALES / GENERAL NOTES**
- DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
 - SIDESCAN IMAGERY AND INSPECTION VIDEO INDICATE 76 TOTAL UNDERSLUNG PRECAST CONCRETE WEIGHTS WERE UTILIZED. IT IS UNDERSTOOD ANECDOTALLY THAT THIS COMPRISED OF 27 X TYPE 1 UNDERSLUNG WEIGHTS AND 49 X TYPE 2 UNDERSLUNG WEIGHTS.
 - AGNICO EAGLE INDICATED THAT 23 PRECAST CONCRETE DOGHOUSE WEIGHTS WERE INSTALLED. COMPRISED OF 3 X TYPE 1 PRECAST CONCRETE DOGHOUSE WEIGHTS AND 19 X TYPE 2 PRECAST CONCRETE DOGHOUSE WEIGHTS.



INFORMATION CONTAINED HEREIN IS THE PROPERTY OF AGNICO EAGLE LTD. AND MAY BE RETURNED UNLESS OTHERWISE SPECIFIED. NO INFORMATION SHALL BE DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF AGNICO EAGLE LTD.

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | # DWG |
|-------------------------------------|---------------------|
| HOPE PIPE BALLAST BLOCK | 65-180-270-201-6_RO |
| BALLAST BLOCK REINFORCEMENT DETAILS | 65-180-270-201-7_RO |



| NO. | DATE | DESCRIPTION | PREP/REV | VER. | CLIENT |
|-----|------------|--------------------|----------|------|--------|
| 3 | 2026-04-24 | RECORD DRAWING | ECL | AH | JPH |
| 2 | 2026-04-08 | RECORD DRAWING | ECL | AH | JPH |
| 1 | 2025-06-16 | FOR PERMITTING | ECL | AH | JPH |
| 0 | 2025-04-17 | FOR PERMITTING | ECL | AH | JPH |
| 1 | 2025-04-10 | FC - CLIENT REVIEW | ECL | AH | JPH |

RECORD DRAWING
2026-04-24

TITRE / TITLE
AGNICO EAGLE - MELIADINE DIVISION
180 - SALINE EFFLUENT DISCHARGE SYSTEM
270 - PIPING
DETAIL
UNDERSLUNG WEIGHTING DETAILS

| DESSIN PAR / DRAWN BY | DATE |
|---------------------------|------------|
| ERIK LIDSTONE, ASct. | 2026-04-24 |
| REVU PAR / REVIEWED BY | DATE |
| ADRIAN HANNAM, P.Eng | 2026-04-24 |
| VERIFIÉ PAR / VERIFIED BY | DATE |
| JASON CLARKE, P. Eng. | 2026-04-24 |

NO. DESIGN / PROJECT NO.
65-180-270-020

NO. PROJET / PROJECT NO.
6537

REVISION / FEUILLE / SHEET
3 / 1

WEIGHTING QUANTITIES AND STATIONING

| STATIONING | STA 0+000 TO -0+008 | STA -0+008 TO -0+54 | STA -0+054 TO -0+120 | STA -0+115 TO -0+140 | TOTAL USED | TOTAL PROPOSED |
|--------------------------|---------------------|---------------------|----------------------|----------------------|------------|----------------|
| TYPE 1 UNDERSLUNG WEIGHT | 2 | 25 | - | - | 27 | 32 |
| TYPE 2 UNDERSLUNG WEIGHT | - | - | 36 | 13 | 49 | 49 |
| TYPE 1 DOGHOUSE WEIGHT | - | 3 | - | - | 3 | 12 |
| TYPE 2 DOGHOUSE WEIGHT | 1 | - | 13 | 5 | 19 | 19 |

TERMS OF USE:
THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND EXCLUSIVELY INTENDED FOR USE ON THE SPECIFIC PROJECT BY THE AUTHORIZED RECIPIENT. ALL DRAWING CONTENT HEREIN, INCLUDING BUT NOT LIMITED TO GRAPHIC ELEMENTS, SYMBOL LIBRARIES, BLOCKS, TECHNICAL DETAILS, COORDINATE DATA, DIMENSIONS, AND DIMENSIONAL SPECIFICATIONS, ARE STRICTLY PROTECTED AND MAY NOT BE REPRODUCED, TRANSFERRED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPLICIT WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.

RECOGNIZING THE INHERENT VULNERABILITIES OF DIGITAL DATA TRANSMISSION AND THE LIMITATIONS IN CONTROLLING ITS SUBSEQUENT USE, GREATPACIFIC CONSULTING LTD. DISCLAIMS ALL LIABILITY FOR ANY CONSEQUENCES ARISING FROM THIS DOCUMENT'S UTILIZATION. THE USER BEARS FULL RESPONSIBILITY FOR INDEPENDENTLY VERIFYING THE ACCURACY AND COMPLETENESS OF ALL INFORMATION PRESENTED. GREATPACIFIC CONSULTING LTD. RESERVES THE RIGHT TO MODIFY THIS DOCUMENTATION WITHOUT PRIOR NOTIFICATION TO ANY RECIPIENT. CONSEQUENTLY, USERS ARE ADVISED TO HELP EXCLUSIVELY ON HARD COPY OR OFFICIALLY SEALED DRAWINGS ISSUED DIRECTLY BY THE ENGINEERING OFFICE. BY ACCESSING OR UTILIZING THIS DIGITAL INFORMATION, THE USER EXPLICITLY ASSUMES ALL ASSOCIATED RISKS AND POTENTIAL LIABILITIES.

SHOULD THE USER NOT AGREE WITH THE TERMS OF THIS DISCLAIMER, THEY ARE REQUIRED TO IMMEDIATELY CEASE USAGE AND PERMANENTLY DELETE ALL COPIES OF THIS DOCUMENT FROM THEIR SYSTEMS. CONTINUED ENGAGEMENT WITH THIS DIGITAL CONTENT CONSTITUTES FULL ACCEPTANCE OF THE DISCLAIMER'S CONDITIONS.

RECORD DRAWING DISCLAIMER:
THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERSIGNED'S ATTENTION. THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDITIONAL CHANGE ORDERS, AND OTHER INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS, BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLIES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.

UNDERSLUNG WEIGHT TYPE 1 - 162 kg DRY MASS (5)
SCL: 1:20
QTY: 32


2507 SDSS FLAT BAR OVERSTRAP (7)
SCL: 1:20
QTY: 86

TYPE 1 WEIGHT 2507 SDSS UNDERSTRAP (8)
SCL: 1:5
QTY: 34

2507 SDSS FLAT BAR KNOCKOUT WEDGE (9)
SCL: 1:2
QTY: 98

UNDERSLUNG WEIGHT TYPE 2 - 198 kg DRY MASS (6)
SCL: 1:20
QTY: 49

TYPE 2 WEIGHT 2507 SDSS KNOCKOUT WEDGE (9)
SCL: 1:2
QTY: 98




TYPE 1 DOGHOUSE WEIGHT - 782 kg DRY MASS
 SCL: 1:10
 QTY: 12

TYPE 2 DOGHOUSE WEIGHT - 859 kg DRY MASS
 SCL: 1:10
 QTY: 19



NOTES GÉNÉRALES / GENERAL NOTES

- DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
- SEE DWG. 65-180-270-016 FOR CONCRETE SPECIFICATIONS.



DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | # DWG |
|---------------|-------|
| | |
| | |
| | |
| | |
| | |



| REV. | DATE | DESCRIPTION | PREP/REV. | VER. | CLIENT |
|------|------------|-------------------|-----------|------|--------|
| 3 | 2026-04-24 | RECORD DRAWING | ECL | AH | JPH |
| 2 | 2026-04-08 | RECORD DRAWING | ECL | AH | JPH |
| 1 | 2025-06-16 | FOR PERMITTING | ECL | AH | JPH |
| 0 | 2025-04-17 | FOR PERMITTING | ECL | AH | JPH |
| 1 | 2025-04-10 | FOR CLIENT REVIEW | ECL | AH | JPH |

RECORD DRAWING
 2026-04-24

TITRE / TITLE
 AGNICO EAGLE - MELIADINE DIVISION
 180 - SALINE EFFLUENT DISCHARGE SYSTEM
 270 - PIPEWORK
 DETAIL
 DOGHOUSE WEIGHTING DETAILS

| | | |
|----------------------------|-----------------------|--------------------|
| DESINÉ PAR DRAWN BY | ERIK LIDSTONE, ASct. | DATE 2026-04-24 |
| REVU PAR REVIEWED BY | ADRIAN HANNAM, P.Eng | 2026-04-24 |
| VÉRIFIÉ PAR VERIFIED BY | JASON CLARKE, P. Eng. | 2026-04-24 |


| | |
|---------------------------|----------------|
| NO. DESSIN DRAWING NO. | 65-180-270-021 |
| NO. PROJET PROJECT NO. | 6537 |
| REVISION | 3 |
| FEMILLE / SHEET | 1 / 1 |

TERMS OF USE:
 THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND EXCLUSIVELY INTENDED FOR USE ON THE SPECIFIC PROJECT BY THE AUTHORIZED RECIPIENT. ALL DRAWING CONTENT HEREIN, INCLUDING BUT NOT LIMITED TO GRAPHIC ELEMENTS, SYMBOL LIBRARIES, BLOCKS, TECHNICAL DETAILS, COORDINATE DATA, LINKAGES, AND DIMENSIONAL SPECIFICATIONS, ARE STRICTLY PROTECTED AND MAY NOT BE REPRODUCED, TRANSFERRED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPLICIT WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.


RECOGNIZING THE INHERENT VULNERABILITIES OF DIGITAL DATA TRANSMISSION AND THE LIMITATIONS IN CONTROLLING ITS SUBSEQUENT USE, GREATPACIFIC CONSULTING LTD. DISCLAIMS ALL LIABILITY FOR ANY CONSEQUENCES ARISING FROM THIS DOCUMENT'S UTILIZATION. THE USER BEARS FULL RESPONSIBILITY FOR INDEPENDENTLY VERIFYING THE ACCURACY AND COMPLETENESS OF ALL INFORMATION PRESENTED. GREATPACIFIC CONSULTING LTD. RESERVES THE RIGHT TO MODIFY THIS DOCUMENTATION WITHOUT PRIOR NOTIFICATION TO ANY RECIPIENT. CONSEQUENTLY, USERS ARE ADVISED TO RELY EXCLUSIVELY ON HARD COPY OR OFFICIALLY SEALED DRAWINGS ISSUED DIRECTLY BY THE ENGINEERING OFFICE. BY ACCESSING OR UTILIZING THIS DIGITAL INFORMATION, THE USER EXPLICITLY ASSUMES ALL ASSOCIATED RISKS AND POTENTIAL LIABILITIES.

SHOULD THE USER NOT AGREE WITH THE TERMS OF THIS DISCLAIMER, THEY ARE REQUIRED TO IMMEDIATELY CEASE USAGE AND PERMANENTLY DELETE ALL COPIES OF THIS DOCUMENT FROM THEIR SYSTEMS. CONTINUED ENGAGEMENT WITH THIS DIGITAL CONTENT CONSTITUTES FULL ACCEPTANCE OF THE DISCLAIMER'S CONDITIONS.

RECORD DRAWING DISCLAIMER:
 THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERSIGNED'S ATTENTION. THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDENDA, CHANGE ORDERS, AND OTHER MATERIAL DESIGN CHANGES, BUT NOT NECESSARILY ALL SITE INSTRUCTIONS. THE UNDERSIGNED DOES NOT WARRANT OR GUARANTEE, NOR ACCEPT ANY RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE AS-CONSTRUCTED INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS, BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS-CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLIES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.



DIFFUSER STRUCTURE – ELEVATION VIEW
SCL: 1:40



DIFFUSER PORT SECTION – OPERATION CONFIGURATION
SCL: 1:5



NOTES GÉNÉRALES / GENERAL NOTES

1. DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
2. TIDEFLEX SPECIFICATIONS FROM TETRA TECH DRAWING "65-180-270-201_5 VALVE DETAILS".
 - 2.1. TYPE: WIDE BILL TIDEFLEX VALVE, 040-35W - 4"HC220WB.
 - 2.2. MAXIMUM BACKPRESSURE: 21.1 m
 - 2.3. BILL ORIENTATION: 45°
 - 2.4. ENGINEER: RED VALVE
 - 2.5. HYDRAULIC CODE: 220
 - 2.6. VALVES ORIENTED EAST, PERPENDICULAR TO DIFFUSER PIPE.



INFORMATION CONTAINED HEREIN IS THE PROPERTY OF GREATPACIFIC CONSULTING LTD. AND MAY BE RETURNED TO THE CLIENT WITHOUT WRITTEN PERMISSION. NO PARTING THEREWITH. IT IS THE USER'S RESPONSIBILITY TO OBTAIN ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AUTHORITIES. © GREATPACIFIC CONSULTING LTD.

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | # | DMG |
|---------------|---------------------|-----|
| VALVE DETAILS | 65-180-270-201-5_R0 | |
| | | |
| | | |
| | | |



| REV. | DATE | DESCRIPTION | PAR/ÉL | VER. | CLIENT |
|------|------------|-------------------|--------|------|--------|
| 3 | 2026-04-24 | RECORD DRAWING | ECL | AH | JPH |
| 2 | 2026-04-08 | RECORD DRAWING | ECL | AH | JPH |
| 1 | 2025-05-16 | FOR PERMITTING | ECL | AH | JPH |
| 0 | 2025-04-17 | FOR PERMITTING | ECL | AH | JPH |
| 1 | 2025-04-10 | FOR CLIENT REVIEW | ECL | AH | JPH |

REVISIONS

RECORD DRAWING
2026-04-24

TITRE / TITLE
AGNICO EAGLE – MELIADINE DIVISION
180 – SALINE EFFLUENT DISCHARGE SYSTEM
270 – PIPING
DETAIL
DIFFUSER DETAILS
STA -0+120 TO -0+145

| DESSINÉ PAR / DRAWN BY | DATE |
|---------------------------|------------|
| ERIK LIDSTONE, ASct. | 2026-04-24 |
| REVU PAR / REVIEWED BY | DATE |
| ADRIAN HANNAM, P.Eng. | 2026-04-24 |
| VÉRIFIÉ PAR / VERIFIED BY | DATE |
| JASON CLARKE, P.Eng. | 2026-04-24 |
| ÉCHELLE / SCALE | DATE |
| AS SHOWN | 2026-04-24 |


| | |
|---------------------------------------|------------|
| NO. DESIGN DRAWING NO. 65-180-270-022 | |
| NO. PROJECT / PROJECT NO. 6537 | REVISION 3 |
| FEMILLE / SHEET 1 | 1 / 1 |

TERMS OF USE:
THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND EXCLUSIVELY INTENDED FOR USE ON THE SPECIFIC PROJECT BY THE AUTHORIZED RECIPIENT. ALL DRAWING CONTENT HEREIN, INCLUDING BUT NOT LIMITED TO GRAPHIC ELEMENTS, SYMBOL LIBRARIES, BLOCKS, TECHNICAL DETAILS, COORDINATE DATA, LINEWORK, AND DIMENSIONAL SPECIFICATIONS, ARE STRICTLY PROTECTED AND MAY NOT BE REPRODUCED, TRANSFERRED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPLICIT WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.

RECOGNIZING THE INHERENT VULNERABILITIES OF DIGITAL DATA TRANSMISSION AND THE LIMITATIONS IN CONTROLLING ITS SUBSEQUENT USE, GREATPACIFIC CONSULTING LTD. DISCLAIMS ALL LIABILITY FOR ANY CONSEQUENCES ARISING FROM THIS DOCUMENT'S UTILIZATION. THE USER BEARS FULL RESPONSIBILITY FOR INDEPENDENTLY VERIFYING THE ACCURACY AND COMPLETENESS OF ALL INFORMATION PRESENTED. GREATPACIFIC CONSULTING LTD. RESERVES THE RIGHT TO MODIFY THIS DOCUMENTATION WITHOUT PRIOR NOTIFICATION TO ANY RECIPIENT. CONSEQUENTLY, USERS ARE ADVISED TO RELY EXCLUSIVELY ON HARD COPY OR OFFICIALLY SEALED DRAWINGS ISSUED DIRECTLY BY THE ENGINEERING OFFICE. BY ACCESSING OR UTILIZING THIS DIGITAL INFORMATION, THE USER EXPLICITLY ASSUMES ALL ASSOCIATED RISKS AND POTENTIAL LIABILITIES.

SHOULD THE USER NOT AGREE WITH THE TERMS OF THIS DISCLAIMER, THEY ARE REQUIRED TO IMMEDIATELY CEASE USAGE AND PERMANENTLY DELETE ALL COPIES OF THIS DOCUMENT FROM THEIR SYSTEMS. CONTINUED ENGAGEMENT WITH THIS DIGITAL CONTENT CONSTITUTES FULL ACCEPTANCE OF THE DISCLAIMER'S CONDITIONS.

RECORD DRAWING DISCLAIMER:
THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERSIGNED'S ATTENTION. THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDENDA, CHANGE ORDERS, AND OTHER MATERIAL DESIGN CHANGES, BUT NOT NECESSARILY ALL SITE INSTRUCTIONS. THE UNDERSIGNED DOES NOT WARRANT OR GUARANTEE, NOR ACCEPT ANY RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE AS-CONSTRUCTED INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS, BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS-CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS-CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLETES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.



R25 TYP.

℄

℄


1500

625

4500

NO ANCHOR SIGN 13
 SCL: 1:10
 QTY:1

SIGN DESIGN VALUES:
 SURFACE AREA = 6.75 m²
 DESIGN HOURLY WIND PRESSURE $\frac{1}{50}$ YEARS MELIADINE = 0.60 kPa (SITE INFORMATION AND DESIGN COEFFICIENT = AGNICO EAGLE MINES 2024-09-24)



NO ANCHOR DETAIL 14
 SCL: 1:10
 QTY:1



NOTES GÉNÉRALES / GENERAL NOTES

- DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
- ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
- SIGNS PANELS FABRICATED USING THE FOLLOWING MATERIALS:
 - ALUMINUM SUBSTRATE: 4 mm THICK 5052 H38 SIGN GRADE ALUMINUM
 - BACKGROUND YELLOW: 3M SCOTCHLITE DIAMOND GRADE REFLECTIVE, DIGITAL SHEETING 4091LUDS, YELLOW
 - RED DIAMOND STRIPE: 3M ELECTROCUT 117 RED SERIES
 - ANCHOR AND TEXT: 3M ELECTROCUT ENGINEERING GRADE BLACK
- LETTERING: 155 mm WIDE x 200 mm HIGH x 50 mm THICK BLACK LETTERS ON A YELLOW BACKGROUND, EQUALLY SPACED.
- FONT PIGIARNIC HEAVY FOR INUKTITUT TEXT AND ARIAL BOLD FOR ENGLISH TEXT.
- SIGN MOUNTING AND ANCHORING DETAILS DETERMINED AND EXECUTED BY AGNICO EAGLE MINES LTD. SIGN MOUNTING FRAME PROCURED THROUGH POLYALTO.
- CONSTRUCTED SIGN NOT OBSERVED BY GREATPACIFIC. AGNICO EAGLE INDICATED SIGN HAS BEEN CONSTRUCTED AS SPECIFIED.



INFORMATION CONTAINED HEREIN IS THE PROPERTY OF AGNICO EAGLE LTD. AND MAY BE DEEMED CONFIDENTIAL. WITHOUT WRITTEN PERMISSION, NO REPRODUCTION OR DISSEMINATION OF THIS INFORMATION IS PERMITTED. © AGNICO EAGLE LTD.

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | # DWG |
|---------------|-------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| REV. | DATE | DESCRIPTION | DESIGNER | VER. | CLIENT |
|------|------------|-------------------|------------|------|--------|
| 3 | 2026-04-24 | RECORD DRAWING | ECL AH JPH | | |
| 2 | 2026-04-08 | RECORD DRAWING | ECL AH JPH | | |
| 1 | 2025-05-16 | FOR PERMITTING | ECL AH JPH | | |
| 0 | 2025-04-17 | FOR PERMITTING | ECL AH JPH | | |
| 1 | 2025-04-10 | FOR CLIENT REVIEW | ECL AH JPH | | |

RECORD DRAWING
 2026-04-24

TITRE / TITLE
 AGNICO EAGLE - MELIADINE DIVISION
 180 - SALINE EFFLUENT DISCHARGE SYSTEM
 270 - PIPING
 DETAIL
 OUTFALL WARNING SIGN DETAILS

| DESIGNÉ PAR / DRAWN BY | DATE |
|---------------------------|------------|
| ERIK LIDSTONE, ASct. | 2026-04-24 |
| REVU PAR / REVIEWED BY | DATE |
| ADRIAN HANNAM, P.Eng. | 2026-04-24 |
| VÉRIFIÉ PAR / VERIFIED BY | DATE |
| JASON CLARKE, P.Eng. | 2026-04-24 |
| ÉCHELLE / SCALE | DATE |
| AS SHOWN | 2026-04-24 |


| NO. DESIGN DRAWING NO. | REVISION | FEMELLE / SHIT |
|------------------------|----------|----------------|
| 65-180-270-023 | 3 | 1 / 1 |

TERMS OF USE:
 THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND EXCLUSIVELY INTENDED FOR USE ON THE SPECIFIC PROJECT BY THE AUTHORIZED RECIPIENT. ALL DRAWING CONTENT HEREIN, INCLUDING BUT NOT LIMITED TO GRAPHIC ELEMENTS, SYMBOL LIBRARIES, BLOCKS, TECHNICAL DETAILS, COORDINATE DATA, LINKWORK, AND DIMENSIONAL SPECIFICATIONS, ARE STRICTLY PROTECTED AND MAY NOT BE REPRODUCED, TRANSFERRED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPLICIT WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.

RECOGNIZING THE INHERENT VULNERABILITIES OF DIGITAL DATA TRANSMISSION AND THE LIMITATIONS IN CONTROLLING ITS SUBSEQUENT USE, GREATPACIFIC CONSULTING LTD. DISCLAIMS ALL LIABILITY FOR ANY CONSEQUENCES ARISING FROM THIS DOCUMENT'S UTILIZATION. THE USER BEARS FULL RESPONSIBILITY FOR INDEPENDENTLY VERIFYING THE ACCURACY AND COMPLETENESS OF ALL INFORMATION PRESENTED. GREATPACIFIC CONSULTING LTD. RESERVES THE RIGHT TO MODIFY THIS DOCUMENTATION WITHOUT PRIOR NOTIFICATION TO ANY RECIPIENT. CONSEQUENTLY, USERS ARE ADVISED TO RELY EXCLUSIVELY ON HARD COPY OR OFFICIALLY SEALED DRAWINGS ISSUED DIRECTLY BY THE ENGINEERING OFFICE. BY ACCESSING OR UTILIZING THIS DIGITAL INFORMATION, THE USER EXPLICITLY ASSUMES ALL ASSOCIATED RISKS AND POTENTIAL LIABILITIES.

SHOULD THE USER NOT AGREE WITH THE TERMS OF THIS DISCLAIMER, THEY ARE REQUIRED TO IMMEDIATELY CEASE USAGE AND PERMANENTLY DELETE ALL COPIES OF THIS DOCUMENT FROM THEIR SYSTEMS. CONTINUED ENGAGEMENT WITH THIS DIGITAL CONTENT CONSTITUTES FULL ACCEPTANCE OF THE DISCLAIMER'S CONDITIONS.

RECORD DRAWING DISCLAIMER:
 THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERSIGNED'S ATTENTION. THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDENDA, CHANGE ORDERS, AND OTHER MATERIAL DESIGN CHANGES, BUT NOT NECESSARILY ALL SITE INSTRUCTIONS. THE UNDERSIGNED DOES NOT WARRANT OR GUARANTEE, NOR ACCEPT ANY RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE AS-CONSTRUCTED INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS, BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS-CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLIES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.



NAVIGATION BUOY & MOORING 15
SCL: 1:100
QTY: 1

TDL 89-BE/LE
NAVIGATION

TDL 89-BE

| Buoy Construction | |
|---|----------------------------------|
| Hull | Polyethylene |
| Surface Finish | High Gloss |
| Foam Fill | 16 kg/m ³ Polystyrene |
| Retroreflective Area | Yes |
| Optional Radar Reflector | NPL RRR02 |
| Life Expectancy | 20+ Years |
| Warranty Period (Extensions available for purchase) | 3 Years |

| General Specifications | |
|---------------------------------------|---|
| Overall Height | 121 cm / 48" |
| Hull Diameter | 89 cm / 35" |
| Tower Section Diameter | 29.6 cm / 11.7" |
| Air-Weight | BE - 18 kg / 40 lbs LE - 22 kg / 48 lbs |
| Operational Reserve Buoyancy | 73 kg / 160.9 lbs - 14 cm / 5.5 in |
| Mooring Bushing Eye Internal Diameter | BE Only - 3.175 cm / 1.25" |
| Mooring Bushing Eye Width | BE Only - 3.8 cm / 1.5" |
| Mooring Eye Internal Diameter | LE Only - 4 cm / 1.6" |
| Lifting Eye Internal Diameter | LE Only - 4 cm / 1.6" |
| Retroreflective Area | 63 cm / 24.8 in |

| Performance Specifications | |
|---|---------------------------------|
| Min Visible Height / Min Focal Plane Height | 53.3 cm / 21" |
| Visual Range | n/a |
| Max Operational Buoy Tilt Angle (10m Depth) | High Stability |
| Max Operational Buoy Tilt Angle (22.5m Depth) | High Stability |
| Min Mooring Load | 12 kg / 26.5 lbs |
| Max Mooring Load | 85 kg / 187.4 lbs |
| Optional Radar Cross Sectional Area | 2 m ² / 21.5 sq. ft. |

| Environmental Conditions | |
|--------------------------|---------------------------------|
| Air Temperature | -2 C / 28.4 F to +50 C / +122 F |
| Water Temperature | -40 C / -40 F to +40 C / 104 F |

| Material Specifications | |
|--|---|
| Buoy Shell | Rotationally Moulded Compounded Polyethylene with UV20+ Protection Package |
| Load Bearing Internal Linking the Mooring Eye to the Lifting Eye | LE Only - Stainless Steel |
| Lifting Break Load | LE Only - Upon Request |
| Foam Fill | Closed Cell Polystyrene Fused In Situ Block with 16 kg/m ³ Density |
| Colour Options | Standard IALA Colours Available in Accordance with IALA Specification E-108 |
| Fasteners, Bushings and Inserts | Stainless Steel Bushings / Brass Inserts |
| Mooring and Lifting Attachment Points | Stainless Steel |
| Internal Ballast | Optional |

TIDAL TDL 89-BE/LE NAV BUOY 16
SCL: 1:100

Technical Specification M660

TDL 89-BE

| Specifications | |
|-------------------------------|---|
| Solar Panel | High-efficiency solar cells. Maximum Power Point Tracking (MPPT) for optimal energy collection |
| Battery | Long life 7+ years Li-ion battery (IEC 62133). Ventilated battery compartment |
| External Charge Port | external charger and charging port (Optional) |
| Light Source | High-power LED. Color-specific temperature-corrected LED drivers provide consistent intensity under all operating conditions. |
| Vertical Divergence | > 8° (FWHM) |
| Flash Patterns | 250+ flash patterns (including steady-on and custom) |
| Day / Night Transition | Day/Night Lux transition levels can be adjusted through Bluetooth app |
| Infrared Programmer | Programmable with IR programmer |
| Bluetooth Programmer | Lantern can be programmed and battery status checked up to 50 meters distance with Android and iOS apps |
| Construction | Premium grade UV resistant, polycarbonate body and lens material. Double O-ring sealing with waterproof vent |
| Colors | Red, Green, White, Yellow and Blue. As per IALA "Optimum" Recommendation E-200-1, dated December 2008 |
| Temperature | Operating -30 to 50°C (Including batteries) Storage -40 to 80°C (Including batteries) |
| Color Indicator | Yes. Red, Green, White, Yellow and Blue |
| Bird Deterrent | Yes, stainless steel |
| Weight | 0.8 kg |
| Wind Loading | 140 knots (72 m/s) |
| Ice Loading | 0.03 psi (22 kg/m ²) |
| Automatic Light Control (ALC) | When enabled, ALC will dynamically reduce brightness in response to unusually low amounts of sunlight to ensure continued operation |
| Imperial / Metric Values Both | |
| USCG | USCG 33CFR67 Class C |
| RoHS | Yes |

| Peak intensity (IALA) | |
|-----------------------|-----------|
| Color | Intensity |
| Red | 40 cd |
| Green | 42 cd |
| White | 71 cd |
| Yellow | 52 cd |
| Blue | 18 cd |


Note: Standard optic. Peak IALA intensity dependent on location. To view performance in your installation location visit: www.carmanah.com/selector.

Designed and tested to the toughest industrial standards:

| | |
|---|--|
| Immersion | IP68 |
| Shock | MIL-STD-202G Method 213B Test Condition H |
| Vibration | MIL-STD-202B Method 204D Test Condition B 5g peak |
| Rain | 45° degree driving rain test |
| Humidity | 65° and 100 % humidity for 24 hours per IEC 60945 |
| Salt Fog | Salt Fog atmosphere for 240 hours per ASTM B117 procedure. EN 60950-1:2006 and 60950-22:2005 Section 8.3 |
| Extreme Temperature | IEC 60945 8.2.1.2 |
| Solar Radiation | 60950-1:2006 and 60950-22:2005 Section 8.2. |
| Hail | EN 61215 25mm OD at 20m/s |
| EN 55022:2010 + AC2011, CISPR 22: Edition 6.9 2008-09, AS/NZS CISPR 22: 2009 + A1: 2010 | |
| EMC/EM/ESD | Results. FCC 47 CFR Part 15, Subpart B and ICES-003 Issue 6 results. ESD 8,000V contact discharge, 25,000V air discharge |
| CE | Yes |
| Light Source | IALA E-200-1 (2008) |

| Dimensions | |
|-------------------------------|---------|
| Overall Height | 1210 mm |
| Hull Diameter | 890 mm |
| Mooring Eye Diameter | 89 mm |
| Lifting Eye Diameter | 40 mm |
| Mooring Eye Width | 38 mm |
| Mooring Eye Internal Diameter | 40 mm |
| Lifting Eye Internal Diameter | 40 mm |
| Mooring Eye Thickness | 3 mm |
| Lifting Eye Thickness | 3 mm |
| Mooring Eye Hole Diameter | 38 mm |
| Lifting Eye Hole Diameter | 40 mm |
| Mooring Eye Hole Thickness | 3 mm |
| Lifting Eye Hole Thickness | 3 mm |

CARMANAH M660 LANTERN 17
SCL: 1:100



NAVIGATION BUOY LOCATION PLAN 17
SCL: 1:1000

TERMS OF USE
THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND EXCLUSIVELY INTENDED FOR USE ON THE SPECIFIC PROJECT BY THE AUTHORIZED RECIPIENT. ALL DRAWING CONTENT HEREIN, INCLUDING BUT NOT LIMITED TO GRAPHIC ELEMENTS, SYMBOLS, LIBRARIES, BLOCKS, TECHNICAL DETAILS, COORDINATE DATA, DIMENSIONS, AND DIMENSIONAL SPECIFICATIONS, ARE STRICTLY PROTECTED AND MAY NOT BE REPRODUCED, TRANSMITTED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPLICIT WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.

REGARDING THE INHERENT VULNERABILITIES OF DIGITAL DATA TRANSMISSION AND THE LIMITATIONS IN CONTROLLING ITS SUBSEQUENT USE, GREATPACIFIC CONSULTING LTD. DISCLAIMS ALL LIABILITY FOR ANY CONSEQUENCES ARISING FROM THIS DOCUMENT'S UTILIZATION. THE USER BEARS FULL RESPONSIBILITY FOR INDEPENDENTLY VERIFYING THE ACCURACY AND COMPLETENESS OF ALL INFORMATION PRESENTED. GREATPACIFIC CONSULTING LTD. RESERVES THE RIGHT TO MODIFY THIS DOCUMENTATION WITHOUT PRIOR NOTIFICATION TO ANY RECIPIENT. CONSEQUENTLY, USERS ARE ADVISED TO RELY EXCLUSIVELY ON HARD COPY OR OPTICALLY SEALED DRAWINGS ISSUED DIRECTLY BY THE ENGINEERING OFFICE. BY ACCESSING OR UTILIZING THIS DIGITAL INFORMATION, THE USER EXPLICITLY ASSUMES ALL ASSOCIATED RISKS AND POTENTIAL LIABILITIES.

SHOULD THE USER NOT AGREE WITH THE TERMS OF THIS DISCLAIMER, THEY ARE REQUIRED TO IMMEDIATELY CEASE USAGE AND PERMANENTLY DELETE ALL COPIES OF THIS DOCUMENT FROM THEIR SYSTEMS. CONTINUED ENGAGEMENT WITH THIS DIGITAL CONTENT CONSTITUTES FULL ACCEPTANCE OF THE DISCLAIMER'S CONDITIONS.

RECORD DRAWING DISCLAIMER:
THE SEAL AND SIGNATURE ON THIS DRAWING CERTIFIES THAT THE DESIGN INFORMATION CONTAINED IN THESE DRAWINGS ACCURATELY REFLECTS THE ORIGINAL DESIGN AND MATERIAL DESIGN CHANGES MADE DURING CONSTRUCTION THAT WERE BROUGHT TO THE UNDERSIGNED'S ATTENTION. THESE DRAWINGS ARE INTENDED TO INCORPORATE ADDENDA, CHANGE ORDERS, AND OTHER MATERIAL DESIGN CHANGES, BUT NOT NECESSARILY ALL SITE INSTRUCTIONS. THE UNDERSIGNED DOES NOT WARRANT OR GUARANTEE, NOR ACCEPT ANY RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE AS-CONSTRUCTED INFORMATION SUPPLIED BY OTHERS CONTAINED IN THESE DRAWINGS, BUT DOES, BY SEALING AND SIGNING, CERTIFY THAT THE AS-CONSTRUCTED INFORMATION, IF ACCURATE AND COMPLETE, PROVIDES AN AS-CONSTRUCTED SYSTEM IN WHICH SUBSTANTIALLY COMPLIES IN ALL MATERIAL ASPECTS WITH THE ORIGINAL DESIGN INTENT.



- NOTES GÉNÉRALES / GENERAL NOTES**
- DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED.
 - ELEVATIONS IN METERS, GEO.
 - NAVIGATION BUOY, LANTERN, AND MOORING LINE SPECIFIED AND SUPPLIED BY TIDAL ENTERPRISES & GO DEEP INTERNATIONAL.
 - TO BE DEPLOYED DURING ICE-FREE SUMMER MONTHS, WITH RECOVERY PRIOR TO FREEZE-UP OF MELVIN BAY. PER TRANSPORT CANADA NAVIGATION PROTECTION PROGRAM.
 - BUOY MUST BE MOORED SUFFICIENTLY FAR FROM OUTFALL TO REDUCE RISK OF FOULING.
 - NAVIGATION BUOY HARDWARE AND INSTALLATION NOT OBSERVED BY GREATPACIFIC. HARDWARE AND INSTALLATION ASSUMED TO BE IN ACCORDANCE WITH IFC DRAWINGS.
 - MOORING, LANTERN, AND BUOY NOT DESIGNED FOR OPERATION DURING ICE/WINTER CONDITIONS.



INFORMATION CONTAINED HEREIN IS THE PROPERTY OF AGNICO EAGLE LTD. AND MAY BE RETURNED UPON REQUEST. WITHOUT WRITTEN PERMISSION FROM AGNICO EAGLE LTD. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED, TRANSMITTED, DISTRIBUTED, OR APPLIED TO ANY OTHER PROJECT WITHOUT EXPLICIT WRITTEN AUTHORIZATION FROM GREATPACIFIC CONSULTING LTD.

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITLE / TITRE | # | DWG |
|---------------|---|-----|
| | | |
| | | |
| | | |
| | | |
| | | |



| REV. | DATE | DESCRIPTION | APP/REV | VER. | CLIENT |
|------|------------|-------------------|---------|------|--------|
| 3 | 2026-04-24 | RECORD DRAWING | ECL | AH | JPH |
| 2 | 2026-04-08 | RECORD DRAWING | ECL | AH | JPH |
| 1 | 2025-05-16 | FOR PERMITTING | ECL | AH | JPH |
| 0 | 2025-04-17 | FOR PERMITTING | ECL | AH | JPH |
| 1 | 2025-04-11 | FOR CLIENT REVIEW | ECL | AH | JPH |

RECORD DRAWING
2026-04-24

TITLE / TITRE
AGNICO EAGLE - MELADINE DIVISION
180 - SALINE EFFLUENT OUTFALL SYSTEM
270 - PIPING
DETAIL
NAVIGATION BUOY DETAILS

| DESIGNER | DATE |
|-----------------------|------------|
| ERIK LIDSTONE, ASct. | 2026-04-24 |
| ADRIAN HANNAM, P.Eng. | 2026-04-24 |
| JASON CLARKE, P.Eng. | 2026-04-24 |

| | | |
|---|----------|-----------------|
| NO. DESIGN DRAWING NO. 65-180-270-024 | REVISION | FEUILLE / SHEET |
| NO. PROJECT PROJECT NO. 6537 | 3 | 1 / 1 |

APPENDIX B – MARINE RECONNAISSANCE PROGRAM 2018



REPORT

**Meliadine Gold Mine Ocean Discharge Monitoring Plan -
Marine Reconnaissance and Baseline Programs**
2018 Marine Reconnaissance Survey Data Report

Submitted to:

Martin Theriault

Agnico Eagle Mines Limited
Meliadine Division, Nunavut, Canada
X0C 0G0

Submitted by:


Golder Associates Ltd.

2nd floor, 3795 Carey Road, Victoria, British Columbia, V8Z 6T8, Canada

+1 250 881 7372

Doc707-18103567

February 2019



Distribution List

One electronic copy to Agnico Eagle Mines Ltd.

One electronic copy to Golder Associates Ltd.

Table of Contents

| | |
|---|-----------|
| 1.0 INTRODUCTION | 1 |
| 1.1 The Purpose and Scope of Work | 1 |
| 2.0 MATERIALS AND METHODS | 2 |
| 2.1 Desktop Review | 2 |
| 2.2 Field Program | 2 |
| 2.2.1 Study Areas | 2 |
| 2.2.2 Water Quality | 5 |
| 2.2.2.1 In situ Profiling | 5 |
| 2.2.2.2 Discrete Water Quality Sampling | 5 |
| 2.2.3 Sediment Quality | 5 |
| 2.2.4 Benthic Infauna | 6 |
| 2.2.5 Intertidal Habitat Surveys | 7 |
| 2.2.6 Marine Mammal Observations | 7 |
| 2.3 Quality Management | 8 |
| 2.3.1 Water Quality | 9 |
| 2.3.1.1 In Situ Profiling | 9 |
| 2.3.1.2 Discrete Water Quality Sampling | 9 |
| 2.3.2 Sediment Quality | 9 |
| 2.3.3 Benthic Infauna | 10 |
| 2.3.4 Intertidal Habitat Surveys | 10 |
| 3.0 RESULTS | 10 |
| 3.1 Study Areas | 10 |
| 3.2 Water Quality | 11 |
| 3.2.1 In Situ Profiling | 11 |
| 3.2.2 Discrete Water Samples | 11 |
| 3.3 Sediment Quality | 11 |
| 3.4 Benthic Infauna | 12 |
| 3.5 Intertidal Habitat | 12 |

| | |
|--|-----------|
| 3.6 Marine Mammals..... | 13 |
| 4.0 CONCLUSIONS AND RECOMMENDATIONS | 13 |
| 5.0 REFERENCES | 15 |

TABLES

| | |
|---|---|
| Table 1: Surveys Conducted at Exposure and Reference Areas in 2018; 'X' indicates survey was conducted, '-' indicates survey was not conducted..... | 3 |
| Table 2: Summary of survey stations and collected data | 3 |

FIGURES

| | |
|--|----|
| Figure 1: Reconnaissance Study Area Overview..... | 17 |
| Figure 2: Sampling Stations | 18 |
| Figure 3: Survey boat at the Exposure Area. | 19 |
| Figure 4: Sediment sampling using Petite Ponar grab..... | 19 |
| Figure 5: Homogenized sediment sample..... | 20 |
| Figure 6: Benthic infauna 1-mm sieving tray | 20 |
| Figure 7: Washed benthic infauna sample | 21 |
| Figure 8: Intertidal survey quadrat (0.5 m x 0.5 m) | 21 |
| Figure 9: Exposure Area vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom) | 22 |
| Figure 10: Reference Area R1 vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)..... | 23 |
| Figure 11: NWRefA-2 (Reference Area A) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom) | 24 |
| Figure 12: NWRefA-3 (Reference Area A) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom) | 25 |
| Figure 13: CTD-1 (Reference Area B) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)..... | 26 |
| Figure 14: CTD-2 (Reference Area B) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)..... | 27 |
| Figure 15: CTD-3 (Reference Area B) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)..... | 28 |
| Figure 16: Intertidal Transect EXP-T1 (Exposure Area), September 14, 2018 | 29 |
| Figure 17: An epifloral band in the lower intertidal zone in the Exposure Area represented mostly by rockweed (<i>Fucus</i> sp.), September 14, 2018 | 29 |
| Figure 18: Intertidal transect REF-T1 in the Reference Area R1, September 15, 2018 | 30 |

APPENDICES

APPENDIX A

Figures and Photos

APPENDIX B

Water Quality Sampling Field Logs

APPENDIX C

Sediment Sampling Field Logs

APPENDIX D

Benthic Infauna Sampling Field Logs

APPENDIX E

Intertidal Survey Data Sheets

APPENDIX F

Marine Water Quality Analytical Results

APPENDIX G

Marine Sediment and Water Quality Analytical Results

APPENDIX H

Benthic Infauna Laboratory Analysis Data

1.0 INTRODUCTION

As described in the Final Environmental Impact Statement Addendum (FEIS Addendum; Agnico Eagle 2018), to support long-term groundwater management for the Mine, Agnico Eagle has proposed to directly discharge excess groundwater effluent into Melvin Bay, after treatment to meet discharge water quality criteria for Melvin Bay and/or background conditions.

The conceptual Ocean Discharge Monitoring Plan (ODMP), included in the FEIS Addendum (as Appendix E; Agnico Eagle 2018), outlines objectives, rationale, and details for protection of water/sediment quality and biological components on the marine environment in Melvin Bay. The ODMP will align with Environmental Effects Monitoring (EEM) study design requirements per Metal and Diamond Mine Effluent Regulations (MDMER; SOR/2002/222). The proposed EEM design for treated groundwater discharge to Melvin Bay is based on a before/after, control/impact (BACI) approach with monitoring studies conducted in the exposure (impact) and reference (control) areas. As per of the EEM design, potential changes to water and sediment quality caused by the effluent discharge and the effect of these changes to aquatic life, fish habitat, and fish health are identified by comparing data collected from the exposure area during monitoring studies to data from reference areas and to baseline (pre-discharge) conditions.

Golder was retained by Agnico Eagle to conduct marine environmental reconnaissance surveys in Melvin Bay to establish appropriate reference areas and collect preliminary baseline data on physical properties of the water column, water and sediment quality, benthic substrate, benthic communities (infauna¹, epifauna² and epiflora³), and marine mammal occurrence.

1.1 The Purpose and Scope of Work

The purpose of the reconnaissance survey was to:

- Establish reference area(s) that have similar physical and ecological characteristics as the exposure area (i.e., similar water depth and substrate), but located outside of the influence of the treated effluent discharge or other confounding factors.
- Update previously collected baseline data on the marine and coastal environment.

Marine baseline studies were previously conducted for the Mine in Itivia Harbour and involved gathering of environmental data in an exposure and two reference areas (Nunami Stantec 2012). However, the surveys targeted shallower depths (up to 9 m shallower) than that of the discharge location, therefore, the survey locations and data gathered were considered not suitable as reference areas for the purpose of future environmental effects monitoring for treated groundwater effluent discharge.

The 2018 reconnaissance survey consisted of collection of data on physical properties of water column and limited sampling of water, sediments and benthic infauna in the exposure and candidate reference areas selected during a desktop review, as well as bio-physical surveys of the intertidal zone and observations of marine mammal occurrence.

¹ Infauna - organisms living in the substrate of the seafloor (e.g., polychaete worms, clams).

² Epifauna – organisms living on the seafloor (e.g., sea stars, crabs).

³ Epiflora – vegetation living on the sea floor.

2.0 MATERIALS AND METHODS

2.1 Desktop Review

A preliminary desktop review was completed prior to undertaking fieldwork and consisted of a review of the existing baseline report (Nunami Stantec 2012) and the satellite, topographic and navigation maps of Melvin Bay and adjacent areas of western Hudson Bay. The purpose of the review was to identify candidate reference area(s) based on the following criteria:

- similar topographic and bathymetric features to the location of the proposed diffuser in Melvin Bay (the exposure area);
- safe and unhindered access by a boat;
- relatively short distance from the exposure area, so the reference area(s) would have similar environmental characteristics and would be exposed to similar natural influences; and
- located outside of the potential zone of influence from the engineered diffuser and other anthropogenic factors.

Four candidate reference areas as well as a reference area previously surveyed by Nunami Stantec were selected based on the above criteria and are shown on Figure 1.

2.2 Field Program

The 2018 marine reconnaissance survey was conducted from 10 to 20 September 2018 by two Golder scientists using an 18-foot aluminium boat (Figure 3). The main purpose of the survey was to collect preliminary physical and ecological data and investigate whether the candidate reference areas were suitable for future marine EEM.

2.2.1 Study Areas

The reconnaissance surveys were conducted in the Exposure Area and three reference areas (A, B and R1) (Figure 2). Reference areas C and D (Figure 1) were not surveyed; Reference Area C was located at a distance that could not be safely accessed compared to Areas A and B, and Reference Area D was located in an area with high wind and wave exposure.

Exposure Area surveys were focused primarily at the future location of the proposed discharge pipe and diffuser near the existing Itivia Harbour fuel storage facility at a depth of 20 m in Melvin Bay. Surveys included water column profiling, water and sediment quality sampling, benthic infauna sampling, intertidal surveys and marine mammal observations (Table 1).

Reference areas A and B included water column profiling, water and sediment quality sampling, and benthic infauna sampling. A depth of 20 m (the depth of the proposed discharge diffuser) was selected for monitoring of sediment quality and benthic infauna community composition to avoid influence of depth as a potential factor affecting the monitoring endpoints.

Reference Area R1 had previously been surveyed in 2012 (Nunami Stantec 2012). Therefore, only water column profiling, water quality sampling, and intertidal surveys were conducted in 2018. R1 is at a shallower depth than the Exposure Area (the maximum depth is 15 m) and was not selected as a reference location for sediment quality and benthic infauna sampling.

Marine mammal observations were conducted in all study areas.

A list of sampling and measurements collected during the Reconnaissance Survey by stations is presented in Table 1.

Table 1: Surveys Conducted at Exposure and Reference Areas in 2018; 'X' indicates survey was conducted, '-' indicates survey was not conducted.

| Surveys | Exposure Area | Reference Areas | | |
|--------------------------------|---------------|-----------------|---|----|
| | | A | B | R1 |
| water column profiling | X | X | X | X |
| water quality sampling | X | X | X | X |
| sediment quality sampling | X | X | X | - |
| benthic invertebrates sampling | X | X | X | - |
| intertidal transect survey | X | X | X | X |
| marine mammal observations | X | X | X | X |

¹ previously surveyed by Nunami Stantec (2012)

Table 2: Summary of survey stations and collected data

| Station | Area | Coordinates (15 V) | Samples collected and replicates | | | | |
|----------|-------------|-----------------------|----------------------------------|--------------------------------|--------------------------|-------------------------|-----------------------------|
| | | | Water column profiles (In situ) | Discrete water quality samples | Sediment quality samples | Benthic infauna samples | Intertidal transect surveys |
| WN | Exposure | 546022 E 6963370 N | 1 | - | - | - | - |
| WC | Exposure | 546002 E 6963295 N | 1 | - | - | - | - |
| WS | Exposure | 545960 E 6963238 N | 1 | - | - | - | - |
| MWE-1 | Exposure | 546002 E 6963295 N | - | 1 at 1 m; 1 at 18 m | - | - | - |
| MWE-2 | Exposure | 546021 E 6963373 N | - | 1 at 1 m; 2a at 5 m | - | - | - |
| MBE-1 | Exposure | 545710 E 6963402 N | - | - | 4b | 3 | - |
| MBE-2 | Exposure | 545894 E 6963340 N | - | - | 3 | 3 | - |
| MBE-3 | Exposure | 545991 E 6963294 N | - | - | 3 | 3 | - |
| MBE-4 | Exposure | 546123 E 6963268 N | - | - | 3 | 3 | - |
| MBE-5 | Exposure | 546304 E 6963213 N | - | - | 3 | 3 | - |
| MWRefA-1 | Reference A | 545070 E 6961511 N | 1 | 1 at 1 m; 1 at 15 m | - | - | - |
| MWRefA-2 | Reference A | 545055 E 6961615 N | 1 | 1 at 1 m; 1 at 15 m | - | - | - |
| MRefA-1 | Reference A | 545070 E 6961511 N | - | - | 3 | 3 | - |
| MRefA-2 | Reference A | 545028 E 6961609 N | - | - | 3 | 3 | - |
| MWRefA-3 | Reference A | 543992 E 6961780 N | 1 | 1 at 1 m and 1 at 15 m | - | - | - |

Table 2: Summary of survey stations and collected data

| Station | Area | Coordinates (15 V) | Samples collected and replicates | | | | |
|-----------------|--------------|--|----------------------------------|--------------------------------|--------------------------|-------------------------|-----------------------------|
| | | | Water column profiles (In situ) | Discrete water quality samples | Sediment quality samples | Benthic infauna samples | Intertidal transect surveys |
| MBRefA-3 | Reference A | 543984 E 6961768 N | - | - | 3 | 3 | - |
| CTD-1 | Reference B | 542232 E 6961875 N | 1 | - | - | - | - |
| CTD-2 | Reference B | 540426 E 6962686 N | 1 | - | - | - | - |
| CTD-3 | Reference B | 541626 E 6962080 N | 1 | - | - | - | - |
| MWRefB-1 | Reference B | 541626 E 6962080 N | - | 1 at 1 m and 1 at 15 m | - | - | - |
| MBRefB-1 | Reference B | 541650 E 6962064 N | - | - | 1 | - | - |
| WW-1 | Reference R1 | 545249 E 6963763 N | 1 | 1 at 1 m and 1 at 10 m | - | - | - |
| WW-2 | Reference R1 | 545249 E 6963857 N | 1 | - | - | - | - |
| Transect EXP-T1 | Exposure | 546085 E 6963605 N to 546131 E 6963519 N | - | - | - | - | 1 |
| Transect EXP-T2 | Exposure | 546037 E 6963557 N to 546054 E 6963507 N | - | - | - | - | 1 |
| Transect REF-T1 | Reference R1 | 545395 E 6963954 N to 545392 E 6963923 N | - | - | - | - | 1 |
| Transect REF-T2 | Reference R1 | 545335 E 6963972 N to 545326 E 6963947 N | - | - | - | - | 1 |
| Total | | | 11 | 15 | 26 | 24 | 4 |

(a) includes blind water quality duplicate (Dup A)

(b) includes blind sediment quality duplicate (Dup A)

2.2.2 Water Quality

2.2.2.1 *In situ Profiling*

In situ parameters measured at each location included water depth, temperature, conductivity (salinity), dissolved oxygen, turbidity, chlorophyll concentration and transparency (Secchi depth). Vertical profiles were collected using an RBR XR-620 CTD (conductivity, temperature, depth) probe equipped with dissolved oxygen, turbidity and fluorometer sensors at stations in the Exposure and Reference areas (Figure 2 and Table 2). Measurements were taken throughout the water column by lowering the probe from the surface to the bottom at a vertical speed of approximately 0.5 m/sec while the probe was recording measurements at a frequency of 6 Hz (6 measurements per second).

Secchi depth was measured with a 30-cm white disk, which was lowered over the shaded side of the boat until no longer visible, raised back into view again and re-lowered. The second disappearance depth was recorded as the Secchi depth, from which photic zone depth can be calculated.

2.2.2.2 *Discrete Water Quality Sampling*

Discrete water quality samples were collected from stations in the Exposure and Reference areas shown on Figure 2 and in Table 2. Samples were collected at two depth intervals: 1 m below the surface, and at a depth approximately 5 m above the seafloor.

A water quality sampler (Kemmerer sampler) was lowered to target depth and a messenger was released along a tag line to trigger closure of the bottle sampler. After retrieval of the sampler, water samples were transferred to pre-labelled sample bottles and preservatives were added as required. Water samples were refrigerated until they were shipped to the analytical laboratory. Additionally, a blind duplicate sample was collected for quality assurance / quality control (QA/QC) purposes (refer to Section 2.3 for additional QA/QC details) at MWE-2D (deep sample).

Samples were sent to ALS analytical laboratories (ALS) for analysis of the following parameters:

- Conventional parameters, including pH, total dissolved solids (TDS), total suspended solids (TSS), hardness, electrical conductivity, and salinity.
- Major ions including sulphate and chloride.
- Nutrients, including ammonia, nitrate and phosphate, organic carbon.
- Total metals and dissolved metals including those listed in MDMER Schedule 4 and Schedule 5 paragraphs 4.

Water sampling effort was recorded in field log sheets presented in APPENDIX B.

2.2.3 Sediment Quality

Sediment quality samples were collected from stations in the Exposure Area and Reference areas A and B where water depth was approximately 20 m (Figure 2; Table 2). Three sediment samples were collected at each station.

Sediment samples were collected using a Petite Ponar grab sampler with an area of 0.0225 m² (Figure 4). Sediment samples were collected with three replicates from each station and each replicate sample consisted of approximately one to three grab samples, depending on grab penetration, to collect sufficient volume of substrate for analysis. Each grab sample was examined for acceptability based on the following criteria:

- sediment did not contain large foreign objects;

- grab showed adequate penetration depth and sufficient sediment volume (at least 25% full);
- grab was not overfilled (i.e., sediments did not touch the top of the grab);
- grab was not leaking (i.e., overlying water was present); and
- sample was not disturbed or winnowed (i.e., sediment surface was relatively flat).

Upon acceptance, the top 5 cm of sediment was removed from the grab using a clean stainless-steel spoon and transferred to a clean stainless-steel bowl. Sediments from all composite grabs were homogenized together until the colour and texture were consistent throughout the sample (Figure 5). Aliquots of the homogenized sediment were transferred to clean, labelled glass jars. Sediment samples were stored on ice packs in a cooler prior to shipment to the analytical laboratory.

Additional information, including the number of unsuccessful grabs, sediment appearance and odour (if any), presence of debris in sample, presence of live organisms in sample, and deviations from the planned sampling program, were recorded on field data sheets (APPENDIX C). The date, time, transect name, station number, and GPS coordinates of each sample were recorded. All sampling gear was rinsed and scrubbed with brushes with a biodegradable laboratory-grade detergent between sampling collections. Samples were kept in coolers in the field and in refrigeration until sent to ALS laboratories where they were analysed for the following parameters:

- particle size distribution (Wentworth scale);
- total organic carbon;
- nutrients; and
- total metal concentrations.

2.2.4 Benthic Infauna

Benthic infauna samples were collected from five stations in the Exposure Area and three stations in Reference Area A from a depth of 20 m. In general, benthic infauna samples were collected using the same device (Petite Ponar) and from the same locations as sediment quality samples with the exception of station MBRefB-1, where no benthic infauna samples were collected due to weather and safety constraints.

Benthic infauna samples were collected in triplicate from each station, with each replicate sample consisting of three to six grab samples, depending on grab penetration. Each benthic sample was examined for acceptability using criteria similar to that for sediment sampling.

Upon acceptance, contents of the grab sampler were transferred to an aluminum sieving tray (Figure 6). The contents were gently rinsed through a 1-mm mesh sieve with filtered seawater (Figure 7) and preserved in a 10% buffered formalin solution in pre-labeled 1 L wide-mouth HDPE sample jars. Larger organisms were removed during the rinsing process using forceps and preserved in separate jars to avoid crushing with hard substrate material. The containers were then sealed and inverted several times to promote homogenization with the formalin. Containers were labeled internally (water-resistant labels) and externally. Field observations (e.g., sediment characteristics) were recorded on field data sheets (APPENDIX D). Samples were sent to Biologica for species identification to the lowest practical taxonomic level and abundance determination.

2.2.5 Intertidal Habitat Surveys

Surveys in the intertidal zone were conducted along two transects in the Exposure Area and two transects in Reference Area R1 to characterize the epifloral and epifaunal communities and substrate type. Transect locations were selected with consideration for accessibility and safety for steep rocky shorelines and randomly within shallower sloped intertidal zones. Surveys were carried out on foot during low tide periods to maximize observations of the exposed intertidal zone.

Transect lines were positioned perpendicular to the shoreline starting from the ordinary high water (OHW) level and ending at the water line and start and end points were geo-referenced. A 0.25-m² quadrat (Figure 8) was positioned at 7 m intervals along each transect and the following key physical and biological information was collected for each quadrat:

- substrate types were identified on the surface using the size class categories, i.e., bedrock, boulder (>25 cm), cobble (6.5 to 25 cm), gravel, (0.2 to 6.5 cm) sand (0.06 to 0.2 mm) and silt/mud/clay (<0.06 mm), and recorded as percent cover (e.g., boulder 5%; cobble 15%; gravel 60%, sand 20%).
- presence and cover of macrophyte⁴ epiflora (e.g., periphyton, filamentous algae, kelp) in each quadrat.
- presence and abundance of invertebrate epifauna in each quadrat (when present, bivalve siphon holes and/or crab burrows were also recorded, but not counted).
- other notable biophysical components such as presence of wood debris, shells or detrital vegetation.
- photographs taken showing representative features.

Notes on general and other features of the shoreline (e.g., shore type, wave exposure, presence of biobands and anthropogenic debris) were recorded at each transect. All observational data was recorded on Project-specific field data forms presented in APPENDIX E.

2.2.6 Marine Mammal Observations

Every hour marine areas around the boat were observed for a duration of up to 5 minutes for the presence of marine mammals. Observations were to be recorded on survey log sheets and included the following information:

- date and time of observation;
- location;
- species observed;
- number of animals observed;
- behaviour; and
- any other observations.

In addition, incidental marine mammal observations occurring during the fieldwork were recorded. Marine mammal observation data collected during the 2018 Reconnaissance Program would be used as a basis for recommendations for any potential 2019 marine mammal studies.

⁴ Macrophyte – aquatic vegetation visible to the naked eye.

2.3 Quality Management

The overall goal of the Project was to collect quality data, which was achieved through consistent and thorough data collection, consultation amongst data recorders, and attention to detail during data entry.

Field staff was trained to be proficient in standardized sampling procedures, data recording using standardized forms, and equipment operations applicable to the monitoring program. All field work was completed according to specified instructions and established technical procedures for standard sample collection, preservation, handling, storage, and shipping protocols. Preliminary interpretation of the records and data QA/QC was carried out in the field to ensure the data collected met client specifications for quality and documentation of liability controls. At the end of the field survey, data was entered and organized in a database for subsequent analysis and interpretation. Field data recorded in notebooks was transferred to an electronic database.

A thorough QA/QC check of the data during the data analysis stage was conducted. The QA/QC measures set in place include a multi-tiered technical review team that review all data for consistency of methods and results and independently test random data samples for quality.

General QA/QC tasks completed during the survey include, but not limited to, the following:

- Preparing geo-referenced field maps for use during the surveys to accurately document the location of any observations.
- Preparing Project-specific data collection forms to ensure a comprehensive and accurate field data collection process.
- Collecting geo-referenced coordinates in the field for comparison with field maps to confirm the location of documented observations.
- Maintaining adequate photo documentation to illustrate the various features and species observed during field surveys, and to be kept for subsequent review and reporting.
- Collating and reviewing field data collected among observers to ensure consistent methods and calibrate observer estimates (e.g., estimation of substrate and vegetation cover in quadrat sampling).
- Reviewing all data and reports to review accuracy (e.g., species identification) and consistency (e.g., measurement units).
- Allowing regular communications between the Project Manager and field staff.
- Quality Control (duplicate) samples were collected in the field.
- Accredited laboratories will be selected for sample analysis. Performance quality of selected laboratories were verified through Golder's internal vendor approval and assessment procedures.
- Field data sheets were reviewed by the field supervisor at the end of each day for completeness and accuracy.
- Chain-of-custody documentation were used to track sample shipments to the individual subcontractor laboratories
- Samples were packaged and shipped to the laboratory in accordance with holding times and storage conditions in an effort for analyses to be met.

- Laboratory QA/QC for sediment samples included recommended sample holding times and the analysis of laboratory control samples, laboratory duplicates, and spiked samples to assess precision and accuracy of analytical methods. Laboratory QA/QC reports were reviewed upon receipt to confirm that the laboratory data quality objectives (DQOs) had been met and that the appropriate QA/QC information had been reported.

2.3.1 Water Quality

2.3.1.1 In Situ Profiling

Maintenance and calibration of the RBR XR-620 CTD profiler and associated sensors are performed by the instrument provider ASL Environmental (completed immediately prior to the reconnaissance program). No field quality checks of any of the parameters were required beyond the cast acceptability check and range checks. DO, pH, pressure offset, and transmissivity performance were carefully monitored and calibrated prior to and immediately following the reconnaissance program.

Immediately following data collection, all data were checked for erroneous values, outliers and to be certain that all data and configuration files were present and properly named. All data were reviewed graphically for outliers as well as trends, and to confirm that all sensors were functioning properly during the deployment. All profile data, datasheets and field notes were saved to a laptop computer and backed up on an external hard drive.

2.3.1.2 Discrete Water Quality Sampling

QA/QC measures were implemented to minimize possible contamination of the collected water samples. Industry standard sampling protocols were followed including collection, handling and shipping procedures. Samples were collected in laboratory-sterilized water bottles and included collection and analysis of a duplicate sample.

A blind duplicate water sample was taken from MWE-2D (Dup A). A number of duplicate analyses were also run by the ALS laboratory for QA/QC. For each pair of QA/QC duplicate water samples, the relative percent differences (RPD) can be calculated, using the following formula:

$$RPD = \left(\frac{\text{sample} - \text{duplicate}}{(\text{sample} + \text{duplicate})/2} \right) \times 100$$

The RPD between the duplicates is a measure of the variability inherent in field sampling (environmental heterogeneity, sampler handling leading to contamination). It is suggested that any field duplicates with RPD values exceeding 20% should be noted and the data should be interpreted accordingly (BCMOE 2013). Where concentrations are within five times the method detection limit (MDL), no RPD calculation is required as long as the difference between replicates is within a value equal to two times the MDL. This is due to the RPD being more sensitive to variation as values approach the analytical detection limit.

2.3.2 Sediment Quality

To confirm sediment sample integrity, the following QA/QC measures were undertaken:

- Samples were collected and processed by qualified experienced personnel.
- Samples were collected in such a way that no foreign material was introduced to the sample.
- Sample handling or contact with contaminated materials/surfaces was minimized.
- Samples were placed in appropriate clean containers in such a way that no material of interest was lost due to adsorption, degradation, or volatilization.

- Sufficient sediment volumes were collected so that required detection limits can be met, and quality control samples can be analyzed.
- Equipment including the grab sampler, stainless steel bowls and spoons were washed with laboratory-grade biodegradable detergent between each station to prevent cross-contamination. Equipment was rinsed between grab samples.
- A duplicate sample (Dup A) was collected from MBE-1 Replicate 3 (APPENDIX C). The duplicate was a discrete homogenized sample from a separately collected grab (as opposed to a split sample). In accordance with the BC Field Sampling Manual (BC MOE 2013), an RPD value of $\pm 50\%$ can be used to identify differences between original and duplicate samples. Values less than five times the MDL should not be included in the RPD calculations because analytical variability near the MDL is higher and does not provide a good measure of variability associated with the collection of field samples.

2.3.3 Benthic Infauna

Field QA/QC procedures are discussed in Section 2.2.4. Biological laboratory QA/QC measures included an assessment of sorting recovery, identification error, and precision/accuracy of sub-sampling. The taxonomic laboratory identified organisms to the lowest practical taxonomic level. Laboratory procedures included sample sorting measures, spot-checks, preliminary counting of major groups, and collaborative identification to accurately identify species to their lowest taxonomic level. Results of QA/QC measures implemented by the taxonomic laboratory are reported in APPENDIX H.

Benthic data was checked and no obvious signs of error in sample analysis were found. Incidental organisms, including meiofauna and zooplankton species, were removed from benthic analysis.

2.3.4 Intertidal Habitat Surveys

The following measures were undertaken to achieve the QA/QC objectives of the surveys:

- assessment was conducted by qualified and competent personnel;
- photo documentation of each transect line and quadrat was collected and maintained;
- species identification and quantitative assessment was verified by two field personnel;
- geo-referenced location coordinates collected in the field were plotted on electronic maps (e.g., Google earth) to confirm the location of documented observations; and
- field data sheets were reviewed by the project supervisor to confirm completeness and accuracy.

3.0 RESULTS

3.1 Study Areas

Reference areas A and B were determined suitable for future monitoring reference sites for the Exposure Area since both have similar bathymetric (within 20-m) and topographic profiles, easily accessible by boat and at a relatively short distance from Rankin Inlet, and located outside of the potential zone of influence from the discharge and other anthropogenic factors. These features make Reference areas A and B more suitable than Reference areas C and D, which are located in areas less safely accessible.

3.2 Water Quality

3.2.1 In Situ Profiling

Vertical profiles of the water column measured during the surveys are presented in Figure 9 to Figure 15. Graphs were smoothed by using running averages.

Oceanographic conditions measured during the survey were similar among the study areas. Physical properties of water were uniform throughout the entire column and displayed a well mixed pelagic environment with no vertical stratification indicating strong oceanic influence with no or little freshwater influence. Water temperature was slightly lower at the bottom and higher at the surface at some locations, however, horizontal variations in water temperature between different sites were, in general, greater than vertical differences at each station. Water temperature ranged from 5.1 to 6.2°C. Salinity was uniform throughout the water column and ranged between 30.7 and 30.9 PSU for all survey areas and depths. An exception was a cast at station CTD-1 where salinity was slightly lower (30.5 PSU) at the surface (top 10 cm).

Water was, in general, clear throughout all study areas. Turbidity was slightly higher in Melvin Bay (Exposure Area and Reference Area R1) than in Reference areas A and B and ranged between 1.2 and 2.4 NTU. An exception was the CTD-1 (Reference Area B) cast where turbidity at the surface was 6.1 NTU, which may have been caused by wind-generated dust deposition at the moment of measurement.

Chlorophyll concentrations ranged from 0.4 to 1.5 µg/L corresponding to typical for Arctic waters oligotrophic (nutrient poor) to mesotrophic (with moderate level of nutrients) marine systems (CCME 2007 adopted from Vollenweider et al 1998). Chlorophyll maximums occurred at depths below 5 to 10 m. Dissolved oxygen concentrations were also vertically uniform at all survey locations and ranged from 6.5 ml/L to 8 ml/L.

3.2.2 Discrete Water Samples

Analytical results of discrete water quality samples are presented in APPENDIX F and APPENDIX G. Recommended hold times were exceeded for several components, i.e., TDS, TSS, pH, dissolved orthophosphate, nitrate, nitrite and total phosphorus, due to delivery delays caused by the remote location.

Results of the QA/QC assessment procedures conducted by the laboratory are also presented in APPENDIX F and APPENDIX G. RPDs were calculated between sample MWE-2D and its blind field duplicate (DUP A), and no RPD value was found exceeding 20% (APPENDIX F-2).

Laboratory derived results for salinity were similar to those measured in situ, albeit having a slightly wider range (29.7 – 31.3 PSU). Concentrations of TSS were low ranging from below the detection limit of 2 mg/L to 3.8 mg/L. Water quality results were screened against the Canadian Council of Ministers of Environment (CCME) guidelines for the protection of aquatic life for marine environments (CCME 2014). None of the parameters exceeded CCME guidelines.

3.3 Sediment Quality

Field observations recorded in sediment sampling logs (APPENDIX C) show that benthic substrate was similar throughout the surveyed areas and predominantly consisted of silt and clay. The only exception was station MRefB1 (Reference Area B) where sediment consisted of a coarser substrate, mixture of sand, gravel and silt.

Analytical results of sediment quality samples including the internal QA/QC assessment procedures conducted by the laboratory are presented in APPENDIX G. RPDs were calculated between sample MBE-1 Replicate 3 and its blind duplicate (DUP A) (APPENDIX G-2). RPDs for molybdenum and nickel exceeded 50% and were 111% and 54%, respectively. Differences in metal concentrations between the two samples can be attributed to spatial variability in sediment composition in the study area, since these samples were collected from two different grabs.

Analysis showed that sediment at stations, except MBE1B1, consisted predominantly of fine particles (silt) and was classified as silty loam or silt. Sediment at MBE1B1 had a higher percentage of sand and was classified as sandy loam. A preliminary screening against CCME guidelines showed that concentration of chromium in one sample (MBE-1 replicate 3 [57 mg/kg]) exceeded the Interim Sediment Quality Guideline (ISQG) for the protection of aquatic life in the marine environment for chromium of 52 mg/kg (CCME 2014). Concentrations of all other analyzed parameters were below sediment quality guidelines.

3.4 Benthic Infauna

Information on the analysis of benthic infauna samples, including taxonomic and abundance data, laboratory analytical methods, and QA/QC results are presented in APPENDIX H. A total of 24 samples (eight stations with three samples collected at each) were analysed. A total of 1,400 benthic infauna (benthos) organisms were observed, representing 52 unique taxa (species or genus level). Unique taxa for 83 organisms could not be determined and were identified to a higher taxonomic level (genus or family). Incidental organisms, including meiofauna (e.g. nematodes), plankton (*Brachyura* larvae) and fragments of indeterminate species, removed from benthos were reported separately; a total of 13 incidental organisms were found in benthic infauna samples.

Abundance per sample ranged from 15 organisms (MBE-1-3) to 120 organisms (MBE-5-2); the average abundance ranged from 36 (MBE Ref A-1) to 97 organisms (MBE-5) per station. Taxonomic richness (number of taxa per sample) ranged from 8 (MBE Ref A-1-3) to 19 (MBE Ref A-3-2); the average taxonomic richness ranged from 10 (MBE Ref A-1) to 17 taxa (MBE Ref A-3) per station (APPENDIX H).

Benthic communities in the study areas were dominated by polychaete worms, which represented 63% of all organisms and 40% of identified unique taxa. Crustaceans were the second largest group of benthic invertebrates representing 31% of all organisms and 29% of identified unique taxa. The single most abundant taxon (338 organisms) across all stations was amphipod crustacean *Protomedea* sp., which constituted 24% of all organisms. Taxonomic composition of benthic infauna communities between the Exposure and Reference A Areas was, in general, similar with few notable exceptions. Polychaete worm (*Ophelina acuminata*) was found in high abundance (40 organisms) in samples from the Reference A area but was not found in any samples from the Exposure Area. Smooth nutclam (*Ennucula tenuis*) and amphipod (*Bathymedon obtusifrons*) were found in relatively high abundance (17 and 10 organisms, respectively) in several samples from the Exposure Area, but none were found in the Reference Area A.

All samples were analysed in whole due to relatively low volumes of sediments and debris in sample containers (APPENDIX H). All analysed samples were re-sorted for QA/QC purposes to assess sorting efficiency; 100% sorting efficiency was achieved for all analysed samples (APPENDIX H).

All benthic infauna specimens were archived in air-tight glass vials with glycerin and 70% ethanol for long-term storage.

3.5 Intertidal Habitat

Data collected during the intertidal habitat surveys is presented in the form of field-filled data sheets in APPENDIX E. The intertidal zone in the Exposure Area was characterized as a gently-sloped flat topography (Figure 16). The length of intertidal transect EXP-T1 in the Exposure Area was approximately 100 m. The substrate was predominantly hard and composed of boulders, cobble and gravel, intermittent, at places, with sandy patches in the lower areas. Epiflora and epifauna were sparse, particularly in the upper and middle parts of the intertidal zone. Epiflora was more abundant in the lower intertidal zone in the Exposure Area where approximately 30-m-wide band of vegetation (up to 55% cover) was observed represented mainly by rockweed (*Fucus* sp.; Figure 17). Epifauna was mostly represented by molluscs, such as snails *Littorina* spp. and mussels.

The intertidal zone in Reference Area R1 had a steeper slope than the Exposure Area, particularly in the upper areas (Figure 18). The length of intertidal transects in Reference Area R1 ranged between 27 and 31 m. The substrate in this area was similar to that of the Exposure Area, however, abundance and diversity of epiflora and epifauna were considerably lower in Reference Area R1.

3.6 Marine Mammals

No marine mammals were observed during the surveys at any of the surveyed sites.

4.0 CONCLUSIONS AND RECOMMENDATIONS

Reference areas A, B and R1 had similar oceanographic conditions as the Exposure Area. Reference areas A and B have the same depth contours as the Exposure Area, but Reference Area R1 is located at a shallower water depth than the Exposure Area and was not selected as a reference area for sediment and benthic infauna monitoring. Reference Area A had similar substrate types as the Exposure Area, while Reference Area B had a slightly coarser substrate. Although a limited number of sediment samples (1 sample only) and no benthic infauna samples were collected at Reference Area B due to weather issues, there is a potential to still use this site as a future reference area.

Based on the 2018 Marine Reconnaissance Surveys and the requirements for EEM, the following are recommended to improve future surveys:

- Conduct Baseline Study Program during the summer of 2019 prior to treated groundwater effluent discharge as outlined in Golder's Proposal No P18103567. The studies will consist of complete baseline data collection for water and sediment quality, benthic invertebrates, fish population and fish tissue studies per EEM study requirements under MDMER. Sampling at reference areas (A and B) be conducted in concurrence with sampling at the Exposure Area for the environmental effects monitoring purposes.
- Commence field surveys earlier in the season, July or August of 2019, at a period with reduced wind conditions in the marine environment. This will allow for safer marine vessel operations and sampling activities and potentially fewer delays due to unfavourable weather.

Signature Page

Golder Associates Ltd.

Original signed by:

Arman Ospan, MSc, RPBio
Marine Biologist

Original signed by:

Derek Nishimura, MSc, RPBio
Senior Biologist

Original signed by:

Lasha Young, MSc
Associate, Project Manager

AO/DN/LY/rd


Golder and the G logo are trademarks of Golder Associates Corporation

5.0 REFERENCES


- BC MOE (British Columbia Ministry of Environment). 2013. British Columbia Field Sampling Manual. <https://www2.gov.bc.ca/gov/content/environment/research-monitoring-reporting/monitoring/laboratory-standards-quality-assurance/bc-field-sampling-manual>
- CCME (Canadian Council of the Ministers of Environment). 2007. Canadian Guidance Framework for the Management of Nutrients in Nearshore Marine Systems.
- CCME. 2014. Canadian Environmental Quality Guidelines. Accessed October 2018 https://www.ccme.ca/en/resources/canadian_environmental_quality_guidelines/index.html.
- Nunami Stantec. 2012. Meliadine Gold Project Marine Baseline Report, Itivia Harbour, Rankin Inlet, NU. Technical report prepared for Agnico-Eagle Mines Ltd.
- Vollenweider, R.A., F. Giovanardi, G. Montanari and A. Rinaldi. 1998. Characterization of the trophic conditions of marine coastal waters with special reference to the NW Adriatic Sea: Proposal for a trophic scale, turbidity and generalized water quality index. *Environmetrics* 9: 329-357.

APPENDIX A

Figures and Photos



- LEGEND**
- STUDY AREA
 - MINE FOOTPRINT
 - WATERSHED BOUNDARY
 - WATERCOURSE
 - WATERBODY



- REFERENCE(S)**
1. BASE DATA OBTAINED FROM AGNICO EAGLE MINES LIMITED.
 2. DATUM: NAD83 PROJECTION UTM ZONE 15

CLIENT **AGNICO EAGLE MINES LIMITED**

AGNICO EAGLE
 PROJECT
 MELIADINE GOLD MINE
 OCEAN DISCHARGE MONITORING PLAN – MARINE
 RECONNAISSANCE AND BASELINE PROGRAMS


TITLE
RECONNAISSANCE STUDY AREA OVERVIEW MAP

| CONSULTANT | YYYY-MM-DD | 2019-02-22 |
|---------------|------------|------------|
| GOLDER | DESIGNED | AO |
| | PREPARED | CN |
| | REVIEWED | AO |
| | APPROVED | MT |

PROJECT NO. 18103567 CONTROL 5000/5001 REV. 0 FIGURE 1

PATH: Y:\msh\CAD-GIS\Client\Agnico_Eagle_Mines_Ltd\Meliadine_Gold_Project\09_PROD\FIGURES\18103567\02_PROD\FIGURES\01_Reconnaissance_Study_Area_Overview_Map.mxd PRINTED ON: 2019-02-22 AT: 10:47:14 AM

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: ANSI B



- LEGEND**
- SEDIMENT, BENTHIC INFAUNA
 - CTD, WATER QUALITY, SEDIMENT, BENTHIC INFAUNA
 - CTD, WATER QUALITY, SEDIMENT CHEMISTRY
 - CTD, WATER QUALITY
 - CTD
 - TRANSECT
 - STUDY AREA
 - WATERCOURSE
 - WATERBODY



REFERENCE(S)
 1. BASE DATA OBTAINED FROM AGNICO EAGLE MINES LIMITED.
 2. DATUM: NAD83 PROJECTION UTM ZONE 15

CLIENT
AGNICO EAGLE MINES LIMITED

AGNICO EAGLE
 PROJECT
 MELIADINE GOLD MINE
 OCEAN DISCHARGE MONITORING PLAN – MARINE
 RECONNAISSANCE AND BASELINE PROGRAMS

TITLE
SAMPLING STATIONS

| CONSULTANT | YYYY-MM-DD | 2019-02-22 |
|------------|------------|------------|
| DESIGNED | AO | |
| PREPARED | CN | |
| REVIEWED | AO | |
| APPROVED | MT | |

PROJECT NO. 18103567 CONTROL 5000/5001 REV. 0 FIGURE 2

PATH: Y:\msh\CAD-GIS\Client\Agnico_Eagle_Mines_Ltd\Meliadine_Gold_Project\09_PROD\CTD\18103567\02_PROD\CTD\000\000\MXD\Report\18103567_5000_5000_L_Figures_02_Sampling_Stations.mxd PRINTED ON: 2019-02-22 AT: 03:54:59 AM

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: ANSI B



Figure 3: Survey boat at the Exposure Area.




Figure 4: Sediment sampling using Petite Ponar grab



Figure 5: Homogenized sediment sample



Figure 6: Benthic infauna 1-mm sieving tray



Figure 7: Washed benthic infauna sample



Figure 8: Intertidal survey quadrat (0.5 m x 0.5 m)




Figure 9: Exposure Area vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)




Figure 10: Reference Area R1 vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)




Figure 11: NWRefA-2 (Reference Area A) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)




Figure 12: NWRRefA-3 (Reference Area A) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)




Figure 13: CTD-1 (Reference Area B) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)




Figure 14: CTD-2 (Reference Area B) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)




Figure 15: CTD-3 (Reference Area B) vertical water column profiles: temperature and salinity (top), and turbidity, chlorophyll and oxygen concentrations (bottom)



Figure 16: Intertidal Transect EXP-T1 (Exposure Area), September 14, 2018



Figure 17: An epifloral band in the lower intertidal zone in the Exposure Area represented mostly by rockweed (*Fucus* sp.), September 14, 2018



Figure 18: Intertidal transect REF-T1 in the Reference Area R1, September 15, 2018

APPENDIX B

Water Quality Sampling Field Logs

18103562

Meladine Marine Recon

CTD and Water Quality Sampling

Project #:

Project title:

2018

Station name: WW1# of Casts/Bottles: 1/7Date: Sep 17Sampled By: AR & SGCoordinates: Easting: 0545244Northing: 6963763Time: 18¹⁵Water Depth (m): 15Weather: rainy & snowyWind Spd/Dir: 20 SWTide: low @ 1745

| Sample Name | Sample Depth (m) | Duplicate Name | # of Bottles Filled | Comments |
|-------------|------------------|----------------|---------------------|-----------------------|
| WW1S | 1 | / | 7 | S.4. S.2 = 5.3 Secchi |
| WW1D | 10 | / | 7 | |

Station name: MWE-1# of Casts/Bottles: 1Date: Sep 17Sampled By: AR SGCoordinates: Easting: 15V 0546002Northing: 6963295Time: 18:46Depth (m): 24Weather: cloudy, light rainWind Spd/Dir: 15 S ktTide: Rising

| Sample Name | Sample Depth (m) | Duplicate Name | # of Bottles Filled | Comments |
|-------------|------------------|----------------|---------------------|--------------------------|
| MWE-1D | 18 | / | 7 | Secchi: S.4 & S.2 = 5.3m |
| MWE-1S | 1 | / | 7 | |

Station name: _____

of Casts/Bottles: _____

Date: _____

Sampled By: _____

Coordinates: Easting: _____

Northing: _____

Time: _____

Depth (m): _____

Weather: _____

Wind Spd/Dir: _____

Tide: _____

| Sample Name | Sample Depth (m) | Duplicate Name | All Bottles Checked (Y/N)? | Comments |
|-------------|------------------|----------------|----------------------------|----------|
| | | | | |
| | | | | |

18103567/

Melodiine Marine Recon

CTD and Water Quality Sampling

Project #:

Project title:

Station name:

MW Reg A 3

of Casts/Bottles:

1/7

Date:

Sept 20

Sampled By:

AR 56

Coordinates:

Easting: 15V 0543992

Northing:

6961780

Time:

09³⁰

Water

Depth (m):

21

Weather:

sun + cloud

Wind Spd/Dir:

SSW 15kt

Tide:

low slack

| Sample Name | Sample Depth (m) | Duplicate Name | # of Bottles Filled | Comments |
|--------------|------------------|----------------|---------------------|----------|
| MW Reg A 3-S | 1 | N/A | 7 | CTD |
| MW Reg A 3-D | 15 | N/A | 7 | |

Station name:

MW Reg B 1

of Casts/Bottles:

1/7

Date:

Sept 20

Sampled By:

AR

Coordinates:

Easting: 15V 0541626

Northing:

6962080

Time:

11²⁰

Depth (m):

34

19m

Weather:

cloudy 1°C

Wind Spd/Dir:

18kt south

Tide:

flood

| Sample Name | Sample Depth (m) | Duplicate Name | # of Bottles Filled | Comments |
|-------------|------------------|----------------|---------------------|---|
| MW Reg B 1S | 1 | / | 7 | secchi = lost = 5.7 resight = 5.5 actual = 5.6m wavelets make sighting difficult |
| B 1D | 15 | / | 7 | |

Station name:

of Casts/Bottles:

Date:

Sampled By:

Coordinates:

Easting:

Northing:

Time:

Depth (m):

Weather:

Wind Spd/Dir:

Tide:

| Sample Name | Sample Depth (m) | Duplicate Name | All Bottles Checked (Y/N)? | Comments |
|-------------|------------------|----------------|----------------------------|----------|
| | | | | |
| | | | | |

13103567

Melodiine Marine Recor

| CTD and Water Quality Sampling | | Project #: | Project title: | |
|--------------------------------|--------------------------------|---------------------|----------------|------------------------|
| Station name: | MWE-2 | # of Casts/Bottles: | 1 cast / 7 | Date: Sept 17 2018 |
| Coordinates: | Easting: 15V 0546021 WP 127 | Northing: | 6963373 | Time: 14:30 |
| Weather: | cloudy | Wind Spd/Dir: | W 20 kt | Tide: low e 17:40 |
| | | | | Sampled By: AR + JG |
| | | | | Water Depth (m): 8.6 m |

| Sample Name | Sample Depth (m) | Duplicate Name | # of Bottles Filled | Comments |
|-------------|------------------|----------------|---------------------|--|
| MWE-2 | 1m | N/A | 7 | |
| MWE-2D | 5m | DUPA | 7 | secchi lost 4.5 re-sight 4.2 actual 4.35 |

| | | | | |
|---------------|---------------------------|---------------------|----------|------------------------|
| Station name: | MW Ref A-1 | # of Casts/Bottles: | 1 / 7 | Date: Sept 17 |
| Coordinates: | Easting: same as MW Ref A | Northing: | | Time: 17 ¹⁰ |
| Weather: | cloudy | Wind Spd/Dir: | SW 20 kt | Tide: low slack |
| | | | | Sampled By: AR JG |
| | | | | Depth (m): 20 |

| Sample Name | Sample Depth (m) | Duplicate Name | # of Bottles Filled | Comments |
|-------------|------------------|----------------|---------------------|---|
| MW Ref A-1S | 1m | / | 7 | |
| " 1D | 15m | / | 7 | secchi lost 5.8 re-sight 5.6 actual (5.7) |

| | | | | |
|---------------|----------------------|---------------------|----------|-----------------|
| Station name: | MW Ref A-2 | # of Casts/Bottles: | 7 | Date: Sept 17 |
| Coordinates: | Easting: 15V 0545055 | Northing: | 6961615 | Time: 1745 |
| Weather: | cloudy 2°C | Wind Spd/Dir: | SW 20 kt | Tide: low slack |
| | | | | Sampled By: AR |
| | | | | Depth (m): 21 |

| Sample Name | Sample Depth (m) | Duplicate Name | All Bottles Checked (Y/N)? | Comments |
|-------------|------------------|----------------|----------------------------|---|
| MW Ref A-2S | 1 | / | Y | |
| " 2D | 15 | / | Y | secchi, 5.1 5.2 = 5.3 difficult w/ chop & waves |

APPENDIX C

Sediment Sampling Field Logs

SEDIMENT SAMPLING LOG - GRAB

Project No: 18103567 - 4000

Project Title: Meliadine - diguise

Date: Sept 13 2018

Sampled by: AR, JG

Station Number (ID): MBE-1 Reps

Sampling Method: P. ponar

Weather: sunny; wind E Skt

Lat/Longitude: 18 V 0548710
6963402

Sampling Depth: 22m

of Attempts to Obtain Sample: see below

Time of Collection: 17:15

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components)
Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- silt & clay; thin light brown veneer (unconsolidated) over dense, stiff
- soft veneer
- worms, clam
- v. small trace organics (dark brown)
- no odour, sheen, or stain

Approx % collected in grab sample Rep 1 25% + 15%, Rep 2 - 25+25, Rep 3 40-50%

Photograph Reference Number(s): AR phone

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):
polychaetes (lg + small)
lg clam (Sp = Mya(?)) } most fauna out of MBE's

Sample Control Number (SCN):

- | | | |
|--------------------------------------|-------------------------------------|---|
| <input type="checkbox"/> Full Metals | <input type="checkbox"/> PAH | <input type="checkbox"/> PAH Fingerprinting |
| <input type="checkbox"/> Grain Size | <input type="checkbox"/> Total PCBs | <input type="checkbox"/> AVS SEM |
| <input type="checkbox"/> TOC | <input type="checkbox"/> Toxicity | <input type="checkbox"/> LEPH/HEPH |
| <input type="checkbox"/> Other | | |

Other Notes: _____ # of Grabs for Analysis: _____

Rep 1 = 2 grab; 5 attempts
2 = 2 " ; 4 attempts
3 = 4 grabs & 5 attempts

1 lg clam (w/ 8 yrs old)

Rep 3 = DUP (A)
Reviewed By: AR

SEDIMENT SAMPLING LOG - GRAB

Project No: 18103567 - 4000

Project Title: Meliadine diffuser

Date: Sept 13 2018

Sampled by: AR, JG

Station Number (ID): MBE-2 Repts

Sampling Method: Petit Ponar

Weather: sunny; wind S 5 kt

Lat/Longitude: 15V 0545894
6963340

Sampling Depth: 21m

of Attempts to Obtain Sample: see below

Time of Collection: 16:05

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -y, and); Inclusions (shells, organisms, other non-soil components)
Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- + silt & clay ; trace shell
- v dense, stiff
- light brown veneer over light to med grey ; overall light brown when mixed
- no odour, stain or sheen
- traces of minute organic debris ; 2x small polychaete

Approx % collected in grab sample 5% - 20% ; Rep 3 = 40% %

Photograph Reference Number(s): AR phone

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

- | | | |
|--------------------------------------|-------------------------------------|---|
| <input type="checkbox"/> Full Metals | <input type="checkbox"/> PAH | <input type="checkbox"/> PAH Fingerprinting |
| <input type="checkbox"/> Grain Size | <input type="checkbox"/> Total PCBs | <input type="checkbox"/> AVS SEM |
| <input type="checkbox"/> TOC | <input type="checkbox"/> Toxicity | <input type="checkbox"/> LEPH/HEPH |
| <input type="checkbox"/> Other | | |

Other Notes: _____ # of Grabs for Analysis: _____

Rep 1 = 2 grabs ; 6 attempts
 Rep 2 = 3 " ; 15 "
 Rep 3 = 1 ; 4

Reviewed By: AR

SEDIMENT SAMPLING LOG - GRAB

Project No: 18103567 / 4000

Project Title: Meliadine Diffuser

Date: Sept 13 2018

Sampled by: AR, JG

Station Number (ID): MBE-3 Repts

Sampling Method: Petit Ponar

Weather: wind SE 5kt

Lat/Longitude: 15 v 0545991
6963294

Sampling Depth: 21 m

of Attempts to Obtain Sample: see below

Time of Collection: 15:00 -> 16:00

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -y, and); Inclusions (shells, organisms, other non-soil components)
Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- silt + clay, v. thin ^{light brown} veneer over med / dark veined clay
- v. dense, stiff
- no odour, sheen, or stain
- no organic debris, or shell

Approx % collected in grab sample 15-30% %

Photograph Reference Number(s): AR phone

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

- | | | | |
|---------------|--------------------------------------|-------------------------------------|---|
| Analysis for: | <input type="checkbox"/> Full Metals | <input type="checkbox"/> PAH | <input type="checkbox"/> PAH Fingerprinting |
| | <input type="checkbox"/> Grain Size | <input type="checkbox"/> Total PCBs | <input type="checkbox"/> AVS SEM |
| | <input type="checkbox"/> TOC | <input type="checkbox"/> Toxicity | <input type="checkbox"/> LEPH/HEPH |
| | <input type="checkbox"/> Other | | |

Other Notes: low tide 14:45 # of Grabs for Analysis:

Rep 1 = 3 grabs, 10 attempts
 Rep 2 = 2 " ; 2 "
 Rep 3 = 3 " ; 8 attempts

Reviewed By: _____

SEDIMENT SAMPLING LOG - GRAB

Project No: 18103567-4000 Project Title: Meladine Diggings
 Date: Sep 13 2018 Sampled by: AR, SL
 Station Number (ID): MBE-4 Sampling Method: Ret Power
 Weather: mostly sunny; wind Skt W Lat/Longitude: 15V 0546123
6963268
 Sampling Depth: 19m (low tide)
 # of Attempts to Obtain Sample: ↓ Time of Collection: 1400

Sediment Description
 Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -y, and); Inclusions (shells, organisms, other non-soil components)
 Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
 Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- unconsolidated veneer over firm/compact silt
- light brown over light grey silt ; Rep 3 darker/med grey under layer
- trace organic debris (minute brown stringy pieces to 3mm)
- no odour, sheen, staining
- 1 polychaete ; 1 piece clam shell

Approx % collected in grab sample 25% - 40% %

Photograph Reference Number(s): andrew's phone

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):
 Sample Control Number (SCN):

- Analysis for:
- | | | |
|--------------------------------------|-------------------------------------|---|
| <input type="checkbox"/> Full Metals | <input type="checkbox"/> PAH | <input type="checkbox"/> PAH Fingerprinting |
| <input type="checkbox"/> Grain Size | <input type="checkbox"/> Total PCBs | <input type="checkbox"/> AVS SEM |
| <input type="checkbox"/> TOC | <input type="checkbox"/> Toxicity | <input type="checkbox"/> LEPH/HEPH |
| <input type="checkbox"/> Other | | |

Other Notes: _____ # of Grabs for Analysis: _____

Rep 1 = 2 grabs (2 attempts)
 Rep 2 = 3 grab (4 attempt)
 Rep 3 = 2 grab (3 attempts)

Reviewed By: AR

SEDIMENT SAMPLING LOG - GRAB

Project No: 13/03567

Project Title: Meliadira

Date: Sept 13 2018

Sampled by: A. Pippington ; J. Goodyear

Station Number (ID): MBE-5

Sampling Method: Petit Power

Weather: wind SW 7kt
mostly sunny

Lat/Longitude: 15V 0546299 , 6963211

Sampling Depth: 21 m

of Attempts to Obtain Sample: 1

Time of Collection: 12:20

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components)
Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

*silt w/ few gravel ; no shell or worms greyish light brown
compact & dense beneath unconsolidated 2cm veneer
no odour, sheen or staining (staining Rep 2)
no ^{trace} organic debris*

Approx % collected in grab sample 15
20% - 30% %

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

- | | | |
|--------------------------------------|-------------------------------------|---|
| <input type="checkbox"/> Full Metals | <input type="checkbox"/> PAH | <input type="checkbox"/> PAH Fingerprinting |
| <input type="checkbox"/> Grain Size | <input type="checkbox"/> Total PCBs | <input type="checkbox"/> AVS SEM |
| <input type="checkbox"/> TOC | <input type="checkbox"/> Toxicity | <input type="checkbox"/> LEPH/HEPH |
| <input type="checkbox"/> Other | | |

Other Notes: _____ # of Grabs for Analysis: 3 Rep 1 2 for Rep 2 & Rep 3

sandhill crane x 56

Rep 1, 2, 3

Reviewed By: _____

SEDIMENT SAMPLING LOG - GRAB

Meliadine

Project No: 13-1447-018372000 18103567/4000 Project Title: Shell-SQT Marine Sediment Investigation
 Date: October Sept 19 2010 Sampled by: AR, JS, DS JG
 Station Number (ID): MB Ref A 1 Rep 1/2/3 Sampling Method: Van Veen (Chemistry + Toxicity Samples) Standard Ponar (Benthic Samples) Petit
 Weather: mostly sun; wind 10kt SW Lat/Longitude: 15 N 0545070 6961511
 Water Depth: 21 m Time of Collection: 08³⁰
 Sieve Mesh Size: 500 micron

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components)
 Consistency/Compactness (v loose, loose, compact, dense, v dense; vsoft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
 Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- loose light brown 1cm veneer over med. density compact light gray
- no odour or sheen, trace orangey brown streak in Rep 2
- dark gray streak in Rep 3
- polychaetes

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :

Chemistry Grab 1 45+25 Grab 2 30+30 Grab 3 20 + 35 2 grabs for each sample
 Benthic Grab 1 attempts 4 (4) Grab 2 6 Grab 3 3

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy
 # Grabs for Analysis (Chemistry and Toxicology): 2 each # of Jars Per Benthic Replicate Sample: _____
 Rep 1 1 Rep 2 1 Rep 3 1

Notes:

Reviewed By: _____

SEDIMENT SAMPLING LOG - GRAB

Melradine

Project No: 13-1447-0183+2000 18103567-4000 Project Title: Shell-SQT Marine Sediment Investigation

Date: October 19 2013 2018 Sampled by: AR, JS, DS JG

Station Number (ID): ^{Sept} MBBg A-2 Sampling Method: Van Veen (Chemistry + Toxicity Samples) Standard Ponar (Benthic Samples) *Patit Ponar*

Weather: mostly sun, SW 10kt Lat/Longitude: 15V 0545028 6761609

Water Depth: 21m Time of Collection: 945

Sieve Mesh Size: 500 micron

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -y, and); Inclusions (shells, organisms, other non-soil components)
 Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
 Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

same as MBBg A-1
 light brown over med gray
 penetration to 6cm / 7cm
 no odour, sheen, trace darker gray stain/streak below 2cm

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :

Chemistry Grab 1 45+25 Grab 2 20+45 Grab 3 55
 Benthic Grab 1 attempts 4 Grab 2 3 Grab 3 1

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

Analysis for: Chemistry YES Toxicity Benthic Invertebrate Taxonomy

Grabs for Analysis (Chemistry and Toxicology): see above ↑ # of Jars Per benthic Replicate Sample: Rep 1 1 Rep 2 1 Rep 3 1

Notes:

Reviewed By: _____

18103567-400 **SEDIMENT SAMPLING LOG - GRAB** Meliadine

Project No: 13-1447-0183/2000 Project Title: Shell SGT Marine Sediment Investigation
Date: Sept. October 19 2013 2018 Sampled by: AR, JS, DS, JG

Station Number (ID): MB Ref A-3 Sampling Method: Van Veen (Chemistry + Toxicity Samples) Standard Ponar (Benthic Samples) Petrit

Weather: Mostly Sunny Sea state = 3 m wind 11 knots from WNW Lat/Longitude: 15V 0543984 6961763

Water Depth: 21 m Time of Collection: 1200

Sieve Mesh Size: 500 micron

Sediment Description
Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components)
Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- light brown over med grey w/ dark grey to black pockets
- silt + clay unconsolidated over med firm to firm beneath
- mild organic odour, no stain, or sheen
- amphipods (lots); polychaete

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :
Chemistry Grab 1 20+45 Grab 2 20+55 Grab 3 20+25
Benthic Grab 1 Attempts 3 Grab 2 3 Grab 3 3

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):
Rep 1 - pre mix

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy
Grabs for Analysis (Chemistry and Toxicology): # of Jars Per benthic Replicate Sample: Rep 1 Rep 2 Rep 3

Notes:

Reviewed By: _____

18103567-4000 **SEDIMENT SAMPLING LOG - GRAB** Meliadine

Project No: 13-1447-0183/2000
 Date: October Sept 19 2013
 Station Number (ID): MBReg B 1
 Weather: sunny wind 17 kt
 Water Depth: 19 m
 Sieve Mesh Size: 500 micron 1mm

Project Title: ~~Shell SCF~~ Marine Sediment Investigation
 Sampled by: AR, JS, DS SC
 Sampling Method: Van Veen (Chemistry + Toxicity Samples) Standard Ponar (Benthic Samples)
 Lat/Longitude: 15V 541650 6962064
 Time of Collection: 15:30

Sediment Description
 Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -y, and); Inclusions (shells, organisms, other non-soil components)
 Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
 Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- gravel, sand, some silt
- fine branched brown algae; small red blades
- mixed color gray + black fines sediment
- no odor, stain, or sheen

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :
 Chemistry Grab 1 10%, 15%, 20% Grab 2 / Grab 3 /
 Benthic Grab 1 attempts (10) Grab 2 / Grab 3 /

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy
 # Grabs for Analysis (Chemistry and Toxicology): _____ # of Jars Per benthic Replicate Sample: _____
 Rep 1 _____ Rep 2 _____ Rep 3 _____

Notes: + several rejections due to ↑ gravel

Reviewed By: _____

APPENDIX D

Benthic Infauna Sampling Field Logs

18103567

SEDIMENT SAMPLING LOG - GRAB

Meliadine

Project No: 13-1447-0183/2000

Project Title: ~~GRAB~~ Marine Sediment Investigation

Date: October ~~15~~ Sept 15 2010

Sampled by: AR, JS, DS JG

Station Number (ID): MBE 1

Sampling Method: ~~Van Veen (Chemistry + Toxicity Samples)~~ Standard Ponar (Benthic Samples) ~~Retit~~

Weather: Wind 14 Gusts to 20 knots 15V 0545719
SNOW squalls then SUN

Lat/Longitude: 6963378

Water Depth: 21

Time of Collection: 13:36 -> 15:00

Sieve Mesh Size: 500 micron 1mm

Sediment Description
Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); **Inclusions** (shells, organisms, other non-soil components)
Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); **Moisture Content** (dry, moist, wet, saturated);
Colour; Structure; Contaminants (staining/odor/sheen); **Other** (wood, debris, organisms).
 • silt clay; brown layer over gray; ^{unconsolidated} veneer = 0.5 to 0.5 cm
 • dense; compact, stiffer with depth
 - euphausiid, polychaete

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :

| Chemistry Grab 1 | Grab 2 | Grab 3 |
|--------------------------|-----------------------|----------|
| 20+23+15 4 | 25+40 8 | 56+ 4 |

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):
photos lost; memory card issue

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy

Grabs for Analysis (Chemistry and Toxicology):
 # of Jars Per benthic Replicate Sample: Rep 1 1 Rep 2 1 Rep 3 1

Notes: very windy 17 -> 20 kt
low tide ~ 16:00 0.77m

Reviewed By: AR

18103567/4000

SEDIMENT SAMPLING LOG - GRAB

Meliadine

Project No: ~~181447-0132/2000~~

Project Title: ~~Shell SCA~~ Marine Sediment Investigation

Date: ~~October~~ Sept 16 2013

Sampled by: AR, JS, DS JG

Station Number (ID): MBE = 2

Sampling Method: ~~Van Veen (Chemistry + Toxicity Samples)~~ ~~Standard Ponar (Benthic Samples)~~ Petit

Weather: part sun ; wind 15+ kt West

Lat/Longitude: 15V 0545897
6963337

Water Depth: 22m

Sieve Mesh Size: ~~500 micron~~ 1mm

Time of Collection: 12:15

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components); Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated); Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- unconsolidated light brown silt veneers over light gray dense, fine silt + clay
- some black inclusions - no odour
- Rep³ clam
- poly chaete burrowing hole ; lots of worms

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :

| | | |
|-------------------------|----------------|----------------|
| Chemistry Grab 1 | Grab 2 | Grab 3 |
| Benthic Grab 1 45% + 35 | Grab 2 40 + 30 | Grab 3 20 + 60 |
| Attempts 2 | 4 | 4 |

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

⊗ see photo in ponar mouth for colour & texture

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy

Grabs for Analysis (Chemistry and Toxicology): _____ # of Jars Per benthic Replicate Sample: _____

Rep 1 1 Rep 2 1 Rep 3 1

Notes:

Reviewed By: *[Signature]*

18103567 SEDIMENT SAMPLING LOG - GRAB Meliadine

Project No: 15-1447-0183/2000

Project Title: ~~ShoalSQT~~ Marine Sediment Investigation

Date: ~~October~~ Sept 14 2013

Sampled by: AR, JS, DS JG

Station Number (ID): MBE-3

Sampling Method: Van Veen (Chemistry + Toxicity Samples) ~~Standard Ponar~~ (Benthic Samples) Petit

Weather: Mostly Sunny 6 knots WNW

Lat/Longitude: 15V 0546002
6963295

Water Depth: 22-24

Time of Collection: 17:30

Sieve Mesh Size: ~~500 micron~~ 1mm

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -y, and); Inclusions (shells, organisms, other non-soil components)
Consistency/Compactness (v loose, loose, compact, dense, v dense; vsoft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- silt + clay; dull light brown
- no odor, sheen or stain
- compact; dense
- ~~no orgs. seen~~ polychaete

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :

| | | |
|--------------------------------|--------------|-------------------|
| Chemistry Grab 1 35 | Grab 2 | Grab 3 |
| Benthic Grab 1 35+45 | Grab 2 45+50 | Grab 3 30%+30 +10 |
| Attempts 2 | 2 | 3 |

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

photos taken @ beach / sieve
sieved for Rep 3 & 2, Rep 1 = silty/clay mass before + after

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy

Grabs for Analysis (Chemistry and Toxicology):

NA

of Jars Per benthic Replicate Sample:

Rep 1 1 Rep 2 1 Rep 3 1

Notes:

Reviewed By: _____

SEDIMENT SAMPLING LOG - GRAB

Meliadine

Project No:

13103567 / 4000
13-1447-0183 / 2000

Project Title:

Shell SCT Marine Sediment Investigation

Date:

October 14 2018 2018

Sampled by:

AR, JS, DS JG Goodyear

Station Number (ID):

Sept MBE-4

Sampling Method:

Van Veen (Chemistry - Toxicity Samples) Standard Ponar (Benthic Samples) Petit

Weather:

cloudy, wind NE 7kt

Lat/Longitude:

15V 0546113
6963260

Water Depth:

20 m

Time of Collection:

1330

Sieve Mesh Size:

500 micron 1 mm

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components) Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated); Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- silt + clay, light brown over light grey
- compact dense
- poor penetration to 4cm max
- polychaets - lots, amphipods

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :

| | | |
|------------------------|-----------------|-----------------|
| Chemistry Grab 1 | Grab 2 | Grab 3 |
| Benthic Grab 1 30% X 2 | Grab 2 30 + 35% | Grab 3 35% + 35 |
| # Attempt: 3 | 2 | 2 |

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

Analysis for:

Chemistry Toxicity Benthic Invertebrate Taxonomy

Grabs for Analysis (Chemistry and Toxicology):

of Jars Per benthic Replicate Sample:

Rep 1 1 Rep 2 1 Rep 3 1

Notes:

Reviewed By: _____

18103567

SEDIMENT SAMPLING LOG - GRAB

Melradise

Project No: 13-1447-0183-2000

Project Title: Shell SQT Marine Sediment Investigation

Date: October 14 2018

Sampled by: AR, JMS, SG

Station Number (ID): ^{Sept} MBE-5

Sampling Method: Van Veen (Chemistry + Toxicity Samples) Standard Ponar (Benthic Samples) *Retit*

Weather: cloudy wind 10kt N

Lat/Longitude: 1

Water Depth: 2/m

Time of Collection: 1030

Sieve Mesh Size: ~~500 micron~~ 1mm

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components) Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated); Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- silt + clay, dull light brown
- no odour, sheen or stain; compact; dense
- clam, polychaete, caprellid

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :

| | | |
|-----------------------------|---------------------|---------------------|
| Chemistry Grab 1 | Grab 2 | Grab 3 |
| Benthic Grab 1 <u>40+30</u> | Grab 2 <u>35+35</u> | Grab 3 <u>50+40</u> |
| Attempts: <u>3</u> | <u>2</u> | <u>2</u> |

Photograph Reference Number(s):

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy

Grabs for Analysis (Chemistry and Toxicology): N/A # of Jars Per benthic Replicate Sample: _____

Rep 1 1 Rep 2 1 Rep 3 1

Notes:

Reviewed By: *[Signature]*

18103567-4000

SEDIMENT SAMPLING LOG - GRAB

Project No: 13-1447-0183/2000 Project Title: Shell SQT Marine Sediment Investigation
 Date: October 16 2018 Sampled by: AR, JS, JG
 Station Number (ID): MB Ref A site 1 Sampling Method: Van Veen (Chemistry + Toxicity Samples) Standard Ponar (Benthic Samples) Jetit
 Weather: Full overcast; Wind 16 kts Lat/Longitude: 0545068/6961511
 Water Depth: 21M Time of Collection: 15:04
 Sieve Mesh Size: 500 micron / 1mm

Sediment Description
 Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components)
 Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
 Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

- silt & clay light brown unconsolidated 1cm over
 - increasing density light grey, few darker inclusions
 - penetration to 7cm firm, not dense like Itivia samples
 - polychaete no odour, stain or sheen

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample: white crystalline unknown 1cm x 2mm cylinder

| | | |
|-------------------------------|---------------------|---------------------|
| Chemistry Grab 1 <u>65+65</u> | Grab 2 <u>25+20</u> | Grab 3 <u>20+20</u> |
| Benthic Grab 1 <u>65+65</u> | Grab 2 <u>25+20</u> | Grab 3 <u>20+20</u> |
| Attempts <u>5</u> | <u>10</u> | <u>11</u> |

Photograph Reference Number(s):

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy

Grabs for Analysis (Chemistry and Toxicology): _____ # of Jars Per benthic Replicate Sample: _____

Rep 1 1 Rep 2 1 Rep 3 1

Notes:

Reviewed By: AR

Infauna

13103567/4000 SEDIMENT SAMPLING LOG - GRAB

Project No: 13-1447-0183/2000 Project Title: Shell SQT Marine Sediment Investigation

Date: October 18 2013 Sampled by: AR, JS, DS JG

Station Number (ID): ~~Sept~~ MBRef A-2 Sampling Method: Van Veen (Chemistry + Toxicity Samples) Standard Ponar (Benthic Samples)

Weather: Cloudy wind 20ktW Lat/Longitude: 15V 0545028 6961609

Water Depth: 20m Time of Collection: 1715 - 1810

Sieve Mesh Size: 500 micron 1mm

Sediment Description
 Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components)
 Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated);
 Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

Same as RepA sites
 less dense than MBE sites

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :

| | | |
|----------------------------------|--------------------------|--------------------------|
| Chemistry Grab 1 | Grab 2 | Grab 3 |
| Benthic Grab 1 $\frac{30+55}{5}$ | Grab 2 $\frac{45+55}{2}$ | Grab 3 $\frac{30+50}{7}$ |

Photograph Reference Number(s) :

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy

Grabs for Analysis (Chemistry and Toxicology): _____ # of Jars Per benthic Replicate Sample: _____

Rep 1 (Rep 2 (Rep 3 (

Notes:

Reviewed By: AR

18103567-4000

SEDIMENT SAMPLING LOG - GRAB

Project No: 13-1447-0183/2000

Project Title: Shell SQT Marine Sediment Investigation

Date: Sept. October 19 2013

Sampled by: AR, JS, DS

Station Number (ID): MB Ref A 3

Sampling Method: Van Veen (Chemistry + Toxicity Samples) Standard Ponar (Benthic Samples)

Weather: Mostly sunny seas: 04M Wind 15 kts W-
#JR

Lat/Longitude:

Water Depth: 21

Time of Collection: 13:01

Sieve Mesh Size: 500 micron 1mm

Sediment Description

Grain Size (boulder, cobble, gravel, sand, silt, clay; trace, some, -, y, and); Inclusions (shells, organisms, other non-soil components) Consistency/Compactness (v loose, loose, compact, dense, v dense; v soft, soft, firm, stiff, v stiff, hard); Moisture Content (dry, moist, wet, saturated); Colour; Structure; Contaminants (staining/odour/sheen); Other (wood, debris, organisms).

silt & clay - brown over gray
penetration to 6cm
trace small gravel
Rep 3 algae + mussel
green bladed & laminaria

Approx % Collected in Grab Sample/ Number of Attempts to Obtain Sample :

| | | |
|------------------|--------|--------|
| Chemistry Grab 1 | Grab 2 | Grab 3 |
| 40+30 | 25+40 | 50+ |
| 2 | 4 | 1 |

Photograph Reference Number(s):

Photograph Notes (grab, sampling location, field sampling methods, public use, etc):

Sample Control Number (SCN):

Analysis for: Chemistry Toxicity Benthic Invertebrate Taxonomy

Grabs for Analysis (Chemistry and Toxicology): _____ # of Jars Per benthic Replicate Sample: _____

Rep 1 | Rep 2 | Rep 3

Notes:

Reviewed By: _____

APPENDIX E

Intertidal Survey Data Sheets

Location:

Date: Sept 14 2013

Start 15V 0546036 T2TOP
696305

Meladine - Diffuse
Subtidal Bivalve Survey

Transect 1

Data Recorded

A. Rupp

| | Bedrock Boulders | Cobble Gravel | Sand silt +clay | Detritus (Y/N) | Fucus Grass | Filament Green string brush | green encrusting string WNA | Mussel Clam septum | Limner limpet | Brown Filament | | | |
|---|---------------------|------------------|-----------------------|-------------------|----------------|--------------------------------------|--------------------------------------|--------------------------|------------------|-------------------|--|--|--|
| Distance: 140 Depth: OHW Time: 1440 Øm | | | | Y (55%) | 100 | | | | | | | | |
| Notes: Photo E, N, W, S detrital fucus @ OHW | | | | | | | | | | | | | |
| Distance: 145 Depth: Time: 7m | 80 | 2 18 | 1 | | 6 | | | | | | | | |
| Notes: | | | | | | | | | | | | | |
| Distance: 14m Depth: Time: 1448 | 4 | 36 59 | 1 | | | 1 | | | | | | | |
| Notes: end of grass @ ~ 13m | | | | | | | | | | | | | |
| Distance: 21 Depth: Time: 1450 | 78 | 10 12 | | | | | | | | | | | |
| Notes: | | | | | | | | | | | | | |
| Distance: 28 Depth: Time: 1455 | | 12 87 | 1 | | 3 | | 30 | | 4 | | | | |
| Notes: | | | | | | | | | | | | | |
| Distance: 35 Depth: Time: 1508 | 16 | 16 62 | 3 3 | Y (21) | | | | | | | | | |
| Notes: anthropogenic - metal cable, bike, laminate sheeting | | | | | | | | | | | | | |

Location:
Date:

Melakia

(P32) Trans 1

Subtidal Bioal Survey

Data Recorded

ARipp

| | Bowl | Cob | sand | shell | detritus | Fucus | Littorina | brown filament | cladophora | | | | |
|--|---|---------|----------|-------|----------|----------|-----------|----------------|------------|--|--|--|--|
| Distance: Depth: Time: 42m 15 ⁰⁰ | | 5 35 | 48 10 | 2 | Y | for spot | amphipod | stringy brown | mussel | | | | |
| Notes: | gavel/boulder ends e ~40m ; fucus nearby | | | | | | | | | | | | |
| Distance: Depth: Time: 49m 15 ¹⁵ | | 16 | 70 14 | 1 | | | | | | | | | |
| Notes: | snail trail | | | | | | | | | | | | |
| Distance: Depth: Time: 56m 15 ²⁵ | 17 | 2 4 | 64 11 | 2 | | | | | | | | | |
| Notes: | standing H ₂ O ; tide change e ~15 ⁰⁰ | | | | | | | | | | | | |
| Distance: Depth: Time: 63 15 ²⁸ | | 7 8 | 70 15 | 4 | | 3 1 | 80 3 | 2 | | | | | |
| Notes: | littorin size range 2mm → 7mm Littorina setzana? | | | | | | | | | | | | |
| Distance: Depth: Time: 70 15 ³² | | 2 10 | 70 13 | 5 | | | 38 | 2 | | | | | |
| Notes: | fucus 1% nearby ; 2mm → 5mm | | | | | | | | | | | | |
| Distance: Depth: Time: 77 | 6 | 12 6 | 65 9 | | | 55 | 33 | 5 | 7 1 | | | | |
| Notes: | snail 2mm → 6mm , mussel = 3.3cm | | | | | | | | | | | | |

Location:

Date: Sept 11 2018

18103567

(Pg 3)

T1

3 of 3

Subtidal Biop...al Survey

END

15V

0546131

Date Recorded

AR

| | Boulder | Cob | Gravel | sand silt | shell detritus | Fucus stringy bits | cladophora filament gra | filament brown | littorina mussel | weed worm or ascidian | grass | succubus | small gf. alg |
|---|---------|----------|---------|-----------|----------------|--------------------|-------------------------|----------------|------------------|-----------------------|-------|----------|---------------|
| Distance: Depth: 89m Time: 15:40 | | 8 | 7 | 65 20 | <1 | 8 | 1 | <1 | 8 3 | 1 | | | |
| Notes: worm mound, snail 2mm-6mm, mussel 3cm → 5cm | | | | | | | | | | | | | |
| Distance: Depth: 91 Time: 15:47 | 85 | 13 2 | <1 4 | | | 55 | | | 3 | | | | |
| Notes: waterline 16.9 + 84 = 100.9 @ 15:47, difficult to determine substrate, cut. % for littorina = 2mm | | | | | | | | | | | | | |
| Distance: Depth: 93 Time: 15:55 | | 20 76 | 3 2 | <1 | | 16 4 | | <1 | 12 2-6mm | | | | |
| Notes: interstitial silt + sand abundant fauna @ 91m below rocks; mild organic decay odour when turning rocks | | | | | | | | | | | | | |
| Distance: Depth: T2 Time: 0m 16:17 | 25 | 35 15 | 10 | | | 45% 40 | | | | | | 15 | |
| Notes: start 15V 0546037 " 6963558 T2 TOP " substrate % incl. grass | | | | | | | | | | | | | |
| Distance: Depth: 7m Time: | 95 | 45 10 | | | | | | | | | 4 | 3 | |
| Notes: | | | | | | | | | | | | | |
| Distance: Depth: 14 Time: 16:27 | 40 | 35 25 | | | | | | | | | | 2 | |
| Notes: | | | | | | | | | | | | | |

increased mussel @ waterline

T2

Location:
Date:

Sept 14 2013
Meliadine 18103567/4000

Subtidal Biop...al Survey

Diffuser T2

Data Recorded

| | Bank | gravel | silt | shell | small encr | filament | lit | | | | | | | | | | | |
|--|----------|----------|--------|-------|------------|----------|-----|--|--|--|--|--|--|--|--|--|--|--|
| Distance: Depth: Time: 21m 1632 | 32 | 40 2 | 26 | 12 | 2 | | | | | | | | | | | | | |
| Notes: | | | | | | | | | | | | | | | | | | |
| Distance: Depth: Time: 28 1636 | 20 60 | 14 | | | | | | | | | | | | | | | | |
| Notes: silt veneer or substrate | | | | | | | | | | | | | | | | | | |
| Distance: Depth: Time: 35 1638 | 90 5 | 3 1 | 1 1 | <1 | | | | | | | | | | | | | | |
| Notes: | | | | | | | | | | | | | | | | | | |
| Distance: Depth: Time: 42m 1640 | 3 10 | 85 1 | <1 | | | | 6 | | | | | | | | | | | |
| Notes: | | | | | | | | | | | | | | | | | | |
| Distance: Depth: Time: 49m 1642 | 8 5 | 57 10 | 20 | | | | 22 | | | | | | | | | | | |
| Notes: small 2um → 4um; mostly small focus band extends for ~20m below waterline (w/m elev.) | | | | | | | | | | | | | | | | | | |
| Distance: Depth: Time: | | | | | | | | | | | | | | | | | | |
| Notes: waterline 52.7m @ 1645 ; abundant (5-10%) stringy brown in shallow subtidal | | | | | | | | | | | | | | | | | | |

@ Diffuser

T2 END

ISV 0546054
6963507

Page 2 of 2 for T2

Data Reviewed By:

Molluscine 18/03567 - 4900

Location: Ref 1 - ~~not~~ west Itiva
Date: Sep 15 2018

Subtidal Bio, al Survey

A.R

T1 "TOP"
- Ref Start
15V 0545395
6963954
T1 "Ref END"
0545392
69639223

| | Bd co | Gr Sand | SH shell | Moss Grass Soil complex | ENC. Algae | Grass veg. | Detritus | | | | |
|--|-------------|--------------|---------------|----------------------------------|---------------|---------------|----------------------------|--|--|--|--|
| Distance: 0 Depth: 0 Time: | 55 | 35 | 2 | 8 | | (10) | Y - fungus + kelp stipe | | | | |
| Notes: soil moss overlies (most likely) cobble/gravel mix | | | | | | | | | | | |
| Distance: 7 Depth: 7 Time: | 50 35 | 15 | | | 2 | | | | | | |
| Notes: no algae or veg nearby | | | | | | | | | | | |
| Distance: 14 Depth: 14 Time: | 70 | 30 | | | 6 | | | | | | |
| Notes: Large Gravel ENC. Algae in black, almost tar spot/lichenesque | | | | | | | | | | | |
| Distance: 21 Depth: 21 Time: | 77 | 86 7 | 4 <1 | | | | | | | | |
| Notes: | | | | | | | | | | | |
| Distance: 28 Depth: 28 Time: 16:10 | Bd Cd 30 | Gr Sand 2 | SH shell 1 | | | | | | | | |
| Notes: near waterline ~5% Fucus cover on large substrate (up to ~5m above) | | | | | | | | | | | |
| Distance: Depth: Time: | | some | fucus (<5%) | subtidal | | | | | | | |
| Notes: Waterline 16:10 @ 31.0m ; low tide @ ~15:55 | | | | | | | | | | | |

Ref T1

1303567-4000

Location:

T2 RET

Start 15V 0545 335

END

15V

0545326

Date: Sept 15 2018

6963972


Subtidal Bic

al Survey

6963947

Data Recorded

ARI PP

| | | | | | | | | | | | | | | | | | | | | |
|--|-----|--------|-------|----------|--|--------------------|-----------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | Bo | GRAVEL | silt | detritus | | soil grass complex | fucus | | | | | | | | | | | | | |
| Distance: 0 | Cob | Sand | shell | grass | | | bluish encrusting alg | | | | | | | | | | | | | |
| Depth: 30 | | | | | | | | | | | | | | | | | | | | |
| Time: 16 ⁵⁰ | 25 | 25 | 5 | Y(12%) | | 10 | | | | | | | | | | | | | | |
| Notes: moss in complex soil grass ; fucus ~ 2% within 10% waterline E+W | | | | | | | | | | | | | | | | | | | | |
| Distance: 7 | | | | | | | | | | | | | | | | | | | | |
| Depth: 30 | | | | | | | | | | | | | | | | | | | | |
| Time: 15 | 55 | | | | | | | | | | | | | | | | | | | |
| Notes: boulder cobble zone from 0m → 7m profile:  | | | | | | | | | | | | | | | | | | | | |
| Distance: 14 | | | | | | | | | | | | | | | | | | | | |
| Depth: 2 | | | | | | | | | | | | | | | | | | | | |
| Time: 70 | 26 | | | | | | | | | | | | | | | | | | | |
| Notes: large cobble ~W | | | | | | | | | | | | | | | | | | | | |
| Distance: 21 | | | | | | | | | | | | | | | | | | | | |
| Depth: 35 | | | | | | | | | | | | | | | | | | | | |
| Time: 10 | 5 | 3 | Y | | | | | | | | | | | | | | | | | |
| Notes: | | | | | | | | | | | | | | | | | | | | |
| Distance: 28 | | | | | | | | | | | | | | | | | | | | |
| Depth: 70 | | | | | | | | | | | | | | | | | | | | |
| Time: 17 ⁰⁰ | 30 | | | | | | | | | | | | | | | | | | | |
| Notes: waterline 27.5m @ 17 ⁰⁰ ; low tide @ ~ 15 ⁵⁵ | | | | | | | | | | | | | | | | | | | | |
| Distance: 35 | | | | | | | | | | | | | | | | | | | | |
| Depth: | | | | | | | | | | | | | | | | | | | | |
| Time: | | | | | | | | | | | | | | | | | | | | |
| Notes: fairly consistent grade overall w/ nearby flat sandy patches @ ~ 15m → 26m steeper than exposed site | | | | | | | | | | | | | | | | | | | | |

REF-72

APPENDIX F

Marine Water Quality Analytical Results



Agnico-Eagle - Meliadine Gold Project
ATTN: JENNIFER BROWN
PO Box 99
Rankin Inlet NU XOC OGO

Date Received: 21-SEP-18
Report Date: 19-OCT-18 14:03 (MT)
Version: FINAL

Client Phone: 819-759-7555

Certificate of Analysis

Lab Work Order #: L2168530
Project P.O. #: NOT SUBMITTED
Job Reference:
C of C Numbers: 14-452765
Legal Site Desc:



Hua Wo
Chemistry Laboratory Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 1329 Niakwa Road East, Unit 12, Winnipeg, MB R2J 3T4 Canada | Phone: +1 204 255 9720 | Fax: +1 204 255 9721
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-1 WW1S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:15 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Total (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 55.5 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 16000 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2280 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0094 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Boron (B)-Dissolved | 3.76 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 349 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.193 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Dissolved | 1000 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00073 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0117 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 332 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.103 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0021 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9190 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.41 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 740 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-1 WW1S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:15 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00295 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00117 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4990 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0321 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0092 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 3.81 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 368 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | 0.000058 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | 0.042 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.201 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 1030 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00140 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0114 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00059 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 347 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.108 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | 0.0021 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9400 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.53 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 769 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | 0.0053 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-1 WW1S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:15 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00308 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00130 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 46500 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0175 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.43 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.363 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.135 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.46 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 35400 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0248 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | 2.0 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.96 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 30.5 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |
| L2168530-2 WW1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:15 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Total (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 57.5 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 16800 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2390 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-2 WW1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:15 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0099 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Boron (B)-Dissolved | 4.11 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 358 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.206 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Dissolved | 1040 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00078 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0120 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Dissolved | 0.00054 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 343 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.111 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0033 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9380 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.43 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 770 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00310 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00129 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 5180 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0242 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0093 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 3.85 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-2 WW1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:15 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 357 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | 0.000087 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | 0.035 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.197 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 1040 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00128 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0115 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00066 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 333 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.106 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | 0.0028 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9210 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.55 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 775 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | 0.0053 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00298 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00139 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 46000 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0177 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.38 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.346 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.132 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.45 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 34300 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0267 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | 2.7 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.97 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 30.2 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-3 MWE-1S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Rubidium (Rb)-Dissolved | 0.106 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0024 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9360 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.40 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 732 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00304 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00120 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 5000 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0309 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0090 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 3.95 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 359 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | 0.000064 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | 0.00055 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | 0.043 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | 0.00048 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.205 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 1030 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00137 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0114 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00066 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 346 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.106 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | 0.0024 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9420 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-3 MWE-1S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Strontium (Sr)-Total | 5.34 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 746 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00298 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00133 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 45900 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0177 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.36 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.347 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.123 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.43 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 34000 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0234 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | <2.0 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.97 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 30.1 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |
| L2168530-4 MWE-1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Total (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 58.0 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 16800 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-4 MWE-1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2400 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0088 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Boron (B)-Dissolved | 4.09 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 363 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.205 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Dissolved | 981 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00068 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0119 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Dissolved | 0.00055 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 334 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.108 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0024 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9130 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.30 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 723 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00302 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00132 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4950 | | 4.8 | mg/L | | 19-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0255 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-4 MWE-1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 18:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0098 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 4.29 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 364 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | 0.000058 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | 0.041 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.215 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 1040 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00138 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0123 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00056 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 346 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.112 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | 0.0024 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9340 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.38 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 750 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00309 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00126 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 45900 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0175 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.38 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.343 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.145 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.50 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 34100 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-4 MWE-1D Sampled By: CLIENT on 17-SEP-18 @ 18:45 Matrix: marine H2O | | | | | | | |
| Phosphorus (P)-Total | 0.0246 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | 2.2 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.98 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 30.1 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |
| L2168530-5 MWE-2S Sampled By: CLIENT on 17-SEP-18 @ 16:30 Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 112 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Total (as CaCO3) | 112 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 59.8 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 17400 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2470 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0098 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Boron (B)-Dissolved | 4.07 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 361 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.202 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Dissolved | 1020 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00076 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0114 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-5 MWE-2S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 16:30 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Nickel (Ni)-Dissolved | 0.00057 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 340 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.105 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0024 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9350 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.39 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 744 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00302 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00113 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 5110 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0235 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0093 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 4.11 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 370 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | 0.00058 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | 0.000051 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | 0.037 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.203 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 1020 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00132 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0115 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00055 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 351 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.106 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-5 MWE-2S Sampled By: CLIENT on 17-SEP-18 @ 16:30 Matrix: marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Selenium (Se)-Total | 0.0024 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9740 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.65 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 739 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | 0.0058 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00300 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00131 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 46200 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0174 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.36 | | 0.50 | mg/L | | 02-OCT-18 | R4257979 |
| Silicate (as SiO2) | 0.345 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.149 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.79 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 35700 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0255 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | 2.6 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.98 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 30.3 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |
| L2168530-6 MWE-2D Sampled By: CLIENT on 17-SEP-18 @ 16:30 Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Total (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 58.9 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 17000 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-6 MWE-2D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 16:30 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2430 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0088 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Boron (B)-Dissolved | 3.95 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 354 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.195 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Dissolved | 993 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00068 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0113 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 344 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.104 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0023 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9420 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.27 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 720 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00296 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00122 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-6 MWE-2D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 16:30 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4970 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0232 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0090 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 4.10 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 348 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | 0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | 0.029 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.206 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 1030 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00119 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0118 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00063 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 334 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.109 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9240 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.38 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 757 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00302 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00146 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 45500 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0174 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.43 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.344 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.139 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-6 MWE-2D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 16:30 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Total Organic Carbon | 1.54 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 36000 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0247 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | <2.0 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.98 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 29.8 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |
| L2168530-7 MWREFA-2S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 114 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Total (as CaCO3) | 114 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 54.5 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 16000 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | 0.11 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2260 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0088 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Boron (B)-Dissolved | 3.99 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 341 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.201 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-7 MWREFA-2S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Magnesium (Mg)-Dissolved | 1020 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00062 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0117 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Dissolved | 0.00051 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 331 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.106 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0021 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9060 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.20 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 747 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00291 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00140 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 5030 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0069 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0090 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 4.26 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | 0.000058 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 355 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | <0.010 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.212 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 994 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00079 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0121 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-7 MWREFA-2S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Potassium (K)-Total | 335 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.111 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | 0.0029 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9370 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.43 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 727 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00309 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00128 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 45700 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0178 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.40 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.317 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.127 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.32 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 33300 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0248 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | <2.0 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.97 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 30.0 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |
| L2168530-8 MWREFA-2D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Total (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 57.4 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-8 MWREFA-2D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 16900 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2400 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0091 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Boron (B)-Dissolved | 4.29 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 350 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.212 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Dissolved | 993 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00065 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0122 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Dissolved | 0.00053 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 326 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.111 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0024 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9140 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.27 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 730 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00303 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00122 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-8 MWREFA-2D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4960 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0245 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0091 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 4.06 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 351 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | 0.00068 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | 0.000060 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | 0.00070 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | 0.035 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.201 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 1010 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00120 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0115 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00061 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 328 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.107 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | 0.0022 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9080 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.34 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 734 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | 0.0052 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00298 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00143 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 45500 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-8 MWREFA-2D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:45 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Orthophosphate-Dissolved (as P) | 0.0169 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.42 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.316 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.139 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.39 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 35200 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0299 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | 3.0 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.98 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 29.8 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |
| L2168530-9 MWREFA-1S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:10 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 114 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Total (as CaCO3) | 114 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 54.3 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 15900 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2260 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0091 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Boron (B)-Dissolved | 3.85 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 362 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-9 MWREFA-1S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:10 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.196 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Dissolved | 988 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00065 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0111 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Dissolved | 0.00054 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 338 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.103 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9290 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.24 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 721 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00298 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00131 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4970 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0234 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0099 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 3.84 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 370 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | 0.00057 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | 0.00051 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | 0.030 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.199 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-9 MWREFA-1S | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:10 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Magnesium (Mg)-Total | 1040 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00122 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0114 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00068 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 343 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.106 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | 0.0025 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9580 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.52 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 762 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00306 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00146 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 45400 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0167 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.40 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.313 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.127 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.25 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 35200 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0233 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | 2.6 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.98 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 29.7 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |
| L2168530-10 MWREFA-1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:10 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-10 MWREFA-1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:10 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Total (as CaCO3) | 113 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 57.5 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 16800 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2350 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0084 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Boron (B)-Dissolved | 3.94 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 357 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.196 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Dissolved | 986 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00076 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0114 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Dissolved | 0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 340 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.103 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0023 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9260 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.17 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 716 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-10 MWREFA-1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:10 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00290 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00127 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4950 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0142 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0094 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 4.17 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 356 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Total | 0.000054 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | <0.010 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.212 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 999 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00091 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0118 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 339 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.110 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | 0.0021 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9310 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.44 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 726 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00309 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00140 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-10 MWREFA-1D | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 17:10 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 45500 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0175 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.39 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.322 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.141 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.24 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 35500 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0247 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | <2.0 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.98 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 29.8 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |
| L2168530-11 DUP A | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 16:30 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 114 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Alkalinity, Total (as CaCO3) | 114 | | 1.0 | mg/L | | 26-SEP-18 | R4245590 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 57.3 | | 5.0 | mg/L | | 25-SEP-18 | R4243309 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 16800 | | 50 | mg/L | | 25-SEP-18 | R4243309 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 25-SEP-18 | R4243309 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 25-SEP-18 | R4243309 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2390 | | 30 | mg/L | | 25-SEP-18 | R4243309 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 01-OCT-18 | R4254272 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Barium (Ba)-Dissolved | 0.0092 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-11 DUP A | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 16:30 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Boron (B)-Dissolved | 4.09 | | 0.10 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Dissolved | 354 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Copper (Cu)-Dissolved | 0.00065 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Lithium (Li)-Dissolved | 0.206 | | 0.020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Dissolved | 972 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Dissolved | 0.00074 | | 0.00020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Dissolved | 0.0119 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Dissolved | 0.00055 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Potassium (K)-Dissolved | 333 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Dissolved | 0.106 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Selenium (Se)-Dissolved | 0.0024 | | 0.0020 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sodium (Na)-Dissolved | 9330 | | 20 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Dissolved | 5.25 | | 0.050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Sulfur (S)-Dissolved | 711 | | 5.0 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Uranium (U)-Dissolved | 0.00307 | | 0.000050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Vanadium (V)-Dissolved | 0.00135 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 01-OCT-18 | 18-OCT-18 | R4286768 |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4890 | | 4.8 | mg/L | | 18-OCT-18 | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0230 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Barium (Ba)-Total | 0.0088 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Boron (B)-Total | 4.00 | | 0.10 | mg/L | | 18-OCT-18 | R4286768 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Calcium (Ca)-Total | 363 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Chromium (Cr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2168530-11 DUP A | | | | | | | |
| Sampled By: CLIENT on 17-SEP-18 @ 16:30 | | | | | | | |
| Matrix: marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Cobalt (Co)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Copper (Cu)-Total | 0.00101 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Iron (Fe)-Total | 0.022 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 18-OCT-18 | R4286768 |
| Lithium (Li)-Total | 0.206 | | 0.020 | mg/L | | 18-OCT-18 | R4286768 |
| Magnesium (Mg)-Total | 1040 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Manganese (Mn)-Total | 0.00111 | | 0.00020 | mg/L | | 18-OCT-18 | R4286768 |
| Molybdenum (Mo)-Total | 0.0117 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Nickel (Ni)-Total | 0.00062 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 18-OCT-18 | R4286768 |
| Potassium (K)-Total | 335 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Rubidium (Rb)-Total | 0.107 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Selenium (Se)-Total | 0.0027 | | 0.0020 | mg/L | | 18-OCT-18 | R4286768 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 18-OCT-18 | R4286768 |
| Sodium (Na)-Total | 9090 | | 1.0 | mg/L | | 18-OCT-18 | R4286768 |
| Strontium (Sr)-Total | 5.44 | | 0.010 | mg/L | | 18-OCT-18 | R4286768 |
| Sulfur (S)-Total | 761 | | 5.0 | mg/L | | 18-OCT-18 | R4286768 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 18-OCT-18 | R4286768 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 18-OCT-18 | R4286768 |
| Uranium (U)-Total | 0.00312 | | 0.000050 | mg/L | | 18-OCT-18 | R4286768 |
| Vanadium (V)-Total | 0.00146 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 18-OCT-18 | R4286768 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 18-OCT-18 | R4286768 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 02-OCT-18 | R4257962 |
| Conductivity | 45500 | | 2.0 | uS/cm | | 26-SEP-18 | R4245590 |
| Orthophosphate-Dissolved (as P) | 0.0176 | | 0.0010 | mg/L | | 22-SEP-18 | R4233408 |
| Dissolved Organic Carbon | 1.42 | | 0.50 | mg/L | | 25-SEP-18 | R4245104 |
| Silicate (as SiO2) | 0.333 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.134 | | 0.050 | mg/L | 28-SEP-18 | 01-OCT-18 | R4254028 |
| Total Organic Carbon | 1.34 | | 0.50 | mg/L | | 25-SEP-18 | R4245103 |
| Total Dissolved Solids | 33300 | | 80 | mg/L | | 25-SEP-18 | R4247695 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 26-SEP-18 | R4241691 |
| Phosphorus (P)-Total | 0.0243 | | 0.0040 | mg/L | | 22-SEP-18 | R4233751 |
| Total Suspended Solids | 3.8 | | 2.0 | mg/L | | 24-SEP-18 | R4239893 |
| pH | 7.97 | | 0.10 | pH | | 26-SEP-18 | R4245590 |
| Salinity | 29.8 | | 1.0 | psu | | 29-SEP-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 25-SEP-18 | R4239017 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 25-SEP-18 | 25-SEP-18 | R4238273 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

Reference Information

Test Method References:

| ALS Test Code | Matrix | Test Description | Method Reference** |
|---|----------|---|---|
| ALK-TITR-VA | Seawater | Alkalinity Spec by Titration (Seawater) | APHA 2320 Alkalinity |
| This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values. | | | |
| ANIONS-C-BR-IC-VA | Seawater | Bromide by IC (seawater) | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from APHA Method 4110 B. "Ion Chromatography with Chemical Suppression of Eluent Conductivity" and EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". | | | |
| ANIONS-C-CL-IC-VA | Seawater | Chloride by IC (seawater) | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from APHA Method 4110 B. "Ion Chromatography with Chemical Suppression of Eluent Conductivity" and EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". | | | |
| ANIONS-C-F-IC-VA | Seawater | Fluoride by IC (seawater) | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from APHA Method 4110 B. "Ion Chromatography with Chemical Suppression of Eluent Conductivity" and EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". | | | |
| ANIONS-C-NO2-IC-VA | Seawater | Nitrite in Seawater by IC | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". Nitrite is detected by UV absorbance. | | | |
| ANIONS-C-NO3-IC-VA | Seawater | Nitrate in Seawater by IC | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". Nitrate is detected by UV absorbance. | | | |
| ANIONS-C-SO4-IC-VA | Seawater | Sulfate by IC (seawater) | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from APHA Method 4110 B. "Ion Chromatography with Chemical Suppression of Eluent Conductivity" and EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". | | | |
| CARBONS-C-DOC-VA | Seawater | DOC by combustion (seawater) | APHA 5310B TOTAL ORGANIC CARBON (TOC) |
| This analysis is carried out using procedures adapted from APHA Method 5310 "Total Organic Carbon (TOC)". Dissolved carbon (DOC) fractions are determined by filtering the sample through a 0.45 micron membrane filter prior to analysis. | | | |
| CARBONS-C-TOC-VA | Seawater | TOC by combustion (seawater) | APHA 5310B TOTAL ORGANIC CARBON (TOC) |
| This analysis is carried out using procedures adapted from APHA Method 5310 "Total Organic Carbon (TOC)". | | | |
| EC-C-PCT-VA | Seawater | Conductivity (Automated) (seawater) | APHA 2510 Auto. Conduc. |
| This analysis is carried out using procedures adapted from APHA Method 2510 "Conductivity". Conductivity is determined using a conductivity electrode. | | | |
| HARDNESS-CALC-VA | Seawater | Hardness | APHA 2340B |
| Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation. | | | |
| HG-DIS-C-CVAFS-VA | Seawater | Diss. Mercury in Seawater by CVAFS | PUGET SOUND PROTOCOLS, EPA 245.7 |
| This analysis is carried out using procedures adapted from "Recommended Guidelines for Measuring Metals in Puget Sound Marine Water, Sediment, and Tissue Samples" prepared for the United States Environmental Protection Agency and the Puget Sound Water Quality Authority, 1995. The procedures may involve preliminary sample treatment by filtration (EPA Method 3005A) and involves a cold-oxidation of the acidified seawater sample using bromine monochloride prior to reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry or atomic absorption spectrophotometry (EPA Method 245.7). | | | |
| HG-TOT-C-CVAFS-VA | Seawater | Total Mercury in Seawater by CVAFS | PUGET SOUND PROTOCOLS, EPA 245.7 |
| This analysis is carried out using procedures adapted from "Recommended Guidelines for Measuring Metals in Puget Sound Marine Water, Sediment, and Tissue Samples" prepared for the United States Environmental Protection Agency and the Puget Sound Water Quality Authority, 1995. The procedure involves a cold-oxidation of the acidified seawater sample using bromine monochloride prior to reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry or atomic absorption spectrophotometry (EPA Method 245.7). | | | |
| MET-D-L-HRMS-VA | Seawater | Diss. Metals in Seawater by HR-ICPMS | EPA 200.8 |
| Trace metals in seawater are analyzed by high resolution inductively coupled plasma mass spectrometry (HR-ICPMS) based on US EPA Method 200.8, (Revision 5.5). The procedures may involve laboratory sample filtration based on APHA Method 3030B. | | | |
| MET-T-L-HRMS-VA | Seawater | Tot. Metals in Seawater by HR-ICPMS | EPA 200.8 |
| Trace metals in seawater are analyzed by high resolution inductively coupled plasma mass spectrometry (HR-ICPMS) based on US EPA Method 200.8, (Revision 5.5). The procedures may involve preliminary sample treatment by acid digestion based on APHA Method 3030E. | | | |
| NH3-F-VA | Seawater | Ammonia in Seawater by Fluorescence | J. ENVIRON. MONIT., 2005, 7, 37-42, RSC |
| This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Weston et | | | |

Reference Information

Test Method References:

| ALS Test Code | Matrix | Test Description | Method Reference** |
|---|----------|--|------------------------|
| al. | | | |
| P-T-COL-VA | Seawater | Total P in Seawater by Colour | APHA 4500-P Phosphorus |
| This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorous is determined colourimetrically after persulphate digestion of the sample. | | | |
| PH-C-PCT-VA | Seawater | pH by Meter (Automated) (seawater) | APHA 4500-H pH Value |
| This analysis is carried out using procedures adapted from APHA Method 4500-H "pH Value". The pH is determined in the laboratory using a pH electrode. | | | |
| It is recommended that this analysis be conducted in the field. | | | |
| PO4-DO-COL-VA | Seawater | D-Orthophosphate in Seawater by Colour | APHA 4500-P Phosphorus |
| This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter. | | | |
| SALINITY-CALC-VA | Seawater | Salinity by conductivity meter | APHA 2520B |
| Salinity is determined by the APHA 2520B Electrical Conductivity Method. Salinity is a unitless parameter that is roughly equivalent to grams per Litre. ALS applies the unit of psu (practical salinity unit) to indicate that salinity values are derived from the Practical Salinity Scale. | | | |
| SIO2-L-COL-VA | Seawater | Low Level Silicate by Colourimetric | APHA 4500-SiO2 E. |
| This analysis is carried out using procedures adapted from APHA Method 4500-SiO2 E. "Silica". Silicate (molybdate-reactive silica) is determined by the molybdosilicate-heteropoly blue colourimetric method. | | | |
| TDS-VA | Seawater | Total Dissolved Solids by Gravimetric | APHA 2540 Gravimetric |
| This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, TDS is determined by evaporating the filtrate to dryness at 180 degrees celsius. | | | |
| TKN-C-F-VA | Seawater | TKN in Seawater by Fluorescence | APHA 4500-NORG D. |
| This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection. | | | |
| TSS-C-VA | Seawater | Total Suspended Solids by Gravimetric | APHA 2540 D |
| This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total Suspended Solids (TSS) is determined by filtering a sample through a glass fibre filter. TSS is determined by drying the filter at 104 degrees celsius. | | | |

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

| Laboratory Definition Code | Laboratory Location |
|----------------------------|---|
| VA | ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA |

Chain of Custody Numbers:

14-452765

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

*mg/kg - milligrams per kilogram based on dry weight of sample
 mg/kg wwt - milligrams per kilogram based on wet weight of sample
 mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight
 mg/L - unit of concentration based on volume, parts per million.*

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 1 of 21

Client: Agnico-Eagle - Meliadine Gold Project
 PO Box 99
 Rankin Inlet NU X0C 0G0

Contact: JENNIFER BROWN

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------------|------------|----------------------------|--------|-----------|-------|-----|--------|-----------|
| ALK-TITR-VA | | Seawater | | | | | | |
| Batch | R4245590 | | | | | | | |
| WG2884434-3 | CRM | VA-ALK-TITR-CONTROL | | | | | | |
| Alkalinity, Total (as CaCO3) | | | 101.1 | | % | | 85-115 | 26-SEP-18 |
| WG2884434-6 | DUP | L2168530-5 | | | | | | |
| Alkalinity, Total (as CaCO3) | | 112 | 110 | | mg/L | 1.8 | 20 | 26-SEP-18 |
| WG2884434-1 | MB | | | | | | | |
| Alkalinity, Total (as CaCO3) | | | <1.0 | | mg/L | | 1 | 26-SEP-18 |
| ANIONS-C-BR-IC-VA | | Seawater | | | | | | |
| Batch | R4243309 | | | | | | | |
| WG2884506-3 | DUP | L2168530-1 | | | | | | |
| Bromide (Br) | | 55.5 | 57.6 | | mg/L | 3.7 | 20 | 25-SEP-18 |
| WG2884506-2 | LCS | | | | | | | |
| Bromide (Br) | | | 101.4 | | % | | 85-115 | 25-SEP-18 |
| WG2884506-1 | MB | | | | | | | |
| Bromide (Br) | | | <5.0 | | mg/L | | 5 | 25-SEP-18 |
| ANIONS-C-CL-IC-VA | | Seawater | | | | | | |
| Batch | R4243309 | | | | | | | |
| WG2884506-3 | DUP | L2168530-1 | | | | | | |
| Chloride (Cl) | | 16000 | 16600 | | mg/L | 4.0 | 20 | 25-SEP-18 |
| WG2884506-2 | LCS | | | | | | | |
| Chloride (Cl) | | | 99.95 | | % | | 90-110 | 25-SEP-18 |
| WG2884506-1 | MB | | | | | | | |
| Chloride (Cl) | | | <50 | | mg/L | | 50 | 25-SEP-18 |
| ANIONS-C-F-IC-VA | | Seawater | | | | | | |
| Batch | R4243309 | | | | | | | |
| WG2884506-3 | DUP | L2168530-1 | | | | | | |
| Fluoride (F) | | <1.0 | <1.0 | RPD-NA | mg/L | N/A | 20 | 25-SEP-18 |
| WG2884506-2 | LCS | | | | | | | |
| Fluoride (F) | | | 99.97 | | % | | 90-110 | 25-SEP-18 |
| WG2884506-1 | MB | | | | | | | |
| Fluoride (F) | | | <1.0 | | mg/L | | 1 | 25-SEP-18 |
| ANIONS-C-NO2-IC-VA | | Seawater | | | | | | |
| Batch | R4243309 | | | | | | | |
| WG2884506-3 | DUP | L2168530-1 | | | | | | |
| Nitrite (as N) | | <0.10 | <0.10 | RPD-NA | mg/L | N/A | 20 | 25-SEP-18 |
| WG2884506-2 | LCS | | | | | | | |
| Nitrite (as N) | | | 100.8 | | % | | 90-110 | 25-SEP-18 |
| WG2884506-1 | MB | | | | | | | |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 2 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------|------------|-------------------|--------|-----------|-------|-----|--------|-----------|
| ANIONS-C-NO2-IC-VA | | Seawater | | | | | | |
| Batch | R4243309 | | | | | | | |
| WG2884506-1 | MB | | | | | | | |
| Nitrite (as N) | | | <0.10 | | mg/L | | 0.1 | 25-SEP-18 |
| ANIONS-C-NO3-IC-VA | | Seawater | | | | | | |
| Batch | R4243309 | | | | | | | |
| WG2884506-3 | DUP | L2168530-1 | | | | | | |
| Nitrate (as N) | | <0.50 | <0.50 | RPD-NA | mg/L | N/A | 20 | 25-SEP-18 |
| WG2884506-2 | LCS | | | | | | | |
| Nitrate (as N) | | | 99.0 | | % | | 90-110 | 25-SEP-18 |
| WG2884506-1 | MB | | | | | | | |
| Nitrate (as N) | | | <0.50 | | mg/L | | 0.5 | 25-SEP-18 |
| ANIONS-C-SO4-IC-VA | | Seawater | | | | | | |
| Batch | R4243309 | | | | | | | |
| WG2884506-3 | DUP | L2168530-1 | | | | | | |
| Sulfate (SO4) | | 2280 | 2360 | | mg/L | 3.7 | 20 | 25-SEP-18 |
| WG2884506-2 | LCS | | | | | | | |
| Sulfate (SO4) | | | 100.5 | | % | | 90-110 | 25-SEP-18 |
| WG2884506-1 | MB | | | | | | | |
| Sulfate (SO4) | | | <30 | | mg/L | | 30 | 25-SEP-18 |
| CARBONS-C-DOC-VA | | Seawater | | | | | | |
| Batch | R4245104 | | | | | | | |
| WG2886063-1 | DUP | L2168530-1 | | | | | | |
| Dissolved Organic Carbon | | 1.43 | 1.48 | | mg/L | 3.4 | 20 | 25-SEP-18 |
| WG2886063-4 | LCS | | | | | | | |
| Dissolved Organic Carbon | | | 101.0 | | % | | 80-120 | 25-SEP-18 |
| WG2886063-3 | MB | | | | | | | |
| Dissolved Organic Carbon | | | <0.50 | | mg/L | | 0.5 | 25-SEP-18 |
| WG2886063-2 | MS | L2168530-2 | | | | | | |
| Dissolved Organic Carbon | | | 93.9 | | % | | 70-130 | 25-SEP-18 |
| Batch | R4257979 | | | | | | | |
| WG2892697-4 | LCS | | | | | | | |
| Dissolved Organic Carbon | | | 96.8 | | % | | 80-120 | 02-OCT-18 |
| WG2892697-3 | MB | | | | | | | |
| Dissolved Organic Carbon | | | <0.50 | | mg/L | | 0.5 | 02-OCT-18 |
| CARBONS-C-TOC-VA | | Seawater | | | | | | |



Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 3 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|------------|--------------------------|-----------|-----------|-------|-----|---------|-----------|
| CARBONS-C-TOC-VA | | Seawater | | | | | | |
| Batch | R4245103 | | | | | | | |
| WG2886062-1 | DUP | L2168530-1 | | | | | | |
| Total Organic Carbon | | 1.46 | 1.39 | | mg/L | 4.5 | 20 | 25-SEP-18 |
| WG2886062-4 | LCS | | | | | | | |
| Total Organic Carbon | | | 102.2 | | % | | 80-120 | 25-SEP-18 |
| WG2886062-3 | MB | | | | | | | |
| Total Organic Carbon | | | <0.50 | | mg/L | | 0.5 | 25-SEP-18 |
| WG2886062-2 | MS | L2168530-2 | | | | | | |
| Total Organic Carbon | | | 97.4 | | % | | 70-130 | 25-SEP-18 |
| EC-C-PCT-VA | | Seawater | | | | | | |
| Batch | R4245590 | | | | | | | |
| WG2884434-4 | CRM | VA-EC-PCT-CONTROL | | | | | | |
| Conductivity | | | 103.7 | | % | | 90-110 | 26-SEP-18 |
| WG2884434-6 | DUP | L2168530-5 | | | | | | |
| Conductivity | | 46200 | 45900 | | uS/cm | 0.7 | 10 | 26-SEP-18 |
| WG2884434-1 | MB | | | | | | | |
| Conductivity | | | <2.0 | | uS/cm | | 2 | 26-SEP-18 |
| HG-DIS-C-CVAFS-VA | | Seawater | | | | | | |
| Batch | R4238273 | | | | | | | |
| WG2885957-2 | LCS | | | | | | | |
| Mercury (Hg)-Dissolved | | | 100.3 | | % | | 80-120 | 25-SEP-18 |
| WG2885957-1 | MB | LF | | | | | | |
| Mercury (Hg)-Dissolved | | | <0.000010 | | mg/L | | 0.00001 | 25-SEP-18 |
| HG-TOT-C-CVAFS-VA | | Seawater | | | | | | |
| Batch | R4241691 | | | | | | | |
| WG2886918-2 | LCS | | | | | | | |
| Mercury (Hg)-Total | | | 99.4 | | % | | 80-120 | 26-SEP-18 |
| WG2886918-1 | MB | | | | | | | |
| Mercury (Hg)-Total | | | <0.000010 | | mg/L | | 0.00001 | 26-SEP-18 |
| MET-D-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286768 | | | | | | | |
| WG2891785-3 | DUP | L2168530-2 | | | | | | |
| Aluminum (Al)-Dissolved | | <0.0050 | <0.0050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Antimony (Sb)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Arsenic (As)-Dissolved | | <0.0020 | <0.0020 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Barium (Ba)-Dissolved | | 0.0099 | 0.0090 | | mg/L | 9.4 | 20 | 18-OCT-18 |
| Beryllium (Be)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Bismuth (Bi)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 4 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------|-----------------|-------------------|-----------|-----------|-------|--------|-------|-----------|
| MET-D-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286768 | | | | | | | |
| WG2891785-3 | DUP | L2168530-2 | | | | | | |
| Boron (B)-Dissolved | | 4.11 | 3.98 | | mg/L | 3.3 | 20 | 18-OCT-18 |
| Cadmium (Cd)-Dissolved | | <0.000050 | <0.000050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Calcium (Ca)-Dissolved | | 358 | 361 | | mg/L | 0.8 | 20 | 18-OCT-18 |
| Cesium (Cs)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Chromium (Cr)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Cobalt (Co)-Dissolved | | <0.000050 | <0.000050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Copper (Cu)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Gallium (Ga)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Iron (Fe)-Dissolved | | <0.010 | <0.010 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Lead (Pb)-Dissolved | | <0.00030 | <0.00030 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Lithium (Li)-Dissolved | | 0.206 | 0.203 | | mg/L | 1.7 | 20 | 18-OCT-18 |
| Magnesium (Mg)-Dissolved | | 1040 | 1000 | | mg/L | 4.0 | 20 | 18-OCT-18 |
| Manganese (Mn)-Dissolved | | 0.00078 | 0.00073 | | mg/L | 6.4 | 20 | 18-OCT-18 |
| Molybdenum (Mo)-Dissolved | | 0.0120 | 0.0119 | | mg/L | 0.8 | 20 | 18-OCT-18 |
| Nickel (Ni)-Dissolved | | 0.00054 | 0.00058 | | mg/L | 6.6 | 20 | 18-OCT-18 |
| Phosphorus (P)-Dissolved | | <0.050 | <0.050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Potassium (K)-Dissolved | | 343 | 335 | | mg/L | 2.4 | 20 | 18-OCT-18 |
| Rhenium (Re)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Rubidium (Rb)-Dissolved | | 0.111 | 0.107 | | mg/L | 3.9 | 20 | 18-OCT-18 |
| Selenium (Se)-Dissolved | | 0.0033 | 0.0024 | J | mg/L | 0.0009 | 0.004 | 18-OCT-18 |
| Silicon (Si)-Dissolved | | <1.0 | <1.0 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Silver (Ag)-Dissolved | | <0.00010 | <0.00010 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Sodium (Na)-Dissolved | | 9380 | 9330 | | mg/L | 0.5 | 20 | 18-OCT-18 |
| Strontium (Sr)-Dissolved | | 5.43 | 5.25 | | mg/L | 3.4 | 20 | 18-OCT-18 |
| Sulfur (S)-Dissolved | | 770 | 731 | | mg/L | 5.3 | 20 | 18-OCT-18 |
| Tellurium (Te)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Thallium (Tl)-Dissolved | | <0.000050 | <0.000050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Thorium (Th)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Tin (Sn)-Dissolved | | <0.0010 | <0.0010 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Titanium (Ti)-Dissolved | | <0.0050 | <0.0050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Tungsten (W)-Dissolved | | <0.0010 | <0.0010 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Uranium (U)-Dissolved | | 0.00310 | 0.00300 | | mg/L | 3.2 | 20 | 18-OCT-18 |
| Vanadium (V)-Dissolved | | 0.00129 | 0.00115 | | mg/L | 11 | 20 | 18-OCT-18 |
| Yttrium (Y)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 5 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------|-----------------|-------------------|----------|-----------|-------|-----|--------|-----------|
| MET-D-L-HRMS-VA | | | | | | | | |
| | Seawater | | | | | | | |
| Batch | R4286768 | | | | | | | |
| WG2891785-3 | DUP | L2168530-2 | | | | | | |
| Zinc (Zn)-Dissolved | | <0.0030 | <0.0030 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Zirconium (Zr)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| WG2891785-4 | MS | L2168530-1 | | | | | | |
| Aluminum (Al)-Dissolved | | | 106.8 | | % | | 70-130 | 18-OCT-18 |
| Antimony (Sb)-Dissolved | | | 102.8 | | % | | 70-130 | 18-OCT-18 |
| Arsenic (As)-Dissolved | | | 95.2 | | % | | 70-130 | 18-OCT-18 |
| Barium (Ba)-Dissolved | | | 104.8 | | % | | 70-130 | 18-OCT-18 |
| Beryllium (Be)-Dissolved | | | 98.5 | | % | | 70-130 | 18-OCT-18 |
| Bismuth (Bi)-Dissolved | | | 97.9 | | % | | 70-130 | 18-OCT-18 |
| Boron (B)-Dissolved | | | 101.0 | | % | | 70-130 | 18-OCT-18 |
| Cadmium (Cd)-Dissolved | | | 91.0 | | % | | 70-130 | 18-OCT-18 |
| Calcium (Ca)-Dissolved | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Cesium (Cs)-Dissolved | | | 104.2 | | % | | 70-130 | 18-OCT-18 |
| Chromium (Cr)-Dissolved | | | 94.9 | | % | | 70-130 | 18-OCT-18 |
| Cobalt (Co)-Dissolved | | | 90.4 | | % | | 70-130 | 18-OCT-18 |
| Copper (Cu)-Dissolved | | | 85.7 | | % | | 70-130 | 18-OCT-18 |
| Gallium (Ga)-Dissolved | | | 91.4 | | % | | 70-130 | 18-OCT-18 |
| Iron (Fe)-Dissolved | | | 88.6 | | % | | 70-130 | 18-OCT-18 |
| Lead (Pb)-Dissolved | | | 89.7 | | % | | 70-130 | 18-OCT-18 |
| Lithium (Li)-Dissolved | | | 101.0 | | % | | 70-130 | 18-OCT-18 |
| Magnesium (Mg)-Dissolved | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Manganese (Mn)-Dissolved | | | 94.3 | | % | | 70-130 | 18-OCT-18 |
| Molybdenum (Mo)-Dissolved | | | 101.7 | | % | | 70-130 | 18-OCT-18 |
| Nickel (Ni)-Dissolved | | | 86.8 | | % | | 70-130 | 18-OCT-18 |
| Phosphorus (P)-Dissolved | | | 94.0 | | % | | 70-130 | 18-OCT-18 |
| Potassium (K)-Dissolved | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Rhenium (Re)-Dissolved | | | 100.2 | | % | | 70-130 | 18-OCT-18 |
| Rubidium (Rb)-Dissolved | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Selenium (Se)-Dissolved | | | 95.2 | | % | | 70-130 | 18-OCT-18 |
| Silver (Ag)-Dissolved | | | 93.8 | | % | | 70-130 | 18-OCT-18 |
| Sodium (Na)-Dissolved | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Strontium (Sr)-Dissolved | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Tellurium (Te)-Dissolved | | | 98.9 | | % | | 70-130 | 18-OCT-18 |
| Thallium (Tl)-Dissolved | | | 97.2 | | % | | 70-130 | 18-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 6 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------|-----------------|-------------------|--------|-----------|-------|-----|--------|-----------|
| MET-D-L-HRMS-VA | | | | | | | | |
| | Seawater | | | | | | | |
| Batch | R4286768 | | | | | | | |
| WG2891785-4 | MS | L2168530-1 | | | | | | |
| Thorium (Th)-Dissolved | | | 95.0 | | % | | 70-130 | 18-OCT-18 |
| Tin (Sn)-Dissolved | | | 102.0 | | % | | 70-130 | 18-OCT-18 |
| Titanium (Ti)-Dissolved | | | 96.9 | | % | | 70-130 | 18-OCT-18 |
| Tungsten (W)-Dissolved | | | 101.5 | | % | | 70-130 | 18-OCT-18 |
| Uranium (U)-Dissolved | | | 100.9 | | % | | 70-130 | 18-OCT-18 |
| Vanadium (V)-Dissolved | | | 94.7 | | % | | 70-130 | 18-OCT-18 |
| Yttrium (Y)-Dissolved | | | 103.8 | | % | | 70-130 | 18-OCT-18 |
| Zinc (Zn)-Dissolved | | | 84.1 | | % | | 70-130 | 18-OCT-18 |
| Zirconium (Zr)-Dissolved | | | 108.0 | | % | | 70-130 | 18-OCT-18 |
| Batch | R4286967 | | | | | | | |
| WG2891785-2 | LCS | | | | | | | |
| Aluminum (Al)-Dissolved | | | 89.6 | | % | | 80-120 | 15-OCT-18 |
| Antimony (Sb)-Dissolved | | | 89.1 | | % | | 80-120 | 15-OCT-18 |
| Arsenic (As)-Dissolved | | | 92.5 | | % | | 80-120 | 15-OCT-18 |
| Barium (Ba)-Dissolved | | | 98.4 | | % | | 80-120 | 15-OCT-18 |
| Beryllium (Be)-Dissolved | | | 93.6 | | % | | 80-120 | 15-OCT-18 |
| Bismuth (Bi)-Dissolved | | | 90.3 | | % | | 80-120 | 15-OCT-18 |
| Boron (B)-Dissolved | | | 106.7 | | % | | 80-120 | 15-OCT-18 |
| Cadmium (Cd)-Dissolved | | | 99.3 | | % | | 80-120 | 15-OCT-18 |
| Calcium (Ca)-Dissolved | | | 97.0 | | % | | 80-120 | 15-OCT-18 |
| Cesium (Cs)-Dissolved | | | 101.8 | | % | | 80-120 | 15-OCT-18 |
| Chromium (Cr)-Dissolved | | | 95.6 | | % | | 80-120 | 15-OCT-18 |
| Cobalt (Co)-Dissolved | | | 94.0 | | % | | 80-120 | 15-OCT-18 |
| Copper (Cu)-Dissolved | | | 92.8 | | % | | 80-120 | 15-OCT-18 |
| Gallium (Ga)-Dissolved | | | 94.8 | | % | | 80-120 | 15-OCT-18 |
| Iron (Fe)-Dissolved | | | 95.7 | | % | | 80-120 | 15-OCT-18 |
| Lead (Pb)-Dissolved | | | 105.6 | | % | | 80-120 | 15-OCT-18 |
| Lithium (Li)-Dissolved | | | 94.9 | | % | | 80-120 | 15-OCT-18 |
| Magnesium (Mg)-Dissolved | | | 98.6 | | % | | 80-120 | 15-OCT-18 |
| Manganese (Mn)-Dissolved | | | 105.2 | | % | | 80-120 | 15-OCT-18 |
| Molybdenum (Mo)-Dissolved | | | 103.2 | | % | | 80-120 | 15-OCT-18 |
| Nickel (Ni)-Dissolved | | | 95.0 | | % | | 80-120 | 15-OCT-18 |
| Phosphorus (P)-Dissolved | | | 101.3 | | % | | 80-120 | 15-OCT-18 |
| Potassium (K)-Dissolved | | | 94.5 | | % | | 80-120 | 15-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 7 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|-----------|-----------|-----------|-------|-----|---------|-----------|
| MET-D-L-HRMS-VA | Seawater | | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2891785-2 | LCS | | | | | | | |
| Rhenium (Re)-Dissolved | | | 102.0 | | % | | 80-120 | 15-OCT-18 |
| Rubidium (Rb)-Dissolved | | | 101.7 | | % | | 80-120 | 15-OCT-18 |
| Selenium (Se)-Dissolved | | | 102.6 | | % | | 80-120 | 15-OCT-18 |
| Silicon (Si)-Dissolved | | | 96.0 | | % | | 80-120 | 15-OCT-18 |
| Silver (Ag)-Dissolved | | | 97.5 | | % | | 80-120 | 15-OCT-18 |
| Sodium (Na)-Dissolved | | | 109.6 | | % | | 80-120 | 15-OCT-18 |
| Strontium (Sr)-Dissolved | | | 96.8 | | % | | 80-120 | 15-OCT-18 |
| Sulfur (S)-Dissolved | | | 102.8 | | % | | 80-120 | 15-OCT-18 |
| Tellurium (Te)-Dissolved | | | 102.0 | | % | | 80-120 | 15-OCT-18 |
| Thallium (Tl)-Dissolved | | | 94.3 | | % | | 80-120 | 15-OCT-18 |
| Thorium (Th)-Dissolved | | | 107.5 | | % | | 80-120 | 15-OCT-18 |
| Tin (Sn)-Dissolved | | | 102.6 | | % | | 80-120 | 15-OCT-18 |
| Titanium (Ti)-Dissolved | | | 95.6 | | % | | 80-120 | 15-OCT-18 |
| Tungsten (W)-Dissolved | | | 101.0 | | % | | 80-120 | 15-OCT-18 |
| Uranium (U)-Dissolved | | | 108.8 | | % | | 80-120 | 15-OCT-18 |
| Vanadium (V)-Dissolved | | | 95.2 | | % | | 80-120 | 15-OCT-18 |
| Yttrium (Y)-Dissolved | | | 107.0 | | % | | 80-120 | 15-OCT-18 |
| Zinc (Zn)-Dissolved | | | 96.4 | | % | | 80-120 | 15-OCT-18 |
| Zirconium (Zr)-Dissolved | | | 103.0 | | % | | 80-120 | 15-OCT-18 |
| WG2891785-1 | MB | LF | | | | | | |
| Aluminum (Al)-Dissolved | | | <0.0050 | | mg/L | | 0.005 | 15-OCT-18 |
| Antimony (Sb)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Arsenic (As)-Dissolved | | | <0.0020 | | mg/L | | 0.002 | 15-OCT-18 |
| Barium (Ba)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Beryllium (Be)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Bismuth (Bi)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Boron (B)-Dissolved | | | <0.10 | | mg/L | | 0.1 | 15-OCT-18 |
| Cadmium (Cd)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Calcium (Ca)-Dissolved | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Cesium (Cs)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Chromium (Cr)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Cobalt (Co)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Copper (Cu)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Gallium (Ga)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 8 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------|-----------------|-----------------|-----------|-----------|-------|-----|---------|-----------|
| MET-D-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2891785-1 MB | | LF | | | | | | |
| Iron (Fe)-Dissolved | | | <0.010 | | mg/L | | 0.01 | 15-OCT-18 |
| Lead (Pb)-Dissolved | | | <0.00030 | | mg/L | | 0.0003 | 15-OCT-18 |
| Lithium (Li)-Dissolved | | | <0.020 | | mg/L | | 0.02 | 15-OCT-18 |
| Magnesium (Mg)-Dissolved | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Manganese (Mn)-Dissolved | | | <0.00020 | | mg/L | | 0.0002 | 15-OCT-18 |
| Molybdenum (Mo)-Dissolved | | | <0.0020 | | mg/L | | 0.002 | 15-OCT-18 |
| Nickel (Ni)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Phosphorus (P)-Dissolved | | | <0.050 | | mg/L | | 0.05 | 15-OCT-18 |
| Potassium (K)-Dissolved | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Rhenium (Re)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Rubidium (Rb)-Dissolved | | | <0.0050 | | mg/L | | 0.005 | 15-OCT-18 |
| Selenium (Se)-Dissolved | | | <0.0020 | | mg/L | | 0.002 | 15-OCT-18 |
| Silicon (Si)-Dissolved | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Silver (Ag)-Dissolved | | | <0.00010 | | mg/L | | 0.0001 | 15-OCT-18 |
| Strontium (Sr)-Dissolved | | | <0.010 | | mg/L | | 0.01 | 15-OCT-18 |
| Sulfur (S)-Dissolved | | | <5.0 | | mg/L | | 5 | 15-OCT-18 |
| Tellurium (Te)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Thallium (Tl)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Thorium (Th)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Tin (Sn)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Titanium (Ti)-Dissolved | | | <0.0050 | | mg/L | | 0.005 | 15-OCT-18 |
| Tungsten (W)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Uranium (U)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Vanadium (V)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Yttrium (Y)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Zinc (Zn)-Dissolved | | | <0.0030 | | mg/L | | 0.003 | 15-OCT-18 |
| Zirconium (Zr)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Batch | R4288587 | | | | | | | |
| WG2891785-1 MB | | LF | | | | | | |
| Sodium (Na)-Dissolved | | | <1.0 | | mg/L | | 1 | 19-OCT-18 |

MET-T-L-HRMS-VA

Seawater



Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 9 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|-----------------|-----------|-----------|-------|-----|---------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4263147 | | | | | | | |
| WG2888262-1 | MB | | | | | | | |
| Aluminum (Al)-Total | | | <0.0050 | | mg/L | | 0.005 | 04-OCT-18 |
| Antimony (Sb)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Arsenic (As)-Total | | | <0.0020 | | mg/L | | 0.002 | 04-OCT-18 |
| Barium (Ba)-Total | | | <0.0010 | | mg/L | | 0.001 | 04-OCT-18 |
| Beryllium (Be)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Bismuth (Bi)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Boron (B)-Total | | | <0.10 | | mg/L | | 0.1 | 04-OCT-18 |
| Cadmium (Cd)-Total | | | <0.000050 | | mg/L | | 0.00005 | 04-OCT-18 |
| Calcium (Ca)-Total | | | <1.0 | | mg/L | | 1 | 04-OCT-18 |
| Cesium (Cs)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Chromium (Cr)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Cobalt (Co)-Total | | | <0.000050 | | mg/L | | 0.00005 | 04-OCT-18 |
| Copper (Cu)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Gallium (Ga)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Iron (Fe)-Total | | | <0.010 | | mg/L | | 0.01 | 04-OCT-18 |
| Lead (Pb)-Total | | | <0.00030 | | mg/L | | 0.0003 | 04-OCT-18 |
| Lithium (Li)-Total | | | <0.020 | | mg/L | | 0.02 | 04-OCT-18 |
| Magnesium (Mg)-Total | | | <1.0 | | mg/L | | 1 | 04-OCT-18 |
| Manganese (Mn)-Total | | | <0.00020 | | mg/L | | 0.0002 | 04-OCT-18 |
| Molybdenum (Mo)-Total | | | <0.0020 | | mg/L | | 0.002 | 04-OCT-18 |
| Nickel (Ni)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Phosphorus (P)-Total | | | <0.050 | | mg/L | | 0.05 | 04-OCT-18 |
| Potassium (K)-Total | | | <1.0 | | mg/L | | 1 | 04-OCT-18 |
| Rhenium (Re)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Rubidium (Rb)-Total | | | <0.0050 | | mg/L | | 0.005 | 04-OCT-18 |
| Selenium (Se)-Total | | | <0.0020 | | mg/L | | 0.002 | 04-OCT-18 |
| Silicon (Si)-Total | | | <1.0 | | mg/L | | 1 | 04-OCT-18 |
| Silver (Ag)-Total | | | <0.00010 | | mg/L | | 0.0001 | 04-OCT-18 |
| Sodium (Na)-Total | | | <1.0 | | mg/L | | 1 | 04-OCT-18 |
| Strontium (Sr)-Total | | | <0.010 | | mg/L | | 0.01 | 04-OCT-18 |
| Sulfur (S)-Total | | | <5.0 | | mg/L | | 5 | 04-OCT-18 |
| Tellurium (Te)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Thallium (Tl)-Total | | | <0.000050 | | mg/L | | 0.00005 | 04-OCT-18 |
| Thorium (Th)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 10 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|-----------------|-----------|-----------|-------|-----|---------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4263147 | | | | | | | |
| WG2888262-1 | MB | | | | | | | |
| Tin (Sn)-Total | | | <0.0010 | | mg/L | | 0.001 | 04-OCT-18 |
| Titanium (Ti)-Total | | | <0.0050 | | mg/L | | 0.005 | 04-OCT-18 |
| Tungsten (W)-Total | | | <0.0010 | | mg/L | | 0.001 | 04-OCT-18 |
| Uranium (U)-Total | | | <0.000050 | | mg/L | | 0.00005 | 04-OCT-18 |
| Vanadium (V)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Yttrium (Y)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Zinc (Zn)-Total | | | <0.0030 | | mg/L | | 0.003 | 04-OCT-18 |
| Zirconium (Zr)-Total | | | <0.00050 | | mg/L | | 0.0005 | 04-OCT-18 |
| Batch | R4265391 | | | | | | | |
| WG2888262-2 | LCS | | | | | | | |
| Aluminum (Al)-Total | | | 96.5 | | % | | 80-120 | 09-OCT-18 |
| Antimony (Sb)-Total | | | 100.0 | | % | | 80-120 | 09-OCT-18 |
| Arsenic (As)-Total | | | 103.0 | | % | | 80-120 | 09-OCT-18 |
| Barium (Ba)-Total | | | 93.4 | | % | | 80-120 | 09-OCT-18 |
| Beryllium (Be)-Total | | | 94.0 | | % | | 80-120 | 09-OCT-18 |
| Bismuth (Bi)-Total | | | 101.0 | | % | | 80-120 | 09-OCT-18 |
| Boron (B)-Total | | | 94.2 | | % | | 80-120 | 09-OCT-18 |
| Cadmium (Cd)-Total | | | 98.5 | | % | | 80-120 | 09-OCT-18 |
| Calcium (Ca)-Total | | | 89.7 | | % | | 80-120 | 09-OCT-18 |
| Cesium (Cs)-Total | | | 92.0 | | % | | 80-120 | 09-OCT-18 |
| Chromium (Cr)-Total | | | 111.0 | | % | | 80-120 | 09-OCT-18 |
| Cobalt (Co)-Total | | | 95.0 | | % | | 80-120 | 09-OCT-18 |
| Copper (Cu)-Total | | | 92.8 | | % | | 80-120 | 09-OCT-18 |
| Gallium (Ga)-Total | | | 98.0 | | % | | 80-120 | 09-OCT-18 |
| Iron (Fe)-Total | | | 116.5 | | % | | 80-120 | 09-OCT-18 |
| Lead (Pb)-Total | | | 109.0 | | % | | 80-120 | 09-OCT-18 |
| Lithium (Li)-Total | | | 88.8 | | % | | 80-120 | 09-OCT-18 |
| Magnesium (Mg)-Total | | | 98.0 | | % | | 80-120 | 09-OCT-18 |
| Manganese (Mn)-Total | | | 104.4 | | % | | 80-120 | 09-OCT-18 |
| Molybdenum (Mo)-Total | | | 90.4 | | % | | 80-120 | 09-OCT-18 |
| Nickel (Ni)-Total | | | 97.0 | | % | | 80-120 | 09-OCT-18 |
| Phosphorus (P)-Total | | | 99.5 | | % | | 80-120 | 09-OCT-18 |
| Potassium (K)-Total | | | 103.1 | | % | | 80-120 | 09-OCT-18 |
| Rhenium (Re)-Total | | | 98.0 | | % | | 80-120 | 09-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 11 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|-----------------|--------|-----------|-------|-----|--------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4265391 | | | | | | | |
| WG2888262-2 | LCS | | | | | | | |
| Rubidium (Rb)-Total | | | 95.0 | | % | | 80-120 | 09-OCT-18 |
| Selenium (Se)-Total | | | 96.5 | | % | | 80-120 | 09-OCT-18 |
| Silicon (Si)-Total | | | 112.0 | | % | | 80-120 | 09-OCT-18 |
| Silver (Ag)-Total | | | 93.5 | | % | | 80-120 | 09-OCT-18 |
| Sodium (Na)-Total | | | 107.4 | | % | | 80-120 | 09-OCT-18 |
| Strontium (Sr)-Total | | | 89.8 | | % | | 80-120 | 09-OCT-18 |
| Sulfur (S)-Total | | | 106.4 | | % | | 70-130 | 09-OCT-18 |
| Tellurium (Te)-Total | | | 100.5 | | % | | 80-120 | 09-OCT-18 |
| Thallium (Tl)-Total | | | 99.0 | | % | | 80-120 | 09-OCT-18 |
| Thorium (Th)-Total | | | 103.2 | | % | | 80-120 | 09-OCT-18 |
| Tin (Sn)-Total | | | 94.2 | | % | | 80-120 | 09-OCT-18 |
| Titanium (Ti)-Total | | | 96.8 | | % | | 80-120 | 09-OCT-18 |
| Tungsten (W)-Total | | | 99.5 | | % | | 80-120 | 09-OCT-18 |
| Uranium (U)-Total | | | 105.0 | | % | | 80-120 | 09-OCT-18 |
| Vanadium (V)-Total | | | 94.8 | | % | | 80-120 | 09-OCT-18 |
| Yttrium (Y)-Total | | | 97.5 | | % | | 80-120 | 09-OCT-18 |
| Zinc (Zn)-Total | | | 100.0 | | % | | 80-120 | 09-OCT-18 |
| Zirconium (Zr)-Total | | | 93.0 | | % | | 80-120 | 09-OCT-18 |
| Batch | R4273148 | | | | | | | |
| WG2892233-2 | LCS | | | | | | | |
| Aluminum (Al)-Total | | | 89.2 | | % | | 80-120 | 10-OCT-18 |
| Antimony (Sb)-Total | | | 99.2 | | % | | 80-120 | 10-OCT-18 |
| Arsenic (As)-Total | | | 95.7 | | % | | 80-120 | 10-OCT-18 |
| Barium (Ba)-Total | | | 101.2 | | % | | 80-120 | 10-OCT-18 |
| Beryllium (Be)-Total | | | 93.3 | | % | | 80-120 | 10-OCT-18 |
| Bismuth (Bi)-Total | | | 102.9 | | % | | 80-120 | 10-OCT-18 |
| Boron (B)-Total | | | 108.0 | | % | | 80-120 | 10-OCT-18 |
| Cadmium (Cd)-Total | | | 102.0 | | % | | 80-120 | 10-OCT-18 |
| Calcium (Ca)-Total | | | 101.1 | | % | | 80-120 | 10-OCT-18 |
| Cesium (Cs)-Total | | | 103.8 | | % | | 80-120 | 10-OCT-18 |
| Chromium (Cr)-Total | | | 101.2 | | % | | 80-120 | 10-OCT-18 |
| Cobalt (Co)-Total | | | 94.8 | | % | | 80-120 | 10-OCT-18 |
| Copper (Cu)-Total | | | 92.8 | | % | | 80-120 | 10-OCT-18 |
| Gallium (Ga)-Total | | | 97.2 | | % | | 80-120 | 10-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 12 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|-----------------|----------|-----------|-------|-----|--------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4273148 | | | | | | | |
| WG2892233-2 | LCS | | | | | | | |
| Iron (Fe)-Total | | | 95.7 | | % | | 80-120 | 10-OCT-18 |
| Lead (Pb)-Total | | | 111.0 | | % | | 80-120 | 10-OCT-18 |
| Lithium (Li)-Total | | | 102.7 | | % | | 80-120 | 10-OCT-18 |
| Magnesium (Mg)-Total | | | 94.8 | | % | | 80-120 | 10-OCT-18 |
| Manganese (Mn)-Total | | | 104.4 | | % | | 80-120 | 10-OCT-18 |
| Molybdenum (Mo)-Total | | | 103.2 | | % | | 80-120 | 10-OCT-18 |
| Nickel (Ni)-Total | | | 91.8 | | % | | 80-120 | 10-OCT-18 |
| Phosphorus (P)-Total | | | 98.0 | | % | | 80-120 | 10-OCT-18 |
| Potassium (K)-Total | | | 94.2 | | % | | 80-120 | 10-OCT-18 |
| Rhenium (Re)-Total | | | 105.0 | | % | | 80-120 | 10-OCT-18 |
| Rubidium (Rb)-Total | | | 105.9 | | % | | 80-120 | 10-OCT-18 |
| Selenium (Se)-Total | | | 107.2 | | % | | 80-120 | 10-OCT-18 |
| Silicon (Si)-Total | | | 96.5 | | % | | 80-120 | 10-OCT-18 |
| Silver (Ag)-Total | | | 99.7 | | % | | 80-120 | 10-OCT-18 |
| Sodium (Na)-Total | | | 114.0 | | % | | 80-120 | 10-OCT-18 |
| Strontium (Sr)-Total | | | 98.4 | | % | | 80-120 | 10-OCT-18 |
| Sulfur (S)-Total | | | 102.3 | | % | | 70-130 | 10-OCT-18 |
| Tellurium (Te)-Total | | | 101.0 | | % | | 80-120 | 10-OCT-18 |
| Thallium (Tl)-Total | | | 98.3 | | % | | 80-120 | 10-OCT-18 |
| Thorium (Th)-Total | | | 113.6 | | % | | 80-120 | 10-OCT-18 |
| Tin (Sn)-Total | | | 112.2 | | % | | 80-120 | 10-OCT-18 |
| Titanium (Ti)-Total | | | 95.2 | | % | | 80-120 | 10-OCT-18 |
| Tungsten (W)-Total | | | 104.0 | | % | | 80-120 | 10-OCT-18 |
| Uranium (U)-Total | | | 109.8 | | % | | 80-120 | 10-OCT-18 |
| Vanadium (V)-Total | | | 96.2 | | % | | 80-120 | 10-OCT-18 |
| Yttrium (Y)-Total | | | 107.0 | | % | | 80-120 | 10-OCT-18 |
| Zinc (Zn)-Total | | | 93.2 | | % | | 80-120 | 10-OCT-18 |
| Zirconium (Zr)-Total | | | 103.0 | | % | | 80-120 | 10-OCT-18 |
| WG2892233-1 | MB | | | | | | | |
| Aluminum (Al)-Total | | | <0.0050 | | mg/L | | 0.005 | 10-OCT-18 |
| Antimony (Sb)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Arsenic (As)-Total | | | <0.0020 | | mg/L | | 0.002 | 10-OCT-18 |
| Barium (Ba)-Total | | | <0.0010 | | mg/L | | 0.001 | 10-OCT-18 |
| Beryllium (Be)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |



Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 13 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|-----------------|-----------|-----------|-------|-----|---------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4273148 | | | | | | | |
| WG2892233-1 | MB | | | | | | | |
| Bismuth (Bi)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Boron (B)-Total | | | <0.10 | | mg/L | | 0.1 | 10-OCT-18 |
| Cadmium (Cd)-Total | | | <0.000050 | | mg/L | | 0.00005 | 10-OCT-18 |
| Calcium (Ca)-Total | | | <1.0 | | mg/L | | 1 | 10-OCT-18 |
| Cesium (Cs)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Chromium (Cr)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Cobalt (Co)-Total | | | <0.000050 | | mg/L | | 0.00005 | 10-OCT-18 |
| Copper (Cu)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Gallium (Ga)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Iron (Fe)-Total | | | <0.010 | | mg/L | | 0.01 | 10-OCT-18 |
| Lead (Pb)-Total | | | <0.00030 | | mg/L | | 0.0003 | 10-OCT-18 |
| Lithium (Li)-Total | | | <0.020 | | mg/L | | 0.02 | 10-OCT-18 |
| Magnesium (Mg)-Total | | | <1.0 | | mg/L | | 1 | 10-OCT-18 |
| Manganese (Mn)-Total | | | <0.00020 | | mg/L | | 0.0002 | 10-OCT-18 |
| Molybdenum (Mo)-Total | | | <0.0020 | | mg/L | | 0.002 | 10-OCT-18 |
| Nickel (Ni)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Phosphorus (P)-Total | | | <0.050 | | mg/L | | 0.05 | 10-OCT-18 |
| Potassium (K)-Total | | | <1.0 | | mg/L | | 1 | 10-OCT-18 |
| Rhenium (Re)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Rubidium (Rb)-Total | | | <0.0050 | | mg/L | | 0.005 | 10-OCT-18 |
| Selenium (Se)-Total | | | <0.0020 | | mg/L | | 0.002 | 10-OCT-18 |
| Silicon (Si)-Total | | | <1.0 | | mg/L | | 1 | 10-OCT-18 |
| Silver (Ag)-Total | | | <0.00010 | | mg/L | | 0.0001 | 10-OCT-18 |
| Sodium (Na)-Total | | | <1.0 | | mg/L | | 1 | 10-OCT-18 |
| Strontium (Sr)-Total | | | <0.010 | | mg/L | | 0.01 | 10-OCT-18 |
| Sulfur (S)-Total | | | <5.0 | | mg/L | | 5 | 10-OCT-18 |
| Tellurium (Te)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Thallium (Tl)-Total | | | <0.000050 | | mg/L | | 0.00005 | 10-OCT-18 |
| Thorium (Th)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Tin (Sn)-Total | | | <0.0010 | | mg/L | | 0.001 | 10-OCT-18 |
| Titanium (Ti)-Total | | | <0.0050 | | mg/L | | 0.005 | 10-OCT-18 |
| Tungsten (W)-Total | | | <0.0010 | | mg/L | | 0.001 | 10-OCT-18 |
| Uranium (U)-Total | | | <0.000050 | | mg/L | | 0.00005 | 10-OCT-18 |
| Vanadium (V)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 14 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|-------------------|-----------|-----------|-------|---------|--------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4273148 | | | | | | | |
| WG2892233-1 | MB | | | | | | | |
| Yttrium (Y)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Zinc (Zn)-Total | | | <0.0030 | | mg/L | | 0.003 | 10-OCT-18 |
| Zirconium (Zr)-Total | | | <0.00050 | | mg/L | | 0.0005 | 10-OCT-18 |
| Batch | R4286768 | | | | | | | |
| WG2892233-3 | DUP | L2168530-4 | | | | | | |
| Antimony (Sb)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Arsenic (As)-Total | | <0.0020 | <0.0020 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Barium (Ba)-Total | | 0.0098 | 0.0090 | | mg/L | 8.8 | 20 | 18-OCT-18 |
| Beryllium (Be)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Bismuth (Bi)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Boron (B)-Total | | 4.29 | 3.99 | | mg/L | 7.1 | 20 | 18-OCT-18 |
| Cadmium (Cd)-Total | | <0.000050 | <0.000050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Calcium (Ca)-Total | | 364 | 355 | | mg/L | 2.6 | 20 | 18-OCT-18 |
| Cesium (Cs)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Chromium (Cr)-Total | | <0.00050 | 0.00063 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Cobalt (Co)-Total | | 0.000058 | 0.000055 | | mg/L | 5.6 | 20 | 18-OCT-18 |
| Copper (Cu)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Gallium (Ga)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Iron (Fe)-Total | | 0.041 | 0.052 | J | mg/L | 0.012 | 0.02 | 18-OCT-18 |
| Lead (Pb)-Total | | <0.00030 | <0.00030 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Lithium (Li)-Total | | 0.215 | 0.204 | | mg/L | 5.4 | 20 | 18-OCT-18 |
| Magnesium (Mg)-Total | | 1040 | 1140 | | mg/L | 9.0 | 20 | 18-OCT-18 |
| Manganese (Mn)-Total | | 0.00138 | 0.00159 | | mg/L | 14 | 20 | 18-OCT-18 |
| Molybdenum (Mo)-Total | | 0.0123 | 0.0119 | | mg/L | 3.3 | 20 | 18-OCT-18 |
| Nickel (Ni)-Total | | 0.00056 | 0.00082 | J | mg/L | 0.00026 | 0.001 | 18-OCT-18 |
| Phosphorus (P)-Total | | <0.050 | <0.050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Potassium (K)-Total | | 346 | 338 | | mg/L | 2.3 | 20 | 18-OCT-18 |
| Rhenium (Re)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Rubidium (Rb)-Total | | 0.112 | 0.108 | | mg/L | 3.8 | 20 | 18-OCT-18 |
| Selenium (Se)-Total | | 0.0024 | 0.0023 | | mg/L | 3.9 | 20 | 18-OCT-18 |
| Silicon (Si)-Total | | <1.0 | <1.0 | RPD-NA | mg/L | N/A | 25 | 18-OCT-18 |
| Silver (Ag)-Total | | <0.00010 | <0.00010 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Sodium (Na)-Total | | 9340 | 9430 | | mg/L | 1.0 | 20 | 18-OCT-18 |
| Strontium (Sr)-Total | | 5.38 | 5.75 | | mg/L | 6.7 | 20 | 18-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 15 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|-------------------|-----------|-----------|-------|---------|--------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286768 | | | | | | | |
| WG2892233-3 DUP | | L2168530-4 | | | | | | |
| Sulfur (S)-Total | | 750 | 845 | | mg/L | 12 | 25 | 18-OCT-18 |
| Tellurium (Te)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Thallium (Tl)-Total | | <0.000050 | <0.000050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Thorium (Th)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Tin (Sn)-Total | | <0.0010 | <0.0010 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Titanium (Ti)-Total | | <0.0050 | 0.0059 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Tungsten (W)-Total | | <0.0010 | <0.0010 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Uranium (U)-Total | | 0.00309 | 0.00300 | | mg/L | 2.9 | 20 | 18-OCT-18 |
| Vanadium (V)-Total | | 0.00126 | 0.00165 | J | mg/L | 0.00039 | 0.001 | 18-OCT-18 |
| Yttrium (Y)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Zinc (Zn)-Total | | <0.0030 | 0.0042 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| Zirconium (Zr)-Total | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 18-OCT-18 |
| WG2892233-4 MS | | L2168530-1 | | | | | | |
| Aluminum (Al)-Total | | | 107.3 | | % | | 70-130 | 18-OCT-18 |
| Antimony (Sb)-Total | | | 100.7 | | % | | 70-130 | 18-OCT-18 |
| Arsenic (As)-Total | | | 93.7 | | % | | 70-130 | 18-OCT-18 |
| Barium (Ba)-Total | | | 104.9 | | % | | 70-130 | 18-OCT-18 |
| Beryllium (Be)-Total | | | 98.0 | | % | | 70-130 | 18-OCT-18 |
| Bismuth (Bi)-Total | | | 97.0 | | % | | 70-130 | 18-OCT-18 |
| Boron (B)-Total | | | 96.7 | | % | | 70-130 | 18-OCT-18 |
| Cadmium (Cd)-Total | | | 90.0 | | % | | 70-130 | 18-OCT-18 |
| Calcium (Ca)-Total | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Cesium (Cs)-Total | | | 104.1 | | % | | 70-130 | 18-OCT-18 |
| Chromium (Cr)-Total | | | 93.9 | | % | | 70-130 | 18-OCT-18 |
| Cobalt (Co)-Total | | | 92.6 | | % | | 70-130 | 18-OCT-18 |
| Copper (Cu)-Total | | | 86.5 | | % | | 70-130 | 18-OCT-18 |
| Gallium (Ga)-Total | | | 93.6 | | % | | 70-130 | 18-OCT-18 |
| Iron (Fe)-Total | | | 91.0 | | % | | 70-130 | 18-OCT-18 |
| Lead (Pb)-Total | | | 89.1 | | % | | 70-130 | 18-OCT-18 |
| Lithium (Li)-Total | | | 101.8 | | % | | 70-130 | 18-OCT-18 |
| Magnesium (Mg)-Total | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Manganese (Mn)-Total | | | 94.5 | | % | | 70-130 | 18-OCT-18 |
| Molybdenum (Mo)-Total | | | 101.3 | | % | | 70-130 | 18-OCT-18 |
| Nickel (Ni)-Total | | | 88.2 | | % | | 70-130 | 18-OCT-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 16 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|--------------------|---------|-----------|-------|--------|--------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286768 | | | | | | | |
| WG2892233-4 MS | | L2168530-1 | | | | | | |
| Phosphorus (P)-Total | | | 93.7 | | % | | 70-130 | 18-OCT-18 |
| Potassium (K)-Total | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Rhenium (Re)-Total | | | 98.0 | | % | | 70-130 | 18-OCT-18 |
| Rubidium (Rb)-Total | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Selenium (Se)-Total | | | 93.0 | | % | | 70-130 | 18-OCT-18 |
| Silver (Ag)-Total | | | 92.2 | | % | | 70-130 | 18-OCT-18 |
| Sodium (Na)-Total | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Strontium (Sr)-Total | | | N/A | MS-B | % | | - | 18-OCT-18 |
| Tellurium (Te)-Total | | | 97.1 | | % | | 70-130 | 18-OCT-18 |
| Thallium (Tl)-Total | | | 95.9 | | % | | 70-130 | 18-OCT-18 |
| Thorium (Th)-Total | | | 94.6 | | % | | 70-130 | 18-OCT-18 |
| Tin (Sn)-Total | | | 102.9 | | % | | 70-130 | 18-OCT-18 |
| Titanium (Ti)-Total | | | 96.5 | | % | | 70-130 | 18-OCT-18 |
| Tungsten (W)-Total | | | 97.8 | | % | | 70-130 | 18-OCT-18 |
| Uranium (U)-Total | | | 98.9 | | % | | 70-130 | 18-OCT-18 |
| Vanadium (V)-Total | | | 95.9 | | % | | 70-130 | 18-OCT-18 |
| Yttrium (Y)-Total | | | 102.9 | | % | | 70-130 | 18-OCT-18 |
| Zinc (Zn)-Total | | | 84.5 | | % | | 70-130 | 18-OCT-18 |
| Zirconium (Zr)-Total | | | 106.0 | | % | | 70-130 | 18-OCT-18 |
| Batch | R4288587 | | | | | | | |
| WG2892233-3 DUP | | L2168530-4 | | | | | | |
| Aluminum (Al)-Total | | 0.0255 | 0.0323 | J | mg/L | 0.0068 | 0.01 | 19-OCT-18 |
| NH3-F-VA | | Seawater | | | | | | |
| Batch | R4257962 | | | | | | | |
| WG2892382-3 DUP | | L2168530-11 | | | | | | |
| Ammonia, Total (as N) | | <0.0050 | <0.0050 | RPD-NA | mg/L | N/A | 20 | 02-OCT-18 |
| WG2892382-2 LCS | | | | | | | | |
| Ammonia, Total (as N) | | | 102.8 | | % | | 85-115 | 02-OCT-18 |
| WG2892382-1 MB | | | | | | | | |
| Ammonia, Total (as N) | | | <0.0050 | | mg/L | | 0.005 | 02-OCT-18 |
| WG2892382-4 MS | | L2168530-11 | | | | | | |
| Ammonia, Total (as N) | | | 103.3 | | % | | 75-125 | 02-OCT-18 |
| P-T-COL-VA | | Seawater | | | | | | |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 17 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------------|----------|------------------------|---------|-----------|-------|------|---------|-----------|
| P-T-COL-VA | | Seawater | | | | | | |
| Batch | R4233751 | | | | | | | |
| WG2883866-2 CRM | | VA-ERA-PO4 | | | | | | |
| Phosphorus (P)-Total | | | 101.6 | | % | | 80-120 | 22-SEP-18 |
| WG2883866-1 MB | | | | | | | | |
| Phosphorus (P)-Total | | | <0.0040 | | mg/L | | 0.004 | 22-SEP-18 |
| PH-C-PCT-VA | | Seawater | | | | | | |
| Batch | R4245590 | | | | | | | |
| WG2884434-2 CRM | | VA-PH7-BUF | | | | | | |
| pH | | | 6.99 | | pH | | 6.9-7.1 | 26-SEP-18 |
| WG2884434-6 DUP | | L2168530-5 | | | | | | |
| pH | | 7.98 | 7.95 | J | pH | 0.03 | 0.3 | 26-SEP-18 |
| PO4-DO-COL-VA | | Seawater | | | | | | |
| Batch | R4233408 | | | | | | | |
| WG2883819-2 CRM | | VA-OPO4-CONTROL | | | | | | |
| Orthophosphate-Dissolved (as P) | | | 96.7 | | % | | 80-120 | 22-SEP-18 |
| WG2883819-3 DUP | | L2168530-8 | | | | | | |
| Orthophosphate-Dissolved (as P) | | 0.0169 | 0.0168 | | mg/L | 0.2 | 20 | 22-SEP-18 |
| WG2883819-1 MB | | | | | | | | |
| Orthophosphate-Dissolved (as P) | | | <0.0010 | | mg/L | | 0.001 | 22-SEP-18 |
| WG2883819-4 MS | | L2168530-9 | | | | | | |
| Orthophosphate-Dissolved (as P) | | | 101.2 | | % | | 70-130 | 22-SEP-18 |
| SIO2-L-COL-VA | | Seawater | | | | | | |
| Batch | R4258600 | | | | | | | |
| WG2893982-2 CRM | | VA-SIO2-L-0.025 | | | | | | |
| Silicate (as SiO2) | | | 105.3 | | % | | 85-115 | 03-OCT-18 |
| WG2893982-3 DUP | | L2168530-1 | | | | | | |
| Silicate (as SiO2) | | 0.363 | 0.350 | | mg/L | 3.8 | 20 | 03-OCT-18 |
| WG2893982-1 MB | | | | | | | | |
| Silicate (as SiO2) | | | <0.010 | | mg/L | | 0.01 | 03-OCT-18 |
| TDS-VA | | Seawater | | | | | | |
| Batch | R4247695 | | | | | | | |
| WG2886803-3 DUP | | L2168530-1 | | | | | | |
| Total Dissolved Solids | | 35400 | 36100 | | mg/L | 1.8 | 20 | 25-SEP-18 |
| WG2886803-2 LCS | | | | | | | | |
| Total Dissolved Solids | | | 104.7 | | % | | 85-115 | 25-SEP-18 |
| WG2886803-1 MB | | | | | | | | |
| Total Dissolved Solids | | | <10 | | mg/L | | 10 | 25-SEP-18 |
| TKN-C-F-VA | | Seawater | | | | | | |



Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 18 of 21

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|-------------------------|-----------------|-------------------|--------|-----------|-------|-----|--------|-----------|
| TKN-C-F-VA | | | | | | | | |
| | Seawater | | | | | | | |
| Batch | R4254028 | | | | | | | |
| WG2889252-3 | DUP | L2168530-1 | | | | | | |
| Total Kjeldahl Nitrogen | | 0.135 | 0.130 | | mg/L | 3.7 | 20 | 01-OCT-18 |
| WG2889252-2 | LCS | | | | | | | |
| Total Kjeldahl Nitrogen | | | 80.2 | | % | | 75-125 | 01-OCT-18 |
| WG2889252-1 | MB | | | | | | | |
| Total Kjeldahl Nitrogen | | | <0.050 | | mg/L | | 0.05 | 01-OCT-18 |
| WG2889252-4 | MS | L2168530-2 | | | | | | |
| Total Kjeldahl Nitrogen | | | 118.4 | | % | | 70-130 | 01-OCT-18 |
| TSS-C-VA | | | | | | | | |
| | Seawater | | | | | | | |
| Batch | R4239893 | | | | | | | |
| WG2884830-6 | LCS | | | | | | | |
| Total Suspended Solids | | | 89.7 | | % | | 85-115 | 24-SEP-18 |
| WG2884830-5 | MB | | | | | | | |
| Total Suspended Solids | | | <2.0 | | mg/L | | 2 | 24-SEP-18 |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 19 of 21

Legend:

| | |
|-------|---|
| Limit | ALS Control Limit (Data Quality Objectives) |
| DUP | Duplicate |
| RPD | Relative Percent Difference |
| N/A | Not Available |
| LCS | Laboratory Control Sample |
| SRM | Standard Reference Material |
| MS | Matrix Spike |
| MSD | Matrix Spike Duplicate |
| ADE | Average Desorption Efficiency |
| MB | Method Blank |
| IRM | Internal Reference Material |
| CRM | Certified Reference Material |
| CCV | Continuing Calibration Verification |
| CVS | Calibration Verification Standard |
| LCSD | Laboratory Control Sample Duplicate |

Sample Parameter Qualifier Definitions:

| Qualifier | Description |
|-----------|--|
| J | Duplicate results and limits are expressed in terms of absolute difference. |
| MS-B | Matrix Spike recovery could not be accurately calculated due to high analyte background in sample. |
| RPD-NA | Relative Percent Difference Not Available due to result(s) being less than detection limit. |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 20 of 21

Hold Time Exceedances:

| ALS Product Description | Sample ID | Sampling Date | Date Processed | Rec. HT | Actual HT | Units | Qualifier |
|--|-----------|-----------------|-----------------|---------|-----------|-------|-----------|
| Physical Tests | | | | | | | |
| Total Dissolved Solids by Gravimetric | | | | | | | |
| | 1 | 17-SEP-18 18:15 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 2 | 17-SEP-18 18:15 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 3 | 17-SEP-18 18:45 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 4 | 17-SEP-18 18:45 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 5 | 17-SEP-18 16:30 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 6 | 17-SEP-18 16:30 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 7 | 17-SEP-18 17:45 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 8 | 17-SEP-18 17:45 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 9 | 17-SEP-18 17:10 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 10 | 17-SEP-18 17:10 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| | 11 | 17-SEP-18 16:30 | 25-SEP-18 23:59 | 7 | 8 | days | EHT |
| pH by Meter (Automated) (seawater) | | | | | | | |
| | 1 | 17-SEP-18 18:15 | 26-SEP-18 07:47 | 0.25 | 205 | hours | EHTR-FM |
| | 2 | 17-SEP-18 18:15 | 26-SEP-18 07:47 | 0.25 | 205 | hours | EHTR-FM |
| | 3 | 17-SEP-18 18:45 | 26-SEP-18 07:47 | 0.25 | 205 | hours | EHTR-FM |
| | 4 | 17-SEP-18 18:45 | 26-SEP-18 07:47 | 0.25 | 205 | hours | EHTR-FM |
| | 5 | 17-SEP-18 16:30 | 26-SEP-18 07:47 | 0.25 | 207 | hours | EHTR-FM |
| | 6 | 17-SEP-18 16:30 | 26-SEP-18 07:47 | 0.25 | 207 | hours | EHTR-FM |
| | 7 | 17-SEP-18 17:45 | 26-SEP-18 07:47 | 0.25 | 206 | hours | EHTR-FM |
| | 8 | 17-SEP-18 17:45 | 26-SEP-18 07:47 | 0.25 | 206 | hours | EHTR-FM |
| | 9 | 17-SEP-18 17:10 | 26-SEP-18 07:47 | 0.25 | 207 | hours | EHTR-FM |
| | 10 | 17-SEP-18 17:10 | 26-SEP-18 07:47 | 0.25 | 207 | hours | EHTR-FM |
| | 11 | 17-SEP-18 16:30 | 26-SEP-18 07:47 | 0.25 | 207 | hours | EHTR-FM |
| Anions and Nutrients | | | | | | | |
| D-Orthophosphate in Seawater by Colour | | | | | | | |
| | 1 | 17-SEP-18 18:15 | 22-SEP-18 06:59 | 3 | 5 | days | EHTR |
| | 2 | 17-SEP-18 18:15 | 22-SEP-18 06:59 | 3 | 5 | days | EHTR |
| | 3 | 17-SEP-18 18:45 | 22-SEP-18 06:59 | 3 | 5 | days | EHTR |
| | 4 | 17-SEP-18 18:45 | 22-SEP-18 07:01 | 3 | 5 | days | EHTR |
| | 5 | 17-SEP-18 16:30 | 22-SEP-18 07:03 | 3 | 5 | days | EHTR |
| | 6 | 17-SEP-18 16:30 | 22-SEP-18 07:03 | 3 | 5 | days | EHTR |
| | 7 | 17-SEP-18 17:45 | 22-SEP-18 07:03 | 3 | 5 | days | EHTR |
| | 8 | 17-SEP-18 17:45 | 22-SEP-18 07:04 | 3 | 5 | days | EHTR |
| | 9 | 17-SEP-18 17:10 | 22-SEP-18 07:04 | 3 | 5 | days | EHTR |
| | 10 | 17-SEP-18 17:10 | 22-SEP-18 07:06 | 3 | 5 | days | EHTR |
| | 11 | 17-SEP-18 16:30 | 22-SEP-18 07:06 | 3 | 5 | days | EHTR |
| Nitrate in Seawater by IC | | | | | | | |
| | 1 | 17-SEP-18 18:15 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 2 | 17-SEP-18 18:15 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 3 | 17-SEP-18 18:45 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 4 | 17-SEP-18 18:45 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 5 | 17-SEP-18 16:30 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 6 | 17-SEP-18 16:30 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 7 | 17-SEP-18 17:45 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 8 | 17-SEP-18 17:45 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 9 | 17-SEP-18 17:10 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 10 | 17-SEP-18 17:10 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 11 | 17-SEP-18 16:30 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| Nitrite in Seawater by IC | | | | | | | |
| | 1 | 17-SEP-18 18:15 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 2 | 17-SEP-18 18:15 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 3 | 17-SEP-18 18:45 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 4 | 17-SEP-18 18:45 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 5 | 17-SEP-18 16:30 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 6 | 17-SEP-18 16:30 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 7 | 17-SEP-18 17:45 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |

Quality Control Report

Workorder: L2168530

Report Date: 19-OCT-18

Page 21 of 21

Hold Time Exceedances:

| ALS Product Description | Sample ID | Sampling Date | Date Processed | Rec. HT | Actual HT | Units | Qualifier |
|-------------------------------|-----------|-----------------|-----------------|---------|-----------|-------|-----------|
| Anions and Nutrients | | | | | | | |
| Nitrite in Seawater by IC | | | | | | | |
| | 8 | 17-SEP-18 17:45 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 9 | 17-SEP-18 17:10 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 10 | 17-SEP-18 17:10 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| | 11 | 17-SEP-18 16:30 | 25-SEP-18 07:25 | 3 | 8 | days | EHTR |
| Total P in Seawater by Colour | | | | | | | |
| | 1 | 17-SEP-18 18:15 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 2 | 17-SEP-18 18:15 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 3 | 17-SEP-18 18:45 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 4 | 17-SEP-18 18:45 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 5 | 17-SEP-18 16:30 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 6 | 17-SEP-18 16:30 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 7 | 17-SEP-18 17:45 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 8 | 17-SEP-18 17:45 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 9 | 17-SEP-18 17:10 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 10 | 17-SEP-18 17:10 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |
| | 11 | 17-SEP-18 16:30 | 22-SEP-18 04:05 | 3 | 4 | days | EHTR |

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
- EHTR: Exceeded ALS recommended hold time prior to sample receipt.
- EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
- EHT: Exceeded ALS recommended hold time prior to analysis.
- Rec. HT: ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
 Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2168530 were received on 21-SEP-18 08:35.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.



L2168530-COFC

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------------|---|------------------|--------------------|---|-----------------------|---|--|----------------------|---|--|----------------------|--|--|--|--|------------------|-----------|------------|--------------------|------------------|--------------------|------------------|-----------|----------------------|--------------------|------------------|--------------------|----------|----------|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Report To | | | Report Format / Distribution | | | Select Service Level Below (Rush Turnaround Time (TAT) is not available for all tests) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Company: <u>Agnico Eagle Mines</u> | | | Select Report Format: <input checked="" type="checkbox"/> PDF <input type="checkbox"/> EXCEL <input type="checkbox"/> EDD (DIGITAL) | | | R <input checked="" type="checkbox"/> Regular (Standard TAT if received by 3pm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Contact: <u>Jennifer Brown</u> | | | Quality Control (QC) Report with Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | | P <input type="checkbox"/> Priority (2-4 business days if received by 3pm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Address: <u>Meliadine Rankin Inlet, NU XOC DGO</u> | | | <input type="checkbox"/> Criteria on Report - provide details below if box checked | | | E <input type="checkbox"/> Emergency (1-2 business days if received by 3pm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Phone: <u>1-819-759-7555 ext 4603996</u> | | | Select Distribution: <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX | | | E2 <input type="checkbox"/> Same day or weekend emergency if received by 10am - contact ALS for surcharge. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Invoice To: Same as Report To <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | | Email 1 or Fax: <u>actman-ospan@golder.com</u> | | | Specify Date Required for E2,E or P: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Copy of Invoice with Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | | Email 2: <u>erichard@golder.com</u> | | | Analysis Request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Company: <u>Agnico Eagle & Golder</u> | | | Select Invoice Distribution: <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX | | | Indicates Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Contact: | | | Email 1 or Fax: <u>invoices.meliadine@agnico.eagle.com</u> | | | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:5%;">pH</td><td style="width:5%;">Hardness</td><td style="width:5%;">alkalinity</td><td style="width:5%;">conductivity</td><td style="width:5%;">DOC (lab filter)</td><td style="width:5%;">Total Metals</td><td style="width:5%;">Dissolved Metals</td><td style="width:5%;">Nutrients</td><td style="width:5%;">Salinity</td><td style="width:5%;">Routine Parameters</td><td style="width:5%;">Total & Diss. Hg</td><td style="width:5%;">PSA (Densitometry)</td><td style="width:5%;">TOC, TKN</td><td style="width:5%;">TDS, TSS</td><td style="width:5%;">Number of Containers</td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td> </tr> </table> | | | | | | | | | | | | pH | Hardness | alkalinity | conductivity | DOC (lab filter) | Total Metals | Dissolved Metals | Nutrients | Salinity | Routine Parameters | Total & Diss. Hg | PSA (Densitometry) | TOC, TKN | TDS, TSS | Number of Containers | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| pH | Hardness | alkalinity | conductivity | DOC (lab filter) | Total Metals | | | | | | | | | | | | | Dissolved Metals | Nutrients | Salinity | Routine Parameters | Total & Diss. Hg | PSA (Densitometry) | TOC, TKN | TDS, TSS | Number of Containers | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | X | X | X | | | | | | | | | | | | | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | X | X | X | | | | | | | | | | | | | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | X | X | X | | | | | | | | | | | | | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | X | X | X | | | | | | | | | | | | | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | X | X | X | | | | | | | | | | | | | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | X | X | X | | | | | | | | | | | | | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | X | X | X | | | | | | | | | | | | | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | X | X | X | | | | | | | | | | | | | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Project Information | | | Oil and Gas Required Fields (client use) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALS Quote #: <u>Q 69808</u> | | | Approver ID: | | | Cost Center: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Job #: | | | GL Account: | | | Routing Code: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PO / AFE: | | | Activity Code: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LSD: | | | Location: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALS Lab Work Order # (lab use only) | | | ALS Contact: | | | Sampler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALS Sample # (lab use only) | Sample Identification and/or Coordinates (This description will appear on the report) | | | | Date (dd-mm-yy) | Time (hh:mm) | Sample Type | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>WW 1 S</u> | | | | <u>Sept 17</u> | <u>18:15</u> | <u>marine</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>WW 1 D</u> | | | | <u>2018</u> | <u>18:15</u> | <u>H₂O</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>MWE-1 S</u> | | | | | <u>18:45</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>MWE-1 D</u> | | | | | <u>18:45</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>MWE-2 S</u> | | | | | <u>16:30</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>MWE-2 D</u> | | | | | <u>16:30</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>MWR⁶A-2 S</u> | | | | | <u>17:45</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>MWR⁶A-2 D</u> | | | | | <u>17:45</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>MWR⁶A-1 S</u> | | | | | <u>17:10</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>MWR⁶A-1 D</u> | | | | | <u>17:10</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>DUP A</u> | | | | | <u>16:30</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | Final Analysis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Drinking Water (DW) Samples¹ (client use) | | | Special Instructions / Specify Criteria to add on report (client Use) | | | | | | | | | SAMPLE CONDITION AS RECEIVED (lab use only) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Are samples taken from a Regulated DW System? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | <u>CCME criteria ; contact erichard@golder.com</u> <u>agnico_equis@golder.com</u> <u>report to: carolina-lesieurtorres@golder.com</u> | | | | | | | | | Frozen <input type="checkbox"/> SIF Observations Yes <input type="checkbox"/> No <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Are samples for human drinking water use? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | | | | Ice packs Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Custody seal intact Yes <input type="checkbox"/> No <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Cooling Initiated <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | INITIAL COOLER TEMPERATURES °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | FINAL COOLER TEMPERATURES °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SHIPMENT RELEASE (client use) | | | INITIAL SHIPMENT RECEPTION (lab use only) | | | | | | FINAL SHIPMENT RECEPTION (lab use only) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Released by: <u>Andrew Rippington</u> | | | Date: <u>Sept 18</u> | | Time: <u>07:30</u> | | Received by: | | | Date: <u>9/21/18</u> | | | Time: <u>8:35 AM</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION

WHITE - LABORATORY COPY YELLOW - CLIENT COPY

NA-FM-330a-08 Form03 October 2013

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.

Appendix F-2. Water Quality QA/QC results

| Sample ID | | | MWE-2D | DUP A | |
|---|-----------------|-------|-----------|-----------|---------|
| Parameter | Detection Limit | Units | Seawater | Seawater | RPD (%) |
| Physical Tests (Seawater) | | | | | |
| Conductivity | 2.0 | uS/cm | 45500 | 45500 | 0.0 |
| Hardness (as CaCO ₃) | 4.8 | mg/L | 4970 | 4890 | 1.6 |
| pH | 0.10 | pH | 7.98 | 7.97 | 0.1 |
| Salinity | 1.0 | psu | 29.8 | 29.8 | 0.0 |
| Total Suspended Solids | 2.0 | mg/L | <2.0 | 3.8 | <DL*5 |
| Total Dissolved Solids | 80 | mg/L | 36000 | 33300 | 7.8 |
| Anions and Nutrients (Seawater) | | | | | |
| Alkalinity, Bicarbonate (as CaCO ₃) | 1.0 | mg/L | 113 | 114 | 0.9 |
| Alkalinity, Carbonate (as CaCO ₃) | 1.0 | mg/L | <1.0 | <1.0 | <DL*5 |
| Alkalinity, Hydroxide (as CaCO ₃) | 1.0 | mg/L | <1.0 | <1.0 | <DL*5 |
| Alkalinity, Total (as CaCO ₃) | 1.0 | mg/L | 113 | 114 | 0.9 |
| Ammonia, Total (as N) | 0.0050 | mg/L | <0.0050 | <0.0050 | <DL*5 |
| Bromide (Br) | 5.0 | mg/L | 58.9 | 57.3 | 2.8 |
| Chloride (Cl) | 50 | mg/L | 17000 | 16800 | 1.2 |
| Fluoride (F) | 1.0 | mg/L | <1.0 | <1.0 | <DL*5 |
| Nitrate (as N) | 0.50 | mg/L | <0.50 | <0.50 | <DL*5 |
| Nitrite (as N) | 0.10 | mg/L | <0.10 | <0.10 | <DL*5 |
| Total Kjeldahl Nitrogen | 0.050 | mg/L | 0.139 | 0.134 | <DL*5 |
| Orthophosphate-Dissolved (as P) | 0.0010 | mg/L | 0.0174 | 0.0176 | 1.1 |
| Phosphorus (P)-Total | 0.0040 | mg/L | 0.0247 | 0.0243 | 1.6 |
| Silicate (as SiO ₂) | 0.010 | mg/L | 0.344 | 0.333 | 3.2 |
| Sulfate (SO ₄) | 30 | mg/L | 2430 | 2390 | 1.7 |
| Organic / Inorganic Carbon (Seawater) | | | | | |
| Dissolved Organic Carbon | 0.50 | mg/L | 1.43 | 1.42 | <DL*5 |
| Total Organic Carbon | 0.50 | mg/L | 1.54 | 1.34 | <DL*5 |
| Total Metals (Seawater) | | | | | |
| Aluminum (Al)-Total | 0.0050 | mg/L | 0.0232 | 0.0230 | <DL*5 |
| Antimony (Sb)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Arsenic (As)-Total | 0.0020 | mg/L | <0.0020 | <0.0020 | <DL*5 |
| Barium (Ba)-Total | 0.0010 | mg/L | 0.0090 | 0.0088 | 2.2 |
| Beryllium (Be)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Bismuth (Bi)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Boron (B)-Total | 0.10 | mg/L | 4.10 | 4.00 | 2.5 |
| Cadmium (Cd)-Total | 0.000050 | mg/L | <0.000050 | <0.000050 | <DL*5 |
| Calcium (Ca)-Total | 1.0 | mg/L | 348 | 363 | 4.2 |
| Cesium (Cs)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Chromium (Cr)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Cobalt (Co)-Total | 0.000050 | mg/L | 0.000050 | <0.000050 | <DL*5 |
| Copper (Cu)-Total | 0.00050 | mg/L | <0.00050 | 0.00101 | <DL*5 |
| Gallium (Ga)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Iron (Fe)-Total | 0.010 | mg/L | 0.029 | 0.022 | <DL*5 |
| Lead (Pb)-Total | 0.00030 | mg/L | <0.00030 | <0.00030 | <DL*5 |
| Lithium (Li)-Total | 0.020 | mg/L | 0.206 | 0.206 | 0.0 |
| Magnesium (Mg)-Total | 1.0 | mg/L | 1030 | 1040 | 1.0 |
| Manganese (Mn)-Total | 0.00020 | mg/L | 0.00119 | 0.00111 | 7.0 |
| Mercury (Hg)-Total | 0.000010 | mg/L | <0.000010 | <0.000010 | <DL*5 |
| Molybdenum (Mo)-Total | 0.0020 | mg/L | 0.0118 | 0.0117 | 0.9 |
| Nickel (Ni)-Total | 0.00050 | mg/L | 0.00063 | 0.00062 | <DL*5 |
| Phosphorus (P)-Total | 0.050 | mg/L | <0.050 | <0.050 | <DL*5 |
| Potassium (K)-Total | 1.0 | mg/L | 334 | 335 | 0.3 |
| Rhenium (Re)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Rubidium (Rb)-Total | 0.0050 | mg/L | 0.109 | 0.107 | 1.9 |
| Selenium (Se)-Total | 0.0020 | mg/L | <0.0020 | 0.0027 | <DL*5 |
| Silicon (Si)-Total | 1.0 | mg/L | <1.0 | <1.0 | <DL*5 |
| Silver (Ag)-Total | 0.00010 | mg/L | <0.00010 | <0.00010 | <DL*5 |
| Sodium (Na)-Total | 1.0 | mg/L | 9240 | 9090 | 1.6 |
| Strontium (Sr)-Total | 0.010 | mg/L | 5.38 | 5.44 | 1.1 |
| Sulfur (S)-Total | 5.0 | mg/L | 757 | 761 | 0.5 |
| Tellurium (Te)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Thallium (Tl)-Total | 0.000050 | mg/L | <0.000050 | <0.000050 | <DL*5 |
| Thorium (Th)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Tin (Sn)-Total | 0.0010 | mg/L | <0.0010 | <0.0010 | <DL*5 |
| Titanium (Ti)-Total | 0.0050 | mg/L | <0.0050 | <0.0050 | <DL*5 |
| Tungsten (W)-Total | 0.0010 | mg/L | <0.0010 | <0.0010 | <DL*5 |
| Uranium (U)-Total | 0.000050 | mg/L | 0.00302 | 0.00312 | 3.3 |
| Vanadium (V)-Total | 0.00050 | mg/L | 0.00146 | 0.00146 | <DL*5 |
| Yttrium (Y)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Zinc (Zn)-Total | 0.0030 | mg/L | <0.0030 | <0.0030 | <DL*5 |
| Zirconium (Zr)-Total | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Dissolved Metals (Seawater) | | | | | |
| Aluminum (Al)-Dissolved | 0.0050 | mg/L | <0.0050 | <0.0050 | <DL*5 |
| Antimony (Sb)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Arsenic (As)-Dissolved | 0.0020 | mg/L | <0.0020 | <0.0020 | <DL*5 |
| Barium (Ba)-Dissolved | 0.0010 | mg/L | 0.0088 | 0.0092 | 4.4 |
| Beryllium (Be)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Bismuth (Bi)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Boron (B)-Dissolved | 0.10 | mg/L | 3.95 | 4.09 | 3.5 |
| Cadmium (Cd)-Dissolved | 0.000050 | mg/L | <0.000050 | <0.000050 | <DL*5 |
| Calcium (Ca)-Dissolved | 1.0 | mg/L | 354 | 354 | 0.0 |
| Cesium (Cs)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Chromium (Cr)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Cobalt (Co)-Dissolved | 0.000050 | mg/L | <0.000050 | <0.000050 | <DL*5 |
| Copper (Cu)-Dissolved | 0.00050 | mg/L | <0.00050 | 0.00065 | <DL*5 |
| Gallium (Ga)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Iron (Fe)-Dissolved | 0.010 | mg/L | <0.010 | <0.010 | <DL*5 |
| Lead (Pb)-Dissolved | 0.00030 | mg/L | <0.00030 | <0.00030 | <DL*5 |
| Lithium (Li)-Dissolved | 0.020 | mg/L | 0.195 | 0.206 | 5.5 |
| Magnesium (Mg)-Dissolved | 1.0 | mg/L | 993 | 972 | 2.1 |

Appendix F-2. Water Quality QA/QC results

| Sample ID | | | MWE-2D | DUP A | RPD (%) |
|---------------------------|-----------------|-------|-----------|-----------|---------|
| Parameter | Detection Limit | Units | Seawater | Seawater | |
| Manganese (Mn)-Dissolved | 0.00020 | mg/L | 0.00068 | 0.00074 | <DL*5 |
| Mercury (Hg)-Dissolved | 0.000010 | mg/L | <0.000010 | <0.000010 | <DL*5 |
| Molybdenum (Mo)-Dissolved | 0.0020 | mg/L | 0.0113 | 0.0119 | 5.2 |
| Nickel (Ni)-Dissolved | 0.00050 | mg/L | <0.00050 | 0.00055 | <DL*5 |
| Phosphorus (P)-Dissolved | 0.050 | mg/L | <0.050 | <0.050 | <DL*5 |
| Potassium (K)-Dissolved | 20 | mg/L | 344 | 333 | 3.2 |
| Rhenium (Re)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Rubidium (Rb)-Dissolved | 0.0050 | mg/L | 0.104 | 0.106 | 1.9 |
| Selenium (Se)-Dissolved | 0.0020 | mg/L | 0.0023 | 0.0024 | <DL*5 |
| Silicon (Si)-Dissolved | 1.0 | mg/L | <1.0 | <1.0 | <DL*5 |
| Silver (Ag)-Dissolved | 0.00010 | mg/L | <0.00010 | <0.00010 | <DL*5 |
| Sodium (Na)-Dissolved | 20 | mg/L | 9420 | 9330 | 1.0 |
| Strontium (Sr)-Dissolved | 0.050 | mg/L | 5.27 | 5.25 | 0.4 |
| Sulfur (S)-Dissolved | 5.0 | mg/L | 720 | 711 | 1.3 |
| Tellurium (Te)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Thallium (Tl)-Dissolved | 0.000050 | mg/L | <0.000050 | <0.000050 | <DL*5 |
| Thorium (Th)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Tin (Sn)-Dissolved | 0.0010 | mg/L | <0.0010 | <0.0010 | <DL*5 |
| Titanium (Ti)-Dissolved | 0.0050 | mg/L | <0.0050 | <0.0050 | <DL*5 |
| Tungsten (W)-Dissolved | 0.0010 | mg/L | <0.0010 | <0.0010 | <DL*5 |
| Uranium (U)-Dissolved | 0.000050 | mg/L | 0.00296 | 0.00307 | 3.6 |
| Vanadium (V)-Dissolved | 0.00050 | mg/L | 0.00122 | 0.00135 | <DL*5 |
| Yttrium (Y)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |
| Zinc (Zn)-Dissolved | 0.0030 | mg/L | <0.0030 | <0.0030 | <DL*5 |
| Zirconium (Zr)-Dissolved | 0.00050 | mg/L | <0.00050 | <0.00050 | <DL*5 |

Notes:

RPD - relative percent difference

<DL*5 - values are less than 5 times detection limit (DL)

Bold values - indicate RPDs greater than 20%

APPENDIX G

**Marine Sediment and Water Quality
Analytical Results**



Agnico-Eagle - Meliadine Gold Project
ATTN: Jennifer Brown
PO Box 99
Rankin Inlet NU XOC OGO

Date Received: 26-SEP-18
Report Date: 19-OCT-18 15:32 (MT)
Version: FINAL

Client Phone: 819-759-7555

Certificate of Analysis

Lab Work Order #: L2170896
Project P.O. #: NOT SUBMITTED
Job Reference:
C of C Numbers: 14-452766, 14-452767, 14-452768
Legal Site Desc:

Amber Springer, B.Sc
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-1 MBE-1 REP 1 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 17:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.83 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.64 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.100 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.541 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0108 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.065 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 8080 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | 0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 6.34 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 49.8 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 14.8 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5710 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 40.5 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 4.43 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 8.80 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 14400 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.14 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 11.0 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 7320 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 153 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.55 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 16.4 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 924 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 2230 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 6090 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 27.7 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.085 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 595 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.700 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 32.7 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 25.8 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.2 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-2 MBE-1 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 17:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-2 MBE-1 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 17:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 1.16 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.80 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.139 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.661 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0114 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.069 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7800 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | 0.11 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 5.95 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 49.4 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.16 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 16.1 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 6210 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 39.9 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 4.47 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 9.23 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 14400 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.65 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 13.0 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 7260 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 151 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.60 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 16.1 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 854 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 2270 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 6770 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 30.5 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.094 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 595 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.801 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 32.9 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 26.0 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.8 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-3 MBE-1 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 17:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-3 MBE-1 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 17:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.81 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.63 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.097 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.530 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0095 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.057 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7250 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 4.99 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 45.8 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 14.3 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5490 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 57.0 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 4.40 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 9.08 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 13200 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.10 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 11.6 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 7010 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 146 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 2.19 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 26.3 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 815 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 2110 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 6000 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 25.4 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.086 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 559 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.743 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 31.1 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 24.4 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.2 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-4 MBE-2 REP 1 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 16:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-4 MBE-2 REP 1 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 16:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.79 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.65 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.095 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.552 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0101 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.055 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6860 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 5.44 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 43.7 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.14 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 13.5 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5430 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 36.3 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 4.05 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 7.91 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 13200 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.21 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 10.9 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 6560 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 137 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.58 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 15.0 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 857 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 2070 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | 0.21 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 6210 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 24.7 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.083 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | 1.2 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 510 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.702 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 29.4 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 24.3 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 3.9 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-5 MBE-2 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 16:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-5 MBE-2 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 16:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.72 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.60 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.087 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.511 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0095 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.054 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7450 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 4.75 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 45.0 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 13.4 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5520 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 38.8 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 4.25 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 8.06 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 13300 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.10 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 11.1 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 7010 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 146 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.61 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 15.2 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 860 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 2140 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 6220 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 24.3 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.075 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 608 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.741 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 31.2 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 23.7 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 5.2 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-6 MBE-2 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 16:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-6 MBE-2 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 16:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.74 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.57 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.088 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.483 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0098 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.054 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6860 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 4.31 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 42.2 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 13.5 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 6230 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 35.3 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 3.88 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 7.53 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 12400 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.13 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 11.7 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 6220 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 135 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.60 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 14.1 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 799 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 1900 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 6020 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 28.2 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.081 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 533 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.731 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 28.3 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 22.3 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.5 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-7 MBE-3 REP 1 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 15:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-7 MBE-3 REP 1 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 15:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.70 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.56 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.084 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.480 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0097 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.046 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6780 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 4.72 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 42.6 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 13.4 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5470 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 35.9 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 3.97 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 7.51 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 12800 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 2.95 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 10.8 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 6500 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 135 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.57 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 14.1 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 831 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 1950 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 5470 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 24.3 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.074 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 554 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.732 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 28.8 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 22.2 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.6 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-8 MBE-3 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 15:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-8 MBE-3 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 15:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.91 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.61 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.109 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.502 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0099 | | 0.0050 | mg/kg | 09-OCT-18 | 18-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.055 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7570 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 5.55 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 48.9 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 14.1 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 7260 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 40.6 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 4.43 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 8.43 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 13900 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.18 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 10.9 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 7150 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 152 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.61 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 16.4 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 928 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 2180 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 6010 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 32.3 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.077 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 623 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.751 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 32.5 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 24.8 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.5 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-9 MBE-3 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 15:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-9 MBE-3 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 15:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.74 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.59 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.089 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.499 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0100 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.055 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7120 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 4.91 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 42.2 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 14.2 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5460 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 35.7 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 3.96 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 7.49 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 12700 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.12 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 11.0 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 6260 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 135 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.58 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 14.6 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 794 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 2000 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 5550 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 25.8 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.079 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 549 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.730 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 29.1 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 22.2 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.6 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-10 MBE-4 REP 1 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 14:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-10 MBE-4 REP 1 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 14:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.66 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.56 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.079 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.479 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0093 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.051 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6610 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 4.35 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 39.1 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.14 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 12.7 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5090 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 33.2 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 3.72 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 6.99 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 11900 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 2.78 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 10.8 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 5940 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 127 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.52 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 13.6 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 794 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 1810 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 5780 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 23.2 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.069 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 502 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.687 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 26.6 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 23.1 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 3.9 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-11 MBE-4 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 14:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-11 MBE-4 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 14:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.67 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.57 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.080 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.493 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0109 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.054 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6260 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 4.38 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 42.0 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 14.2 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5490 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 33.5 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 3.72 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 7.29 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 11800 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.11 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 11.1 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 6300 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 124 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.58 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 14.2 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 728 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 1880 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 6890 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 24.8 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.079 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 476 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.692 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 26.5 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 21.4 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-12 MBE-4 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 14:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-12 MBE-4 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 14:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.68 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.58 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.081 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.496 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0099 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.053 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6660 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 4.80 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 41.9 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.13 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 13.0 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 4940 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 35.3 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 3.84 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 7.94 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 12100 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.28 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 10.7 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 6290 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 129 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.53 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 14.5 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 710 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 1890 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 6280 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 22.8 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.078 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 487 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.682 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 27.3 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 66.4 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 3.8 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-13 MBE-5 REP 1 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 12:20 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-13 MBE-5 REP 1 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 12:20 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.90 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.62 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.109 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.513 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0092 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.053 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7080 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 5.64 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 44.5 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.14 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 13.9 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5820 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 35.6 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 3.99 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 8.57 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 12900 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 2.93 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 10.6 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 6650 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 135 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.66 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 15.0 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 799 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 2060 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 7210 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 26.4 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.081 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 512 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.692 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 28.4 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 23.6 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.2 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-14 MBE-5 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 12:20 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-14 MBE-5 REP 2 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 12:20 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.75 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.64 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.090 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.554 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0101 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.064 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6810 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 6.55 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 45.3 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 16.2 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5580 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 36.2 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 4.04 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 10.3 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 13500 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 3.20 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 11.6 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 6610 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 135 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.65 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 15.0 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 848 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 2070 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 7550 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 27.9 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.082 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 515 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.711 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 29.3 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 22.4 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.1 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-15 MBE-5 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 12:20 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-15 MBE-5 REP 3 | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 12:20 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.74 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.60 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.089 | | 0.050 | % | | 11-OCT-18 | R4271167 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.508 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0095 | | 0.0050 | mg/kg | 09-OCT-18 | 09-OCT-18 | R4268284 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.056 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6640 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Arsenic (As) | 5.06 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Barium (Ba) | 41.5 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Beryllium (Be) | 0.14 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Boron (B) | 13.8 | | 5.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Calcium (Ca) | 5340 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Chromium (Cr) | 34.0 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Cobalt (Co) | 3.75 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Copper (Cu) | 7.46 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Iron (Fe) | 12300 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lead (Pb) | 2.99 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Lithium (Li) | 10.7 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Magnesium (Mg) | 6040 | | 20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Manganese (Mn) | 128 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Molybdenum (Mo) | 0.53 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Nickel (Ni) | 13.9 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Phosphorus (P) | 797 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Potassium (K) | 1860 | | 100 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sodium (Na) | 5400 | | 50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Strontium (Sr) | 24.4 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Thallium (Tl) | 0.078 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Titanium (Ti) | 499 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Uranium (U) | 0.719 | | 0.050 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Vanadium (V) | 27.5 | | 0.20 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zinc (Zn) | 22.2 | | 2.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| Zirconium (Zr) | 4.1 | | 1.0 | mg/kg | 09-OCT-18 | 10-OCT-18 | R4268336 |
| L2170896-16 MB REF A1 REP 1 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 08:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-16 MB REF A1 REP 1 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 08:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.65 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.63 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.078 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.547 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0126 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.059 | | 0.020 | % | 10-OCT-18 | 17-OCT-18 | R4283767 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7180 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 4.64 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 39.1 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.16 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 17.4 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 6050 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 29.9 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 3.81 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 6.76 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 12500 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.38 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 10.1 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 6690 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 137 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.77 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 12.8 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 848 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 2240 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | 0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 10700 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 28.3 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | 1200 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.088 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 543 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.906 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 28.1 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 23.1 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 5.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-17 MB REF A1 REP 2 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 08:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-17 MB REF A1 REP 2 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 08:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.71 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.58 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.085 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.499 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0118 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.066 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 5980 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 4.56 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 37.1 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 15.0 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 5560 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 26.2 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 3.38 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 5.56 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 11300 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.16 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 9.4 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 5570 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 122 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.65 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 11.1 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 767 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 1830 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 6650 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 24.0 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.083 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 468 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.830 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 24.8 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 20.5 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 4.6 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-18 MB REF A1 REP 3 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 08:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-18 MB REF A1 REP 3 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 08:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.68 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.61 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.082 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.525 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0123 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.065 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6400 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 4.67 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 36.1 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 15.1 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 5480 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 27.0 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 3.49 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 6.15 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 11300 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.17 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 9.3 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 5920 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 124 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.62 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 11.6 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 799 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 1930 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 7410 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 25.9 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.081 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 492 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.810 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 25.5 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 21.1 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 4.5 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-19 MB REF A2 REP 1 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 09:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-19 MB REF A2 REP 1 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 09:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.70 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.66 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.085 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.577 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0127 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.069 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6380 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 4.49 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 35.0 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.16 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 16.3 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 5740 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 27.3 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 3.51 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 5.94 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 11500 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.24 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 10.5 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 5810 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 124 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.65 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 11.6 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 741 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 1960 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 6960 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 25.8 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.083 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 470 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.822 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 25.4 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 20.6 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 4.7 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-20 MB REF A2 REP 2 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 09:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-20 MB REF A2 REP 2 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 09:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.72 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.69 | | 0.05 | % | 05-OCT-18 | 05-OCT-18 | R4263371 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.087 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.603 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0135 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 16-OCT-18 | R4281910 |
| Total Kjeldahl Nitrogen | 0.074 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6630 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 4.96 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 38.0 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.14 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 16.5 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 5660 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 27.7 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 3.65 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 6.40 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 12100 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.24 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 9.6 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 6040 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 128 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.63 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 11.7 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 799 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 2070 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | 0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 8050 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 26.9 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.083 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 477 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.813 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 26.2 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 21.8 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 4.3 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-21 MB REF A2 REP 3 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 09:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-21 MB REF A2 REP 3 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 09:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.76 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.74 | | 0.05 | % | 10-OCT-18 | 10-OCT-18 | R4270350 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.092 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.651 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0133 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 15-OCT-18 | R4281568 |
| Total Kjeldahl Nitrogen | 0.069 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6740 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 5.06 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 38.5 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 16.9 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 5850 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 29.4 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 3.80 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 6.72 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 12600 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.34 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 10.9 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 6200 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 134 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.66 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 13.3 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 834 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 2090 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | 0.21 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 7050 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 25.4 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.089 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 498 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.856 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 27.5 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 22.7 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 4.5 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-22 MB REF A3 REP 1 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-22 MB REF A3 REP 1 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.76 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.85 | | 0.05 | % | 10-OCT-18 | 10-OCT-18 | R4270350 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.091 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.755 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0144 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 15-OCT-18 | R4281568 |
| Total Kjeldahl Nitrogen | 0.085 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7660 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 5.66 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 43.0 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.17 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 20.8 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 5820 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 31.7 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 4.03 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 6.84 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 13300 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.79 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 11.4 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 7000 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 140 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.78 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 13.4 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 730 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 2490 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 10500 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 30.0 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | 1200 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.096 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 517 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.868 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 29.9 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 24.6 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 4.8 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-23 MB REF A3 REP 2 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-23 MB REF A3 REP 2 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.78 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.71 | | 0.05 | % | 10-OCT-18 | 10-OCT-18 | R4270350 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.093 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.613 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0127 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 15-OCT-18 | R4281568 |
| Total Kjeldahl Nitrogen | 0.071 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7750 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 6.17 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 45.5 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.17 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 17.1 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | 0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 5420 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 32.9 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 4.43 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 7.14 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 13800 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.72 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 10.4 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 6780 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 149 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.66 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 13.7 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 836 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 2390 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | 0.22 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 7140 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 26.4 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.093 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 571 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.886 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 31.1 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 25.6 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 4.7 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-24 MB REF A3 REP 3 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-24 MB REF A3 REP 3 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.63 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.59 | | 0.05 | % | 10-OCT-18 | 10-OCT-18 | R4270350 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.075 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.511 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0096 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 15-OCT-18 | R4281568 |
| Total Kjeldahl Nitrogen | 0.058 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6050 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 4.51 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 35.4 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.14 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 14.8 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 5260 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 26.7 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 3.35 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 6.09 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 10900 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.06 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 9.0 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 5480 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 118 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.63 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 10.9 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 695 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 1910 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 7990 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 25.2 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.078 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 455 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.716 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 24.4 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 20.2 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 4.1 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-25 MB REF 1 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 15:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|---|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-25 MB REF 1 | | | | | | | |
| Sampled By: CLIENT on 19-SEP-18 @ 15:30 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.70 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.52 | | 0.05 | % | 10-OCT-18 | 10-OCT-18 | R4270350 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.083 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.440 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0094 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 15-OCT-18 | R4281568 |
| Total Kjeldahl Nitrogen | 0.052 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 6150 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 5.68 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 31.6 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.14 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 14.6 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 5120 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 34.2 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 3.39 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 5.49 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 12100 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.11 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 9.2 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 5950 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 127 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.75 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 12.6 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 575 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 1850 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 7840 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 25.5 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.103 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 382 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.649 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 27.4 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 20.5 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 3.2 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-26 DUP A | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 17:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Total Carbon, TOC and TIC in soil | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|--------------|------------|--------|-------|-----------|-----------|----------|
| L2170896-26 DUP A | | | | | | | |
| Sampled By: CLIENT on 13-SEP-18 @ 17:00 | | | | | | | |
| Matrix: Marine Sediment | | | | | | | |
| Inorganic Carbon as CaCO3 Equivalent | | | | | | | |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.74 | | 0.40 | % | | 11-OCT-18 | |
| Total Carbon by combustion method | | | | | | | |
| Total Carbon by Combustion | 0.64 | | 0.05 | % | 10-OCT-18 | 10-OCT-18 | R4270350 |
| Total Inorganic Carbon in Soil | | | | | | | |
| Inorganic Carbon | 0.089 | | 0.050 | % | | 11-OCT-18 | R4270928 |
| Total Organic Carbon Calculation | | | | | | | |
| Total Organic Carbon | 0.551 | | 0.050 | % | | 11-OCT-18 | |
| Miscellaneous Parameters | | | | | | | |
| Mercury (Hg) | 0.0109 | | 0.0050 | mg/kg | 11-OCT-18 | 12-OCT-18 | R4276967 |
| Special Request | See Attached | | | | 12-OCT-18 | 15-OCT-18 | R4281568 |
| Total Kjeldahl Nitrogen | 0.058 | | 0.020 | % | 12-OCT-18 | 15-OCT-18 | R4280989 |
| Metals in Soil by CRC ICPMS | | | | | | | |
| Aluminum (Al) | 7380 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Antimony (Sb) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Arsenic (As) | 4.70 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Barium (Ba) | 40.1 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Beryllium (Be) | 0.15 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Boron (B) | 14.9 | | 5.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Bismuth (Bi) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cadmium (Cd) | <0.020 | | 0.020 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Calcium (Ca) | 6140 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Chromium (Cr) | 36.9 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Cobalt (Co) | 4.11 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Copper (Cu) | 7.77 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Iron (Fe) | 12200 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lead (Pb) | 3.51 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Lithium (Li) | 10.5 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Magnesium (Mg) | 6500 | | 20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Manganese (Mn) | 139 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Molybdenum (Mo) | 0.63 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Nickel (Ni) | 15.1 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Phosphorus (P) | 765 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Potassium (K) | 1960 | | 100 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Selenium (Se) | <0.20 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Silver (Ag) | <0.10 | | 0.10 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sodium (Na) | 5920 | | 50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Strontium (Sr) | 27.4 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Sulfur (S) | <1000 | | 1000 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Thallium (Tl) | 0.089 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tin (Sn) | <1.0 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Titanium (Ti) | 500 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Tungsten (W) | <0.50 | | 0.50 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Uranium (U) | 0.838 | | 0.050 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Vanadium (V) | 28.8 | | 0.20 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zinc (Zn) | 22.9 | | 2.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| Zirconium (Zr) | 4.6 | | 1.0 | mg/kg | 11-OCT-18 | 15-OCT-18 | R4278629 |
| L2170896-27 MW REF A3 D | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 11:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2170896-27 MW REF A3 D | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 11:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 114 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Alkalinity, Total (as CaCO3) | 114 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 60.4 | | 5.0 | mg/L | | 02-OCT-18 | R4258739 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 17400 | | 50 | mg/L | | 02-OCT-18 | R4258739 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | 1.0 | | 1.0 | mg/L | | 02-OCT-18 | R4258739 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 02-OCT-18 | R4258739 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 02-OCT-18 | R4258739 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2450 | | 30 | mg/L | | 02-OCT-18 | R4258739 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 08-OCT-18 | R4263895 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Barium (Ba)-Dissolved | 0.0105 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Boron (B)-Dissolved | 4.16 | | 0.10 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Calcium (Ca)-Dissolved | 336 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Copper (Cu)-Dissolved | 0.00126 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Lithium (Li)-Dissolved | 0.190 | | 0.020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Magnesium (Mg)-Dissolved | 1010 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Manganese (Mn)-Dissolved | 0.00082 | | 0.00020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Molybdenum (Mo)-Dissolved | 0.0124 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Nickel (Ni)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Potassium (K)-Dissolved | 327 | | 20 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Rubidium (Rb)-Dissolved | 0.113 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Selenium (Se)-Dissolved | <0.0020 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Sodium (Na)-Dissolved | 8710 | | 20 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Strontium (Sr)-Dissolved | 5.60 | | 0.050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Sulfur (S)-Dissolved | 746 | | 5.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2170896-27 MW REF A3 D | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 11:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Uranium (U)-Dissolved | 0.00308 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Vanadium (V)-Dissolved | 0.00135 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 5000 | | 4.8 | mg/L | | 19-OCT-18 | |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0304 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Barium (Ba)-Total | 0.0107 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Boron (B)-Total | 4.08 | | 0.10 | mg/L | | 19-OCT-18 | R4288587 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Calcium (Ca)-Total | 338 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Chromium (Cr)-Total | 0.00075 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Cobalt (Co)-Total | 0.000080 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Copper (Cu)-Total | 0.00121 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Iron (Fe)-Total | 0.053 | | 0.010 | mg/L | | 19-OCT-18 | R4288587 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 19-OCT-18 | R4288587 |
| Lithium (Li)-Total | 0.194 | | 0.020 | mg/L | | 19-OCT-18 | R4288587 |
| Magnesium (Mg)-Total | 1020 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Manganese (Mn)-Total | 0.00161 | | 0.00020 | mg/L | | 19-OCT-18 | R4288587 |
| Molybdenum (Mo)-Total | 0.0122 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Nickel (Ni)-Total | 0.00052 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 19-OCT-18 | R4288587 |
| Potassium (K)-Total | 337 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Rubidium (Rb)-Total | 0.113 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Selenium (Se)-Total | <0.0020 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 19-OCT-18 | R4288587 |
| Sodium (Na)-Total | 8910 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Strontium (Sr)-Total | 5.52 | | 0.010 | mg/L | | 19-OCT-18 | R4288587 |
| Sulfur (S)-Total | 739 | | 5.0 | mg/L | | 19-OCT-18 | R4288587 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2170896-27 MW REF A3 D | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 11:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Uranium (U)-Total | 0.00289 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Vanadium (V)-Total | 0.00162 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 19-OCT-18 | R4288587 |
| Zirconium (Zr)-Total | 0.00092 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 16-OCT-18 | R4282102 |
| Conductivity | 46700 | | 2.0 | uS/cm | | 02-OCT-18 | R4257666 |
| Orthophosphate-Dissolved (as P) | 0.0187 | | 0.0010 | mg/L | | 29-SEP-18 | R4252115 |
| Dissolved Organic Carbon | 0.99 | | 0.50 | mg/L | | 02-OCT-18 | R4257979 |
| Silicate (as SiO2) | 0.295 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.127 | | 0.050 | mg/L | 10-OCT-18 | 11-OCT-18 | R4272089 |
| Total Organic Carbon | 1.16 | | 0.50 | mg/L | | 02-OCT-18 | R4257978 |
| Total Dissolved Solids | 35400 | | 80 | mg/L | | 29-SEP-18 | R4253115 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 06-OCT-18 | R4263241 |
| Phosphorus (P)-Total | 0.0273 | | 0.0040 | mg/L | | 01-OCT-18 | R4255689 |
| Total Suspended Solids | 2.4 | | 2.0 | mg/L | | 29-SEP-18 | R4253121 |
| pH | 7.99 | | 0.10 | pH | | 02-OCT-18 | R4257666 |
| Salinity | 30.9 | | 1.0 | psu | | 03-OCT-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 15-OCT-18 | R4278475 |
| Dissolved Mercury Filtration Location | LAB | | | | | 11-OCT-18 | R4269591 |
| Dissolved Mercury Filtration Location | LAB | | | | | 14-OCT-18 | R4277474 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 15-OCT-18 | 16-OCT-18 | R4280190 |
| L2170896-28 MW REF A3 S | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 11:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 113 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Alkalinity, Total (as CaCO3) | 113 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 65.2 | | 5.0 | mg/L | | 02-OCT-18 | R4258739 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 18800 | | 50 | mg/L | | 02-OCT-18 | R4258739 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | 1.1 | | 1.0 | mg/L | | 02-OCT-18 | R4258739 |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 02-OCT-18 | R4258739 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 02-OCT-18 | R4258739 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2660 | | 30 | mg/L | | 02-OCT-18 | R4258739 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 08-OCT-18 | R4263895 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2170896-28 MW REF A3 S | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 11:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Barium (Ba)-Dissolved | 0.0103 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Boron (B)-Dissolved | 4.14 | | 0.10 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Calcium (Ca)-Dissolved | 329 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Lithium (Li)-Dissolved | 0.205 | | 0.020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Magnesium (Mg)-Dissolved | 1000 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Manganese (Mn)-Dissolved | 0.00044 | | 0.00020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Molybdenum (Mo)-Dissolved | 0.0127 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Nickel (Ni)-Dissolved | 0.00055 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Potassium (K)-Dissolved | 337 | | 20 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Rubidium (Rb)-Dissolved | 0.114 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Selenium (Se)-Dissolved | <0.0020 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Sodium (Na)-Dissolved | 8850 | | 20 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Strontium (Sr)-Dissolved | 5.54 | | 0.050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Sulfur (S)-Dissolved | 739 | | 5.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Uranium (U)-Dissolved | 0.00291 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Vanadium (V)-Dissolved | 0.00133 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4940 | | 4.8 | mg/L | | 19-OCT-18 | |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0147 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Barium (Ba)-Total | 0.0105 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2170896-28 MW REF A3 S | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 11:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Boron (B)-Total | 4.22 | | 0.10 | mg/L | | 19-OCT-18 | R4288587 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Calcium (Ca)-Total | 340 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Chromium (Cr)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Cobalt (Co)-Total | 0.000058 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Copper (Cu)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Iron (Fe)-Total | 0.028 | | 0.010 | mg/L | | 19-OCT-18 | R4288587 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 19-OCT-18 | R4288587 |
| Lithium (Li)-Total | 0.206 | | 0.020 | mg/L | | 19-OCT-18 | R4288587 |
| Magnesium (Mg)-Total | 960 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Manganese (Mn)-Total | 0.00091 | | 0.00020 | mg/L | | 19-OCT-18 | R4288587 |
| Molybdenum (Mo)-Total | 0.0127 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Nickel (Ni)-Total | 0.00053 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 19-OCT-18 | R4288587 |
| Potassium (K)-Total | 349 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Rubidium (Rb)-Total | 0.118 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Selenium (Se)-Total | <0.0020 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 19-OCT-18 | R4288587 |
| Sodium (Na)-Total | 8870 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Strontium (Sr)-Total | 5.51 | | 0.010 | mg/L | | 19-OCT-18 | R4288587 |
| Sulfur (S)-Total | 721 | | 5.0 | mg/L | | 19-OCT-18 | R4288587 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Uranium (U)-Total | 0.00304 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Vanadium (V)-Total | 0.00140 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 19-OCT-18 | R4288587 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 16-OCT-18 | R4282102 |
| Conductivity | 46800 | | 2.0 | uS/cm | | 02-OCT-18 | R4257666 |
| Orthophosphate-Dissolved (as P) | 0.0181 | | 0.0010 | mg/L | | 29-SEP-18 | R4252115 |
| Dissolved Organic Carbon | 0.97 | | 0.50 | mg/L | | 02-OCT-18 | R4257979 |
| Silicate (as SiO2) | 0.308 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.128 | | 0.050 | mg/L | 10-OCT-18 | 11-OCT-18 | R4272089 |
| Total Organic Carbon | 1.01 | | 0.50 | mg/L | | 02-OCT-18 | R4257978 |
| Total Dissolved Solids | 35400 | | 80 | mg/L | | 29-SEP-18 | R4253115 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 06-OCT-18 | R4263241 |
| Phosphorus (P)-Total | 0.0248 | | 0.0040 | mg/L | | 01-OCT-18 | R4255689 |
| Total Suspended Solids | <2.0 | | 2.0 | mg/L | | 29-SEP-18 | R4253121 |
| pH | 7.99 | | 0.10 | pH | | 02-OCT-18 | R4257666 |
| Salinity | 31.0 | | 1.0 | psu | | 03-OCT-18 | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2170896-29 MW REF B1 D | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Potassium (K)-Dissolved | 321 | | 20 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Rubidium (Rb)-Dissolved | 0.118 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Selenium (Se)-Dissolved | <0.0020 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Sodium (Na)-Dissolved | 8680 | | 20 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Strontium (Sr)-Dissolved | 5.40 | | 0.050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Sulfur (S)-Dissolved | 716 | | 5.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Uranium (U)-Dissolved | 0.00301 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Vanadium (V)-Dissolved | 0.00120 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4780 | | 4.8 | mg/L | | 19-OCT-18 | |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0125 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Barium (Ba)-Total | 0.0101 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Boron (B)-Total | 4.10 | | 0.10 | mg/L | | 19-OCT-18 | R4288587 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Calcium (Ca)-Total | 334 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Chromium (Cr)-Total | 0.00051 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Cobalt (Co)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Copper (Cu)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Iron (Fe)-Total | 0.028 | | 0.010 | mg/L | | 19-OCT-18 | R4288587 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 19-OCT-18 | R4288587 |
| Lithium (Li)-Total | 0.196 | | 0.020 | mg/L | | 19-OCT-18 | R4288587 |
| Magnesium (Mg)-Total | 972 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Manganese (Mn)-Total | 0.00094 | | 0.00020 | mg/L | | 19-OCT-18 | R4288587 |
| Molybdenum (Mo)-Total | 0.0127 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Nickel (Ni)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 19-OCT-18 | R4288587 |
| Potassium (K)-Total | 333 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Rubidium (Rb)-Total | 0.115 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Selenium (Se)-Total | <0.0020 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2170896-29 MW REF B1 D | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 19-OCT-18 | R4288587 |
| Sodium (Na)-Total | 8670 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Strontium (Sr)-Total | 5.47 | | 0.010 | mg/L | | 19-OCT-18 | R4288587 |
| Sulfur (S)-Total | 716 | | 5.0 | mg/L | | 19-OCT-18 | R4288587 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Uranium (U)-Total | 0.00294 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Vanadium (V)-Total | 0.00129 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 19-OCT-18 | R4288587 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 16-OCT-18 | R4282102 |
| Conductivity | 46900 | | 2.0 | uS/cm | | 02-OCT-18 | R4257666 |
| Orthophosphate-Dissolved (as P) | 0.0175 | | 0.0010 | mg/L | | 29-SEP-18 | R4252115 |
| Dissolved Organic Carbon | 1.02 | | 0.50 | mg/L | | 02-OCT-18 | R4257979 |
| Silicate (as SiO2) | 0.308 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.133 | | 0.050 | mg/L | 10-OCT-18 | 11-OCT-18 | R4272089 |
| Total Organic Carbon | 1.11 | | 0.50 | mg/L | | 04-OCT-18 | R4263002 |
| Total Dissolved Solids | 35500 | | 80 | mg/L | | 29-SEP-18 | R4253115 |
| Mercury (Hg)-Total | <0.000010 | | 0.000010 | mg/L | | 06-OCT-18 | R4263241 |
| Phosphorus (P)-Total | 0.0253 | | 0.0040 | mg/L | | 01-OCT-18 | R4255689 |
| Total Suspended Solids | 2.9 | | 2.0 | mg/L | | 29-SEP-18 | R4253121 |
| pH | 7.98 | | 0.10 | pH | | 02-OCT-18 | R4257666 |
| Salinity | 31.0 | | 1.0 | psu | | 03-OCT-18 | |
| Diss. Mercury in Seawater by CVAFS | | | | | | | |
| Dissolved Mercury Filtration Location | LAB | | | | | 15-OCT-18 | R4278475 |
| Dissolved Mercury Filtration Location | LAB | | | | | 14-OCT-18 | R4277474 |
| Dissolved Mercury Filtration Location | LAB | | | | | 11-OCT-18 | R4269591 |
| Mercury (Hg)-Dissolved | <0.000010 | | 0.000010 | mg/L | 15-OCT-18 | 16-OCT-18 | R4280190 |
| L2170896-30 MW REF B1 S | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Alkalinity Species by Titration | | | | | | | |
| Alkalinity Spec by Titration (Seawater) | | | | | | | |
| Alkalinity, Bicarbonate (as CaCO3) | 115 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Alkalinity, Carbonate (as CaCO3) | <1.0 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Alkalinity, Hydroxide (as CaCO3) | <1.0 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Alkalinity, Total (as CaCO3) | 115 | | 1.0 | mg/L | | 02-OCT-18 | R4257666 |
| Anions by Ion Chromatography (seawater) | | | | | | | |
| Bromide by IC (seawater) | | | | | | | |
| Bromide (Br) | 58.6 | | 5.0 | mg/L | | 02-OCT-18 | R4258739 |
| Chloride by IC (seawater) | | | | | | | |
| Chloride (Cl) | 17000 | | 50 | mg/L | | 02-OCT-18 | R4258739 |
| Fluoride by IC (seawater) | | | | | | | |
| Fluoride (F) | <1.0 | | 1.0 | mg/L | | 02-OCT-18 | R4258739 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2170896-30 MW REF B1 S | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Nitrate in Seawater by IC | | | | | | | |
| Nitrate (as N) | <0.50 | | 0.50 | mg/L | | 02-OCT-18 | R4258739 |
| Nitrite in Seawater by IC | | | | | | | |
| Nitrite (as N) | <0.10 | | 0.10 | mg/L | | 02-OCT-18 | R4258739 |
| Sulfate by IC (seawater) | | | | | | | |
| Sulfate (SO4) | 2400 | | 30 | mg/L | | 02-OCT-18 | R4258739 |
| Dissolved ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Diss. Metals in Seawater by HR-ICPMS | | | | | | | |
| Dissolved Metals Filtration Location | LAB | | | | | 08-OCT-18 | R4263895 |
| Aluminum (Al)-Dissolved | <0.0050 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Antimony (Sb)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Arsenic (As)-Dissolved | <0.0020 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Barium (Ba)-Dissolved | 0.0102 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Beryllium (Be)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Bismuth (Bi)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Boron (B)-Dissolved | 3.89 | | 0.10 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Cadmium (Cd)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Calcium (Ca)-Dissolved | 331 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Cesium (Cs)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Chromium (Cr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Cobalt (Co)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Copper (Cu)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Gallium (Ga)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Iron (Fe)-Dissolved | <0.010 | | 0.010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Lead (Pb)-Dissolved | <0.00030 | | 0.00030 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Lithium (Li)-Dissolved | 0.192 | | 0.020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Magnesium (Mg)-Dissolved | 978 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Manganese (Mn)-Dissolved | 0.00032 | | 0.00020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Molybdenum (Mo)-Dissolved | 0.0120 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Nickel (Ni)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Phosphorus (P)-Dissolved | <0.050 | | 0.050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Potassium (K)-Dissolved | 322 | | 20 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Rhenium (Re)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Rubidium (Rb)-Dissolved | 0.111 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Selenium (Se)-Dissolved | <0.0020 | | 0.0020 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Silicon (Si)-Dissolved | <1.0 | | 1.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Silver (Ag)-Dissolved | <0.00010 | | 0.00010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Sodium (Na)-Dissolved | 8620 | | 20 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Strontium (Sr)-Dissolved | 5.45 | | 0.050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Sulfur (S)-Dissolved | 721 | | 5.0 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tellurium (Te)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Thallium (Tl)-Dissolved | <0.000050 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Thorium (Th)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tin (Sn)-Dissolved | <0.0010 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Titanium (Ti)-Dissolved | <0.0050 | | 0.0050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Tungsten (W)-Dissolved | <0.0010 | | 0.0010 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Uranium (U)-Dissolved | 0.00295 | | 0.000050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Vanadium (V)-Dissolved | 0.00128 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Yttrium (Y)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Zinc (Zn)-Dissolved | <0.0030 | | 0.0030 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Zirconium (Zr)-Dissolved | <0.00050 | | 0.00050 | mg/L | 08-OCT-18 | 19-OCT-18 | R4288587 |
| Hardness | | | | | | | |
| Hardness (as CaCO3) | 4860 | | 4.8 | mg/L | | 19-OCT-18 | |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters | Result | Qualifier* | D.L. | Units | Extracted | Analyzed | Batch |
|--|-----------|------------|----------|-------|-----------|-----------|----------|
| L2170896-30 MW REF B1 S | | | | | | | |
| Sampled By: CLIENT on 20-SEP-18 @ 12:00 | | | | | | | |
| Matrix: Marine H2O | | | | | | | |
| Total ICPOES & HR-ICPMS in Seawater | | | | | | | |
| Tot. Metals in Seawater by HR-ICPMS | | | | | | | |
| Aluminum (Al)-Total | 0.0137 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Antimony (Sb)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Arsenic (As)-Total | <0.0020 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Barium (Ba)-Total | 0.0099 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Beryllium (Be)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Bismuth (Bi)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Boron (B)-Total | 3.83 | | 0.10 | mg/L | | 19-OCT-18 | R4288587 |
| Cadmium (Cd)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Calcium (Ca)-Total | 339 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Cesium (Cs)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Chromium (Cr)-Total | 0.00085 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Cobalt (Co)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Copper (Cu)-Total | 0.00061 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Gallium (Ga)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Iron (Fe)-Total | 0.031 | | 0.010 | mg/L | | 19-OCT-18 | R4288587 |
| Lead (Pb)-Total | <0.00030 | | 0.00030 | mg/L | | 19-OCT-18 | R4288587 |
| Lithium (Li)-Total | 0.193 | | 0.020 | mg/L | | 19-OCT-18 | R4288587 |
| Magnesium (Mg)-Total | 976 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Manganese (Mn)-Total | 0.00102 | | 0.00020 | mg/L | | 19-OCT-18 | R4288587 |
| Molybdenum (Mo)-Total | 0.0119 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Nickel (Ni)-Total | 0.00064 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Phosphorus (P)-Total | <0.050 | | 0.050 | mg/L | | 19-OCT-18 | R4288587 |
| Potassium (K)-Total | 335 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Rhenium (Re)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Rubidium (Rb)-Total | 0.110 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Selenium (Se)-Total | <0.0020 | | 0.0020 | mg/L | | 19-OCT-18 | R4288587 |
| Silicon (Si)-Total | <1.0 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Silver (Ag)-Total | <0.00010 | | 0.00010 | mg/L | | 19-OCT-18 | R4288587 |
| Sodium (Na)-Total | 8640 | | 1.0 | mg/L | | 19-OCT-18 | R4288587 |
| Strontium (Sr)-Total | 5.60 | | 0.010 | mg/L | | 19-OCT-18 | R4288587 |
| Sulfur (S)-Total | 719 | | 5.0 | mg/L | | 19-OCT-18 | R4288587 |
| Tellurium (Te)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Thallium (Tl)-Total | <0.000050 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Thorium (Th)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Tin (Sn)-Total | <0.0010 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Titanium (Ti)-Total | <0.0050 | | 0.0050 | mg/L | | 19-OCT-18 | R4288587 |
| Tungsten (W)-Total | <0.0010 | | 0.0010 | mg/L | | 19-OCT-18 | R4288587 |
| Uranium (U)-Total | 0.00295 | | 0.000050 | mg/L | | 19-OCT-18 | R4288587 |
| Vanadium (V)-Total | 0.00129 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Yttrium (Y)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Zinc (Zn)-Total | <0.0030 | | 0.0030 | mg/L | | 19-OCT-18 | R4288587 |
| Zirconium (Zr)-Total | <0.00050 | | 0.00050 | mg/L | | 19-OCT-18 | R4288587 |
| Miscellaneous Parameters | | | | | | | |
| Ammonia, Total (as N) | <0.0050 | | 0.0050 | mg/L | | 16-OCT-18 | R4282102 |
| Conductivity | 47300 | | 2.0 | uS/cm | | 02-OCT-18 | R4257666 |
| Orthophosphate-Dissolved (as P) | 0.0171 | | 0.0010 | mg/L | | 29-SEP-18 | R4252115 |
| Dissolved Organic Carbon | 0.97 | | 0.50 | mg/L | | 02-OCT-18 | R4257979 |
| Silicate (as SiO2) | 0.305 | | 0.010 | mg/L | | 03-OCT-18 | R4258600 |
| Total Kjeldahl Nitrogen | 0.136 | | 0.050 | mg/L | 10-OCT-18 | 11-OCT-18 | R4272089 |
| Total Organic Carbon | 1.15 | | 0.50 | mg/L | | 02-OCT-18 | R4257978 |

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

Reference Information

Test Method References:

| ALS Test Code | Matrix | Test Description | Method Reference** |
|---|----------|---|---------------------------------------|
| ALK-TITR-VA | Seawater | Alkalinity Spec by Titration (Seawater) | APHA 2320 Alkalinity |
| This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values. | | | |
| ANIONS-C-BR-IC-VA | Seawater | Bromide by IC (seawater) | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from APHA Method 4110 B. "Ion Chromatography with Chemical Suppression of Eluent Conductivity" and EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". | | | |
| ANIONS-C-CL-IC-VA | Seawater | Chloride by IC (seawater) | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from APHA Method 4110 B. "Ion Chromatography with Chemical Suppression of Eluent Conductivity" and EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". | | | |
| ANIONS-C-F-IC-VA | Seawater | Fluoride by IC (seawater) | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from APHA Method 4110 B. "Ion Chromatography with Chemical Suppression of Eluent Conductivity" and EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". | | | |
| ANIONS-C-NO2-IC-VA | Seawater | Nitrite in Seawater by IC | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". Nitrite is detected by UV absorbance. | | | |
| ANIONS-C-NO3-IC-VA | Seawater | Nitrate in Seawater by IC | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". Nitrate is detected by UV absorbance. | | | |
| ANIONS-C-SO4-IC-VA | Seawater | Sulfate by IC (seawater) | EPA 300.1 (mod) |
| This analysis is carried out using procedures adapted from APHA Method 4110 B. "Ion Chromatography with Chemical Suppression of Eluent Conductivity" and EPA Method 300.0 "Determination of Inorganic Anions by Ion Chromatography". | | | |
| C-TIC-PCT-SK | Soil | Total Inorganic Carbon in Soil | CSSS (2008) P216-217 |
| A known quantity of acetic acid is consumed by reaction with carbonates in the soil. The pH of the resulting solution is measured and compared against a standard curve relating pH to weight of carbonate. | | | |
| C-TOC-CALC-SK | Soil | Total Organic Carbon Calculation | CSSS (2008) 21.2 |
| Total Organic Carbon (TOC) is calculated by the difference between total carbon (TC) and total inorganic carbon. (TIC) | | | |
| C-TOT-LECO-SK | Soil | Total Carbon by combustion method | CSSS (2008) 21.2 |
| The sample is ignited in a combustion analyzer where carbon in the reduced CO2 gas is determined using a thermal conductivity detector. | | | |
| CARBONS-C-DOC-VA | Seawater | DOC by combustion (seawater) | APHA 5310B TOTAL ORGANIC CARBON (TOC) |
| This analysis is carried out using procedures adapted from APHA Method 5310 "Total Organic Carbon (TOC)". Dissolved carbon (DOC) fractions are determined by filtering the sample through a 0.45 micron membrane filter prior to analysis. | | | |
| CARBONS-C-TOC-VA | Seawater | TOC by combustion (seawater) | APHA 5310B TOTAL ORGANIC CARBON (TOC) |
| This analysis is carried out using procedures adapted from APHA Method 5310 "Total Organic Carbon (TOC)". | | | |
| EC-C-PCT-VA | Seawater | Conductivity (Automated) (seawater) | APHA 2510 Auto. Conduc. |
| This analysis is carried out using procedures adapted from APHA Method 2510 "Conductivity". Conductivity is determined using a conductivity electrode. | | | |
| HARDNESS-CALC-VA | Seawater | Hardness | APHA 2340B |
| Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation. | | | |
| HG-200.2-CVAA-SK | Soil | Mercury in Soil by CVAAS | EPA 200.2/1631E (mod) |
| Soil samples are digested with nitric and hydrochloric acids, followed by analysis by CVAAS. | | | |
| HG-DIS-C-CVAFS-VA | Seawater | Diss. Mercury in Seawater by CVAFS | PUGET SOUND PROTOCOLS, EPA 245.7 |
| This analysis is carried out using procedures adapted from "Recommended Guidelines for Measuring Metals in Puget Sound Marine Water, Sediment, and Tissue Samples" prepared for the United States Environmental Protection Agency and the Puget Sound Water Quality Authority, 1995. The procedures may involve preliminary sample treatment by filtration (EPA Method 3005A) and involves a cold-oxidation of the acidified seawater sample using bromine monochloride prior to reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry or atomic absorption spectrophotometry (EPA Method 245.7). | | | |
| HG-TOT-C-CVAFS-VA | Seawater | Total Mercury in Seawater by CVAFS | PUGET SOUND PROTOCOLS, EPA 245.7 |
| This analysis is carried out using procedures adapted from "Recommended Guidelines for Measuring Metals in Puget Sound Marine Water, Sediment, and Tissue Samples" prepared for the United States Environmental Protection Agency and the Puget Sound Water Quality Authority, 1995. The | | | |

Reference Information

Test Method References:

| ALS Test Code | Matrix | Test Description | Method Reference** |
|--------------------|----------|--|---|
| | | procedure involves a cold-oxidation of the acidified seawater sample using bromine monochloride prior to reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry or atomic absorption spectrophotometry (EPA Method 245.7). | |
| IC-CACO3-CALC-SK | Soil | Inorganic Carbon as CaCO3 Equivalent | Calculation |
| MET-200.2-CCMS-SK | Soil | Metals in Soil by CRC ICPMS | EPA 200.2/6020A (mod) |
| | | Soil/sediment is dried, disaggregated, and sieved (2 mm). Strong Acid Leachable Metals in the <2mm fraction are solubilized by heated digestion with nitric and hydrochloric acids. Instrumental analysis is by Collision / Reaction Cell ICPMS. | |
| | | Limitations: This method is intended to liberate environmentally available metals. Silicate minerals are not solubilized. Some metals may be only partially recovered (matrix dependent), including Al, Ba, Be, Cr, S, Sr, Ti, Tl, V, W, and Zr. Elemental Sulfur may be poorly recovered by this method. Volatile forms of sulfur (e.g. sulfide, H2S) may be excluded if lost during sampling, storage, or digestion. | |
| MET-D-L-HRMS-VA | Seawater | Diss. Metals in Seawater by HR-ICPMS | EPA 200.8 |
| | | Trace metals in seawater are analyzed by high resolution inductively coupled plasma mass spectrometry (HR-ICPMS) based on US EPA Method 200.8, (Revision 5.5). The procedures may involve laboratory sample filtration based on APHA Method 3030B. | |
| MET-T-L-HRMS-VA | Seawater | Tot. Metals in Seawater by HR-ICPMS | EPA 200.8 |
| | | Trace metals in seawater are analyzed by high resolution inductively coupled plasma mass spectrometry (HR-ICPMS) based on US EPA Method 200.8, (Revision 5.5). The procedures may involve preliminary sample treatment by acid digestion based on APHA Method 3030E. | |
| N-TOTKJ-COL-SK | Soil | Total Kjeldahl Nitrogen | CSSS (2008) 22.2.3 |
| | | The soil is digested with sulfuric acid in the presence of CuSO4 and K2SO4 catalysts. Ammonia in the soil extract is determined colorimetrically at 660 nm. | |
| NH3-F-VA | Seawater | Ammonia in Seawater by Fluorescence | J. ENVIRON. MONIT., 2005, 7, 37-42, RSC |
| | | This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Weston et al. | |
| P-T-COL-VA | Seawater | Total P in Seawater by Colour | APHA 4500-P Phosphorus |
| | | This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorous is determined colorimetrically after persulphate digestion of the sample. | |
| PH-C-PCT-VA | Seawater | pH by Meter (Automated) (seawater) | APHA 4500-H pH Value |
| | | This analysis is carried out using procedures adapted from APHA Method 4500-H "pH Value". The pH is determined in the laboratory using a pH electrode. | |
| | | It is recommended that this analysis be conducted in the field. | |
| PO4-DO-COL-VA | Seawater | D-Orthophosphate in Seawater by Colour | APHA 4500-P Phosphorus |
| | | This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colorimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter. | |
| SALINITY-CALC-VA | Seawater | Salinity by conductivity meter | APHA 2520B |
| | | Salinity is determined by the APHA 2520B Electrical Conductivity Method. Salinity is a unitless parameter that is roughly equivalent to grams per Litre. ALS applies the unit of psu (practical salinity unit) to indicate that salinity values are derived from the Practical Salinity Scale. | |
| SIO2-L-COL-VA | Seawater | Low Level Silicate by Colourimetric | APHA 4500-SiO2 E. |
| | | This analysis is carried out using procedures adapted from APHA Method 4500-SiO2 E. "Silica". Silicate (molybdate-reactive silica) is determined by the molybdosilicate-heteropoly blue colorimetric method. | |
| SPECIAL REQUEST-SK | Misc. | Special Request Sask Lab | SEE SUBLET LAB RESULTS |
| TDS-VA | Seawater | Total Dissolved Solids by Gravimetric | APHA 2540 Gravimetric |
| | | This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, TDS is determined by evaporating the filtrate to dryness at 180 degrees celsius. | |
| TKN-C-F-VA | Seawater | TKN in Seawater by Fluorescence | APHA 4500-NORG D. |
| | | This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection. | |
| TSS-C-VA | Seawater | Total Suspended Solids by Gravimetric | APHA 2540 D |
| | | This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total Suspended Solids (TSS) is determined by filtering a sample through a glass fibre filter. TSS is determined by drying the filter at 104 degrees celsius. | |

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

Reference Information

Test Method References:

| ALS Test Code | Matrix | Test Description | Method Reference** |
|---------------|--------|------------------|--------------------|
|---------------|--------|------------------|--------------------|

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

| Laboratory Definition Code | Laboratory Location |
|----------------------------|---|
| SK | ALS ENVIRONMENTAL - SASKATOON, SASKATCHEWAN, CANADA |
| VA | ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA |

Chain of Custody Numbers:

| | | |
|-----------|-----------|-----------|
| 14-452766 | 14-452767 | 14-452768 |
|-----------|-----------|-----------|

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 1 of 27

Client: Agnico-Eagle - Meliadine Gold Project
 PO Box 99
 Rankin Inlet NU X0C 0G0

Contact: Jennifer Brown

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|----------------------------|--------|--------------|--------|-----------|-------|-----|--------|-----------|
| C-TIC-PCT-SK | | Soil | | | | | | |
| Batch R4270928 | | | | | | | | |
| WG2893808-1 | DUP | L2170896-20 | | | | | | |
| Inorganic Carbon | | | 0.087 | 0.088 | % | 1.4 | 20 | 11-OCT-18 |
| WG2893808-2 | LCS | | | | | | | |
| Inorganic Carbon | | | | 95.8 | % | | 80-120 | 11-OCT-18 |
| WG2893808-3 | MB | | | | | | | |
| Inorganic Carbon | | | | <0.050 | % | | 0.05 | 11-OCT-18 |
| Batch R4271167 | | | | | | | | |
| WG2893800-2 | LCS | | | | | | | |
| Inorganic Carbon | | | | 95.4 | % | | 80-120 | 11-OCT-18 |
| WG2893800-3 | MB | | | | | | | |
| Inorganic Carbon | | | | <0.050 | % | | 0.05 | 11-OCT-18 |
| C-TOT-LECO-SK | | Soil | | | | | | |
| Batch R4263371 | | | | | | | | |
| WG2894570-1 | DUP | L2170896-10 | | | | | | |
| Total Carbon by Combustion | | | 0.56 | 0.55 | % | 2.0 | 20 | 05-OCT-18 |
| WG2894570-2 | IRM | 08-109_SOIL | | | | | | |
| Total Carbon by Combustion | | | | 93.7 | % | | 80-120 | 05-OCT-18 |
| WG2894570-4 | LCS | SULFADIAZINE | | | | | | |
| Total Carbon by Combustion | | | | 100.2 | % | | 90-110 | 05-OCT-18 |
| WG2894570-3 | MB | | | | | | | |
| Total Carbon by Combustion | | | | <0.05 | % | | 0.05 | 05-OCT-18 |
| Batch R4270350 | | | | | | | | |
| WG2895151-2 | IRM | 08-109_SOIL | | | | | | |
| Total Carbon by Combustion | | | | 93.5 | % | | 80-120 | 10-OCT-18 |
| WG2895151-4 | LCS | SULFADIAZINE | | | | | | |
| Total Carbon by Combustion | | | | 100.7 | % | | 90-110 | 10-OCT-18 |
| WG2895151-3 | MB | | | | | | | |
| Total Carbon by Combustion | | | | <0.05 | % | | 0.05 | 10-OCT-18 |
| HG-200.2-CVAA-SK | | Soil | | | | | | |
| Batch R4268284 | | | | | | | | |
| WG2894269-3 | CRM | TILL-1 | | | | | | |
| Mercury (Hg) | | | | 93.0 | % | | 70-130 | 09-OCT-18 |
| WG2894269-2 | DUP | L2170896-4 | | | | | | |
| Mercury (Hg) | | | 0.0101 | 0.0100 | mg/kg | 0.9 | 40 | 09-OCT-18 |
| WG2894269-4 | LCS | | | | | | | |
| Mercury (Hg) | | | | 97.2 | % | | 80-120 | 09-OCT-18 |
| WG2894269-1 | MB | | | | | | | |
| Mercury (Hg) | | | | <0.0050 | mg/kg | | 0.005 | 09-OCT-18 |



Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 2 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|--------------------|---------|-----------|-------|-----|-----------|-----------|
| HG-200.2-CVAA-SK | | | | | | | | |
| | Soil | | | | | | | |
| Batch | R4276967 | | | | | | | |
| WG2894273-3 | CRM | TILL-1 | | | | | | |
| Mercury (Hg) | | | 93.3 | | % | | 70-130 | 12-OCT-18 |
| WG2894273-2 | DUP | L2170896-21 | | | | | | |
| Mercury (Hg) | | 0.0133 | 0.0125 | | mg/kg | 6.0 | 40 | 12-OCT-18 |
| WG2894273-4 | LCS | | | | | | | |
| Mercury (Hg) | | | 98.9 | | % | | 80-120 | 12-OCT-18 |
| WG2894273-1 | MB | | | | | | | |
| Mercury (Hg) | | | <0.0050 | | mg/kg | | 0.005 | 12-OCT-18 |
| MET-200.2-CCMS-SK | | | | | | | | |
| | Soil | | | | | | | |
| Batch | R4268336 | | | | | | | |
| WG2894269-3 | CRM | TILL-1 | | | | | | |
| Aluminum (Al) | | | 94.1 | | % | | 70-130 | 10-OCT-18 |
| Antimony (Sb) | | | 99.6 | | % | | 70-130 | 10-OCT-18 |
| Arsenic (As) | | | 92.3 | | % | | 70-130 | 10-OCT-18 |
| Barium (Ba) | | | 99.8 | | % | | 70-130 | 10-OCT-18 |
| Beryllium (Be) | | | 97.2 | | % | | 70-130 | 10-OCT-18 |
| Boron (B) | | | 2.9 | | mg/kg | | 0-8.2 | 10-OCT-18 |
| Bismuth (Bi) | | | 88.9 | | % | | 70-130 | 10-OCT-18 |
| Cadmium (Cd) | | | 89.6 | | % | | 70-130 | 10-OCT-18 |
| Calcium (Ca) | | | 95.0 | | % | | 70-130 | 10-OCT-18 |
| Chromium (Cr) | | | 92.6 | | % | | 70-130 | 10-OCT-18 |
| Cobalt (Co) | | | 87.6 | | % | | 70-130 | 10-OCT-18 |
| Copper (Cu) | | | 91.7 | | % | | 70-130 | 10-OCT-18 |
| Iron (Fe) | | | 92.1 | | % | | 70-130 | 10-OCT-18 |
| Lead (Pb) | | | 93.6 | | % | | 70-130 | 10-OCT-18 |
| Lithium (Li) | | | 91.6 | | % | | 70-130 | 10-OCT-18 |
| Magnesium (Mg) | | | 86.8 | | % | | 70-130 | 10-OCT-18 |
| Manganese (Mn) | | | 90.5 | | % | | 70-130 | 10-OCT-18 |
| Molybdenum (Mo) | | | 92.4 | | % | | 70-130 | 10-OCT-18 |
| Nickel (Ni) | | | 90.7 | | % | | 70-130 | 10-OCT-18 |
| Phosphorus (P) | | | 95.7 | | % | | 70-130 | 10-OCT-18 |
| Potassium (K) | | | 108.6 | | % | | 70-130 | 10-OCT-18 |
| Selenium (Se) | | | 0.27 | | mg/kg | | 0.11-0.51 | 10-OCT-18 |
| Silver (Ag) | | | 0.23 | | mg/kg | | 0.13-0.33 | 10-OCT-18 |
| Sodium (Na) | | | 105.5 | | % | | 70-130 | 10-OCT-18 |
| Strontium (Sr) | | | 91.2 | | % | | 70-130 | 10-OCT-18 |



Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 3 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|-------------------|--------|-----------|-------|-----|------------|-----------|
| MET-200.2-CCMS-SK | | Soil | | | | | | |
| Batch | R4268336 | | | | | | | |
| WG2894269-3 | CRM | TILL-1 | | | | | | |
| Thallium (Tl) | | | 0.113 | | mg/kg | | 0.077-0.18 | 10-OCT-18 |
| Tin (Sn) | | | 0.9 | | mg/kg | | 0-3.1 | 10-OCT-18 |
| Titanium (Ti) | | | 81.3 | | % | | 70-130 | 10-OCT-18 |
| Tungsten (W) | | | 0.13 | | mg/kg | | 0-0.66 | 10-OCT-18 |
| Uranium (U) | | | 88.0 | | % | | 70-130 | 10-OCT-18 |
| Vanadium (V) | | | 90.3 | | % | | 70-130 | 10-OCT-18 |
| Zinc (Zn) | | | 90.4 | | % | | 70-130 | 10-OCT-18 |
| Zirconium (Zr) | | | 1.0 | | mg/kg | | 0-1.8 | 10-OCT-18 |
| WG2894269-2 | DUP | L2170896-4 | | | | | | |
| Aluminum (Al) | | 6860 | 8410 | | mg/kg | 20 | 40 | 10-OCT-18 |
| Antimony (Sb) | | <0.10 | <0.10 | RPD-NA | mg/kg | N/A | 30 | 10-OCT-18 |
| Arsenic (As) | | 5.44 | 6.23 | | mg/kg | 14 | 30 | 10-OCT-18 |
| Barium (Ba) | | 43.7 | 51.7 | | mg/kg | 17 | 40 | 10-OCT-18 |
| Beryllium (Be) | | 0.14 | 0.15 | | mg/kg | 1.5 | 30 | 10-OCT-18 |
| Boron (B) | | 13.5 | 14.2 | | mg/kg | 4.8 | 30 | 10-OCT-18 |
| Bismuth (Bi) | | <0.20 | <0.20 | RPD-NA | mg/kg | N/A | 30 | 10-OCT-18 |
| Cadmium (Cd) | | <0.020 | <0.020 | RPD-NA | mg/kg | N/A | 30 | 10-OCT-18 |
| Calcium (Ca) | | 5430 | 5680 | | mg/kg | 4.4 | 30 | 10-OCT-18 |
| Chromium (Cr) | | 36.3 | 42.7 | | mg/kg | 16 | 30 | 10-OCT-18 |
| Cobalt (Co) | | 4.05 | 4.74 | | mg/kg | 16 | 30 | 10-OCT-18 |
| Copper (Cu) | | 7.91 | 9.07 | | mg/kg | 14 | 30 | 10-OCT-18 |
| Iron (Fe) | | 13200 | 14400 | | mg/kg | 9.2 | 30 | 10-OCT-18 |
| Lead (Pb) | | 3.21 | 3.30 | | mg/kg | 2.9 | 40 | 10-OCT-18 |
| Lithium (Li) | | 10.9 | 11.5 | | mg/kg | 5.9 | 30 | 10-OCT-18 |
| Magnesium (Mg) | | 6560 | 7490 | | mg/kg | 13 | 30 | 10-OCT-18 |
| Manganese (Mn) | | 137 | 160 | | mg/kg | 16 | 30 | 10-OCT-18 |
| Molybdenum (Mo) | | 0.58 | 0.58 | | mg/kg | 0.0 | 40 | 10-OCT-18 |
| Nickel (Ni) | | 15.0 | 17.2 | | mg/kg | 14 | 30 | 10-OCT-18 |
| Phosphorus (P) | | 857 | 1030 | | mg/kg | 19 | 30 | 10-OCT-18 |
| Potassium (K) | | 2070 | 2370 | | mg/kg | 14 | 40 | 10-OCT-18 |
| Selenium (Se) | | 0.21 | 0.22 | | mg/kg | 1.0 | 30 | 10-OCT-18 |
| Silver (Ag) | | <0.10 | <0.10 | RPD-NA | mg/kg | N/A | 40 | 10-OCT-18 |
| Sodium (Na) | | 6210 | 6960 | | mg/kg | 11 | 40 | 10-OCT-18 |
| Strontium (Sr) | | 24.7 | 26.3 | | mg/kg | 6.1 | 40 | 10-OCT-18 |



Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 4 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|-------------------|--------|-----------|-------|-----|--------|-----------|
| MET-200.2-CCMS-SK | | Soil | | | | | | |
| Batch | R4268336 | | | | | | | |
| WG2894269-2 | DUP | L2170896-4 | | | | | | |
| Sulfur (S) | | <1000 | <1000 | RPD-NA | mg/kg | N/A | 30 | 10-OCT-18 |
| Thallium (Tl) | | 0.083 | 0.083 | | mg/kg | 0.1 | 30 | 10-OCT-18 |
| Tin (Sn) | | 1.2 | <1.0 | RPD-NA | mg/kg | N/A | 40 | 10-OCT-18 |
| Titanium (Ti) | | 510 | 650 | | mg/kg | 24 | 40 | 10-OCT-18 |
| Tungsten (W) | | <0.50 | <0.50 | RPD-NA | mg/kg | N/A | 30 | 10-OCT-18 |
| Uranium (U) | | 0.702 | 0.752 | | mg/kg | 6.9 | 30 | 10-OCT-18 |
| Vanadium (V) | | 29.4 | 34.5 | | mg/kg | 16 | 30 | 10-OCT-18 |
| Zinc (Zn) | | 24.3 | 27.3 | | mg/kg | 12 | 30 | 10-OCT-18 |
| Zirconium (Zr) | | 3.9 | 4.4 | | mg/kg | 11 | 30 | 10-OCT-18 |
| WG2894269-4 | LCS | | | | | | | |
| Aluminum (Al) | | | 106.8 | | % | | 80-120 | 10-OCT-18 |
| Antimony (Sb) | | | 105.6 | | % | | 80-120 | 10-OCT-18 |
| Arsenic (As) | | | 104.0 | | % | | 80-120 | 10-OCT-18 |
| Barium (Ba) | | | 108.9 | | % | | 80-120 | 10-OCT-18 |
| Beryllium (Be) | | | 101.4 | | % | | 80-120 | 10-OCT-18 |
| Boron (B) | | | 95.8 | | % | | 80-120 | 10-OCT-18 |
| Bismuth (Bi) | | | 91.3 | | % | | 80-120 | 10-OCT-18 |
| Cadmium (Cd) | | | 95.2 | | % | | 80-120 | 10-OCT-18 |
| Calcium (Ca) | | | 102.2 | | % | | 80-120 | 10-OCT-18 |
| Chromium (Cr) | | | 105.8 | | % | | 80-120 | 10-OCT-18 |
| Cobalt (Co) | | | 96.9 | | % | | 80-120 | 10-OCT-18 |
| Copper (Cu) | | | 99.9 | | % | | 80-120 | 10-OCT-18 |
| Iron (Fe) | | | 112.2 | | % | | 80-120 | 10-OCT-18 |
| Lead (Pb) | | | 94.4 | | % | | 80-120 | 10-OCT-18 |
| Lithium (Li) | | | 101.6 | | % | | 80-120 | 10-OCT-18 |
| Magnesium (Mg) | | | 98.8 | | % | | 80-120 | 10-OCT-18 |
| Manganese (Mn) | | | 104.2 | | % | | 80-120 | 10-OCT-18 |
| Molybdenum (Mo) | | | 97.8 | | % | | 80-120 | 10-OCT-18 |
| Nickel (Ni) | | | 100.7 | | % | | 80-120 | 10-OCT-18 |
| Phosphorus (P) | | | 108.2 | | % | | 80-120 | 10-OCT-18 |
| Potassium (K) | | | 104.2 | | % | | 80-120 | 10-OCT-18 |
| Selenium (Se) | | | 104.8 | | % | | 80-120 | 10-OCT-18 |
| Silver (Ag) | | | 99.2 | | % | | 80-120 | 10-OCT-18 |
| Sodium (Na) | | | 99.8 | | % | | 80-120 | 10-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 5 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|-----------|--------|-----------|-------|-----|--------|-----------|
| MET-200.2-CCMS-SK | Soil | | | | | | | |
| Batch | R4268336 | | | | | | | |
| WG2894269-4 | LCS | | | | | | | |
| Strontium (Sr) | | | 103.8 | | % | | 80-120 | 10-OCT-18 |
| Sulfur (S) | | | 98.6 | | % | | 80-120 | 10-OCT-18 |
| Thallium (Tl) | | | 92.5 | | % | | 80-120 | 10-OCT-18 |
| Tin (Sn) | | | 95.9 | | % | | 80-120 | 10-OCT-18 |
| Titanium (Ti) | | | 100.7 | | % | | 80-120 | 10-OCT-18 |
| Tungsten (W) | | | 96.3 | | % | | 80-120 | 10-OCT-18 |
| Uranium (U) | | | 95.8 | | % | | 80-120 | 10-OCT-18 |
| Vanadium (V) | | | 105.5 | | % | | 80-120 | 10-OCT-18 |
| Zinc (Zn) | | | 106.5 | | % | | 80-120 | 10-OCT-18 |
| Zirconium (Zr) | | | 100.5 | | % | | 80-120 | 10-OCT-18 |
| WG2894269-1 | MB | | | | | | | |
| Aluminum (Al) | | | <50 | | mg/kg | | 50 | 10-OCT-18 |
| Antimony (Sb) | | | <0.10 | | mg/kg | | 0.1 | 10-OCT-18 |
| Arsenic (As) | | | <0.10 | | mg/kg | | 0.1 | 10-OCT-18 |
| Barium (Ba) | | | <0.50 | | mg/kg | | 0.5 | 10-OCT-18 |
| Beryllium (Be) | | | <0.10 | | mg/kg | | 0.1 | 10-OCT-18 |
| Boron (B) | | | <5.0 | | mg/kg | | 5 | 10-OCT-18 |
| Bismuth (Bi) | | | <0.20 | | mg/kg | | 0.2 | 10-OCT-18 |
| Cadmium (Cd) | | | <0.020 | | mg/kg | | 0.02 | 10-OCT-18 |
| Calcium (Ca) | | | <50 | | mg/kg | | 50 | 10-OCT-18 |
| Chromium (Cr) | | | <0.50 | | mg/kg | | 0.5 | 10-OCT-18 |
| Cobalt (Co) | | | <0.10 | | mg/kg | | 0.1 | 10-OCT-18 |
| Copper (Cu) | | | <0.50 | | mg/kg | | 0.5 | 10-OCT-18 |
| Iron (Fe) | | | <50 | | mg/kg | | 50 | 10-OCT-18 |
| Lead (Pb) | | | <0.50 | | mg/kg | | 0.5 | 10-OCT-18 |
| Lithium (Li) | | | <2.0 | | mg/kg | | 2 | 10-OCT-18 |
| Magnesium (Mg) | | | <20 | | mg/kg | | 20 | 10-OCT-18 |
| Manganese (Mn) | | | <1.0 | | mg/kg | | 1 | 10-OCT-18 |
| Molybdenum (Mo) | | | <0.10 | | mg/kg | | 0.1 | 10-OCT-18 |
| Nickel (Ni) | | | <0.50 | | mg/kg | | 0.5 | 10-OCT-18 |
| Phosphorus (P) | | | <50 | | mg/kg | | 50 | 10-OCT-18 |
| Potassium (K) | | | <100 | | mg/kg | | 100 | 10-OCT-18 |
| Selenium (Se) | | | <0.20 | | mg/kg | | 0.2 | 10-OCT-18 |
| Silver (Ag) | | | <0.10 | | mg/kg | | 0.1 | 10-OCT-18 |



Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 6 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|---------------|--------|-----------|-------|-----|--------|-----------|
| MET-200.2-CCMS-SK | | | | | | | | |
| | Soil | | | | | | | |
| Batch | R4268336 | | | | | | | |
| WG2894269-1 | MB | | | | | | | |
| Sodium (Na) | | | <50 | | mg/kg | | 50 | 10-OCT-18 |
| Strontium (Sr) | | | <0.50 | | mg/kg | | 0.5 | 10-OCT-18 |
| Sulfur (S) | | | <1000 | | mg/kg | | 1000 | 10-OCT-18 |
| Thallium (Tl) | | | <0.050 | | mg/kg | | 0.05 | 10-OCT-18 |
| Tin (Sn) | | | <1.0 | | mg/kg | | 1 | 10-OCT-18 |
| Titanium (Ti) | | | <1.0 | | mg/kg | | 1 | 10-OCT-18 |
| Tungsten (W) | | | <0.50 | | mg/kg | | 0.5 | 10-OCT-18 |
| Uranium (U) | | | <0.050 | | mg/kg | | 0.05 | 10-OCT-18 |
| Vanadium (V) | | | <0.20 | | mg/kg | | 0.2 | 10-OCT-18 |
| Zinc (Zn) | | | <2.0 | | mg/kg | | 2 | 10-OCT-18 |
| Zirconium (Zr) | | | <1.0 | | mg/kg | | 1 | 10-OCT-18 |
| Batch | R4278629 | | | | | | | |
| WG2894273-3 | CRM | TILL-1 | | | | | | |
| Aluminum (Al) | | | 86.9 | | % | | 70-130 | 15-OCT-18 |
| Antimony (Sb) | | | 99.8 | | % | | 70-130 | 15-OCT-18 |
| Arsenic (As) | | | 92.0 | | % | | 70-130 | 15-OCT-18 |
| Barium (Ba) | | | 89.2 | | % | | 70-130 | 15-OCT-18 |
| Beryllium (Be) | | | 97.3 | | % | | 70-130 | 15-OCT-18 |
| Boron (B) | | | 2.5 | | mg/kg | | 0-8.2 | 15-OCT-18 |
| Bismuth (Bi) | | | 95.9 | | % | | 70-130 | 15-OCT-18 |
| Cadmium (Cd) | | | 87.4 | | % | | 70-130 | 15-OCT-18 |
| Calcium (Ca) | | | 93.7 | | % | | 70-130 | 15-OCT-18 |
| Chromium (Cr) | | | 85.5 | | % | | 70-130 | 15-OCT-18 |
| Cobalt (Co) | | | 84.7 | | % | | 70-130 | 15-OCT-18 |
| Copper (Cu) | | | 90.7 | | % | | 70-130 | 15-OCT-18 |
| Iron (Fe) | | | 88.2 | | % | | 70-130 | 15-OCT-18 |
| Lead (Pb) | | | 96.3 | | % | | 70-130 | 15-OCT-18 |
| Lithium (Li) | | | 98.7 | | % | | 70-130 | 15-OCT-18 |
| Magnesium (Mg) | | | 85.6 | | % | | 70-130 | 15-OCT-18 |
| Manganese (Mn) | | | 91.3 | | % | | 70-130 | 15-OCT-18 |
| Molybdenum (Mo) | | | 92.6 | | % | | 70-130 | 15-OCT-18 |
| Nickel (Ni) | | | 87.9 | | % | | 70-130 | 15-OCT-18 |
| Phosphorus (P) | | | 87.9 | | % | | 70-130 | 15-OCT-18 |
| Potassium (K) | | | 85.2 | | % | | 70-130 | 15-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 7 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|--------------------|--------|-----------|-------|-----|------------|-----------|
| MET-200.2-CCMS-SK | | Soil | | | | | | |
| Batch | R4278629 | | | | | | | |
| WG2894273-3 | CRM | TILL-1 | | | | | | |
| Selenium (Se) | | | 0.30 | | mg/kg | | 0.11-0.51 | 15-OCT-18 |
| Silver (Ag) | | | 0.24 | | mg/kg | | 0.13-0.33 | 15-OCT-18 |
| Sodium (Na) | | | 84.2 | | % | | 70-130 | 15-OCT-18 |
| Strontium (Sr) | | | 88.9 | | % | | 70-130 | 15-OCT-18 |
| Thallium (Tl) | | | 0.118 | | mg/kg | | 0.077-0.18 | 15-OCT-18 |
| Tin (Sn) | | | 0.8 | | mg/kg | | 0-3.1 | 15-OCT-18 |
| Titanium (Ti) | | | 72.8 | | % | | 70-130 | 15-OCT-18 |
| Tungsten (W) | | | 0.12 | | mg/kg | | 0-0.66 | 15-OCT-18 |
| Uranium (U) | | | 94.6 | | % | | 70-130 | 15-OCT-18 |
| Vanadium (V) | | | 86.0 | | % | | 70-130 | 15-OCT-18 |
| Zinc (Zn) | | | 89.7 | | % | | 70-130 | 15-OCT-18 |
| Zirconium (Zr) | | | 1.1 | | mg/kg | | 0-1.8 | 15-OCT-18 |
| WG2894273-2 | DUP | L2170896-21 | | | | | | |
| Aluminum (Al) | | 6740 | 6920 | | mg/kg | 2.7 | 40 | 15-OCT-18 |
| Antimony (Sb) | | <0.10 | <0.10 | RPD-NA | mg/kg | N/A | 30 | 15-OCT-18 |
| Arsenic (As) | | 5.06 | 4.90 | | mg/kg | 3.1 | 30 | 15-OCT-18 |
| Barium (Ba) | | 38.5 | 36.6 | | mg/kg | 5.1 | 40 | 15-OCT-18 |
| Beryllium (Be) | | 0.15 | 0.15 | | mg/kg | 1.2 | 30 | 15-OCT-18 |
| Boron (B) | | 16.9 | 16.3 | | mg/kg | 3.2 | 30 | 15-OCT-18 |
| Bismuth (Bi) | | <0.20 | <0.20 | RPD-NA | mg/kg | N/A | 30 | 15-OCT-18 |
| Cadmium (Cd) | | <0.020 | <0.020 | RPD-NA | mg/kg | N/A | 30 | 15-OCT-18 |
| Calcium (Ca) | | 5850 | 5760 | | mg/kg | 1.6 | 30 | 15-OCT-18 |
| Chromium (Cr) | | 29.4 | 28.5 | | mg/kg | 3.2 | 30 | 15-OCT-18 |
| Cobalt (Co) | | 3.80 | 3.69 | | mg/kg | 3.1 | 30 | 15-OCT-18 |
| Copper (Cu) | | 6.72 | 6.39 | | mg/kg | 5.1 | 30 | 15-OCT-18 |
| Iron (Fe) | | 12600 | 12100 | | mg/kg | 3.8 | 30 | 15-OCT-18 |
| Lead (Pb) | | 3.34 | 3.24 | | mg/kg | 2.9 | 40 | 15-OCT-18 |
| Lithium (Li) | | 10.9 | 10.7 | | mg/kg | 1.3 | 30 | 15-OCT-18 |
| Magnesium (Mg) | | 6200 | 6150 | | mg/kg | 0.7 | 30 | 15-OCT-18 |
| Manganese (Mn) | | 134 | 131 | | mg/kg | 2.5 | 30 | 15-OCT-18 |
| Molybdenum (Mo) | | 0.66 | 0.67 | | mg/kg | 0.8 | 40 | 15-OCT-18 |
| Nickel (Ni) | | 13.3 | 12.2 | | mg/kg | 8.5 | 30 | 15-OCT-18 |
| Phosphorus (P) | | 834 | 783 | | mg/kg | 6.3 | 30 | 15-OCT-18 |
| Potassium (K) | | 2090 | 2030 | | mg/kg | 2.9 | 40 | 15-OCT-18 |



Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 8 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|--------------------|--------|-----------|-------|-----|--------|-----------|
| MET-200.2-CCMS-SK | | Soil | | | | | | |
| Batch | R4278629 | | | | | | | |
| WG2894273-2 | DUP | L2170896-21 | | | | | | |
| Selenium (Se) | | 0.21 | <0.20 | RPD-NA | mg/kg | N/A | 30 | 15-OCT-18 |
| Silver (Ag) | | <0.10 | <0.10 | RPD-NA | mg/kg | N/A | 40 | 15-OCT-18 |
| Sodium (Na) | | 7050 | 6200 | | mg/kg | 13 | 40 | 15-OCT-18 |
| Strontium (Sr) | | 25.4 | 24.3 | | mg/kg | 4.6 | 40 | 15-OCT-18 |
| Sulfur (S) | | <1000 | <1000 | RPD-NA | mg/kg | N/A | 30 | 15-OCT-18 |
| Thallium (Tl) | | 0.089 | 0.082 | | mg/kg | 8.7 | 30 | 15-OCT-18 |
| Tin (Sn) | | <1.0 | <1.0 | RPD-NA | mg/kg | N/A | 40 | 15-OCT-18 |
| Titanium (Ti) | | 498 | 501 | | mg/kg | 0.6 | 40 | 15-OCT-18 |
| Tungsten (W) | | <0.50 | <0.50 | RPD-NA | mg/kg | N/A | 30 | 15-OCT-18 |
| Uranium (U) | | 0.856 | 0.810 | | mg/kg | 5.6 | 30 | 15-OCT-18 |
| Vanadium (V) | | 27.5 | 26.7 | | mg/kg | 2.8 | 30 | 15-OCT-18 |
| Zinc (Zn) | | 22.7 | 21.9 | | mg/kg | 4.0 | 30 | 15-OCT-18 |
| Zirconium (Zr) | | 4.5 | 4.5 | | mg/kg | 0.8 | 30 | 15-OCT-18 |
| WG2894273-4 | LCS | | | | | | | |
| Aluminum (Al) | | | 99.2 | | % | | 80-120 | 15-OCT-18 |
| Antimony (Sb) | | | 107.2 | | % | | 80-120 | 15-OCT-18 |
| Arsenic (As) | | | 98.4 | | % | | 80-120 | 15-OCT-18 |
| Barium (Ba) | | | 98.8 | | % | | 80-120 | 15-OCT-18 |
| Beryllium (Be) | | | 102.5 | | % | | 80-120 | 15-OCT-18 |
| Boron (B) | | | 91.9 | | % | | 80-120 | 15-OCT-18 |
| Bismuth (Bi) | | | 100.5 | | % | | 80-120 | 15-OCT-18 |
| Cadmium (Cd) | | | 99.0 | | % | | 80-120 | 15-OCT-18 |
| Calcium (Ca) | | | 101.2 | | % | | 80-120 | 15-OCT-18 |
| Chromium (Cr) | | | 96.8 | | % | | 80-120 | 15-OCT-18 |
| Cobalt (Co) | | | 93.4 | | % | | 80-120 | 15-OCT-18 |
| Copper (Cu) | | | 97.4 | | % | | 80-120 | 15-OCT-18 |
| Iron (Fe) | | | 103.6 | | % | | 80-120 | 15-OCT-18 |
| Lead (Pb) | | | 100.1 | | % | | 80-120 | 15-OCT-18 |
| Lithium (Li) | | | 102.8 | | % | | 80-120 | 15-OCT-18 |
| Magnesium (Mg) | | | 97.6 | | % | | 80-120 | 15-OCT-18 |
| Manganese (Mn) | | | 103.1 | | % | | 80-120 | 15-OCT-18 |
| Molybdenum (Mo) | | | 102.9 | | % | | 80-120 | 15-OCT-18 |
| Nickel (Ni) | | | 96.7 | | % | | 80-120 | 15-OCT-18 |
| Phosphorus (P) | | | 100.9 | | % | | 80-120 | 15-OCT-18 |



Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 9 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|-------------|--------|-----------|-------|-----|--------|-----------|
| MET-200.2-CCMS-SK | | Soil | | | | | | |
| Batch | R4278629 | | | | | | | |
| WG2894273-4 | LCS | | | | | | | |
| Potassium (K) | | | 101.7 | | % | | 80-120 | 15-OCT-18 |
| Selenium (Se) | | | 96.4 | | % | | 80-120 | 15-OCT-18 |
| Silver (Ag) | | | 100.1 | | % | | 80-120 | 15-OCT-18 |
| Sodium (Na) | | | 98.1 | | % | | 80-120 | 15-OCT-18 |
| Strontium (Sr) | | | 99.8 | | % | | 80-120 | 15-OCT-18 |
| Sulfur (S) | | | 100.3 | | % | | 80-120 | 15-OCT-18 |
| Thallium (Tl) | | | 92.1 | | % | | 80-120 | 15-OCT-18 |
| Tin (Sn) | | | 96.8 | | % | | 80-120 | 15-OCT-18 |
| Titanium (Ti) | | | 88.3 | | % | | 80-120 | 15-OCT-18 |
| Tungsten (W) | | | 97.5 | | % | | 80-120 | 15-OCT-18 |
| Uranium (U) | | | 99.4 | | % | | 80-120 | 15-OCT-18 |
| Vanadium (V) | | | 98.6 | | % | | 80-120 | 15-OCT-18 |
| Zinc (Zn) | | | 98.3 | | % | | 80-120 | 15-OCT-18 |
| Zirconium (Zr) | | | 101.7 | | % | | 80-120 | 15-OCT-18 |
| WG2894273-1 | MB | | | | | | | |
| Aluminum (Al) | | | <50 | | mg/kg | | 50 | 15-OCT-18 |
| Antimony (Sb) | | | <0.10 | | mg/kg | | 0.1 | 15-OCT-18 |
| Arsenic (As) | | | <0.10 | | mg/kg | | 0.1 | 15-OCT-18 |
| Barium (Ba) | | | <0.50 | | mg/kg | | 0.5 | 15-OCT-18 |
| Beryllium (Be) | | | <0.10 | | mg/kg | | 0.1 | 15-OCT-18 |
| Boron (B) | | | <5.0 | | mg/kg | | 5 | 15-OCT-18 |
| Bismuth (Bi) | | | <0.20 | | mg/kg | | 0.2 | 15-OCT-18 |
| Cadmium (Cd) | | | <0.020 | | mg/kg | | 0.02 | 15-OCT-18 |
| Calcium (Ca) | | | <50 | | mg/kg | | 50 | 15-OCT-18 |
| Chromium (Cr) | | | <0.50 | | mg/kg | | 0.5 | 15-OCT-18 |
| Cobalt (Co) | | | <0.10 | | mg/kg | | 0.1 | 15-OCT-18 |
| Copper (Cu) | | | <0.50 | | mg/kg | | 0.5 | 15-OCT-18 |
| Iron (Fe) | | | <50 | | mg/kg | | 50 | 15-OCT-18 |
| Lead (Pb) | | | <0.50 | | mg/kg | | 0.5 | 15-OCT-18 |
| Lithium (Li) | | | <2.0 | | mg/kg | | 2 | 15-OCT-18 |
| Magnesium (Mg) | | | <20 | | mg/kg | | 20 | 15-OCT-18 |
| Manganese (Mn) | | | <1.0 | | mg/kg | | 1 | 15-OCT-18 |
| Molybdenum (Mo) | | | <0.10 | | mg/kg | | 0.1 | 15-OCT-18 |
| Nickel (Ni) | | | <0.50 | | mg/kg | | 0.5 | 15-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 10 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------------|-----------------|----------------------------|--------|-----------|-------|-----|--------|-----------|
| MET-200.2-CCMS-SK | | | | | | | | |
| | Soil | | | | | | | |
| Batch | R4278629 | | | | | | | |
| WG2894273-1 | MB | | | | | | | |
| Phosphorus (P) | | | <50 | | mg/kg | | 50 | 15-OCT-18 |
| Potassium (K) | | | <100 | | mg/kg | | 100 | 15-OCT-18 |
| Selenium (Se) | | | <0.20 | | mg/kg | | 0.2 | 15-OCT-18 |
| Silver (Ag) | | | <0.10 | | mg/kg | | 0.1 | 15-OCT-18 |
| Sodium (Na) | | | <50 | | mg/kg | | 50 | 15-OCT-18 |
| Strontium (Sr) | | | <0.50 | | mg/kg | | 0.5 | 15-OCT-18 |
| Sulfur (S) | | | <1000 | | mg/kg | | 1000 | 15-OCT-18 |
| Thallium (Tl) | | | <0.050 | | mg/kg | | 0.05 | 15-OCT-18 |
| Tin (Sn) | | | <1.0 | | mg/kg | | 1 | 15-OCT-18 |
| Titanium (Ti) | | | <1.0 | | mg/kg | | 1 | 15-OCT-18 |
| Tungsten (W) | | | <0.50 | | mg/kg | | 0.5 | 15-OCT-18 |
| Uranium (U) | | | <0.050 | | mg/kg | | 0.05 | 15-OCT-18 |
| Vanadium (V) | | | <0.20 | | mg/kg | | 0.2 | 15-OCT-18 |
| Zinc (Zn) | | | <2.0 | | mg/kg | | 2 | 15-OCT-18 |
| Zirconium (Zr) | | | <1.0 | | mg/kg | | 1 | 15-OCT-18 |
| N-TOTKJ-COL-SK | | | | | | | | |
| | Soil | | | | | | | |
| Batch | R4280989 | | | | | | | |
| WG2893968-1 | DUP | L2170896-22 | | | | | | |
| Total Kjeldahl Nitrogen | | 0.085 | 0.087 | | % | 3.2 | 20 | 15-OCT-18 |
| WG2893968-2 | IRM | 08-109_SOIL | | | | | | |
| Total Kjeldahl Nitrogen | | | 93.5 | | % | | 80-120 | 15-OCT-18 |
| WG2893968-3 | MB | | | | | | | |
| Total Kjeldahl Nitrogen | | | <0.020 | | % | | 0.02 | 15-OCT-18 |
| Batch | R4283767 | | | | | | | |
| WG2893965-1 | DUP | L2170896-12 | | | | | | |
| Total Kjeldahl Nitrogen | | 0.053 | 0.051 | | % | 3.8 | 20 | 17-OCT-18 |
| WG2893965-2 | IRM | 08-109_SOIL | | | | | | |
| Total Kjeldahl Nitrogen | | | 94.5 | | % | | 80-120 | 17-OCT-18 |
| WG2893965-3 | MB | | | | | | | |
| Total Kjeldahl Nitrogen | | | <0.020 | | % | | 0.02 | 17-OCT-18 |
| ALK-TITR-VA | | | | | | | | |
| | Seawater | | | | | | | |
| Batch | R4257666 | | | | | | | |
| WG2890442-3 | CRM | VA-ALK-TITR-CONTROL | | | | | | |
| Alkalinity, Total (as CaCO3) | | | 102.0 | | % | | 85-115 | 02-OCT-18 |
| WG2890442-1 | MB | | | | | | | |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 11 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------------|------------|--------------------|--------|-----------|-------|-----|--------|-----------|
| ALK-TITR-VA | | Seawater | | | | | | |
| Batch | R4257666 | | | | | | | |
| WG2890442-1 | MB | | | | | | | |
| Alkalinity, Total (as CaCO3) | | | <1.0 | | mg/L | | 1 | 02-OCT-18 |
| ANIONS-C-BR-IC-VA | | Seawater | | | | | | |
| Batch | R4258739 | | | | | | | |
| WG2891645-3 | DUP | L2170896-27 | | | | | | |
| Bromide (Br) | | 60.4 | 60.5 | | mg/L | 0.2 | 20 | 02-OCT-18 |
| WG2891645-2 | LCS | | | | | | | |
| Bromide (Br) | | | 100.4 | | % | | 85-115 | 02-OCT-18 |
| WG2891645-1 | MB | | | | | | | |
| Bromide (Br) | | | <5.0 | | mg/L | | 5 | 02-OCT-18 |
| WG2891645-4 | MS | L2170896-28 | | | | | | |
| Bromide (Br) | | | N/A | MS-B | % | | - | 02-OCT-18 |
| ANIONS-C-CL-IC-VA | | Seawater | | | | | | |
| Batch | R4258739 | | | | | | | |
| WG2891645-3 | DUP | L2170896-27 | | | | | | |
| Chloride (Cl) | | 17400 | 17300 | | mg/L | 0.2 | 20 | 02-OCT-18 |
| WG2891645-2 | LCS | | | | | | | |
| Chloride (Cl) | | | 100.0 | | % | | 90-110 | 02-OCT-18 |
| WG2891645-1 | MB | | | | | | | |
| Chloride (Cl) | | | <50 | | mg/L | | 50 | 02-OCT-18 |
| WG2891645-4 | MS | L2170896-28 | | | | | | |
| Chloride (Cl) | | | N/A | MS-B | % | | - | 02-OCT-18 |
| ANIONS-C-F-IC-VA | | Seawater | | | | | | |
| Batch | R4258739 | | | | | | | |
| WG2891645-3 | DUP | L2170896-27 | | | | | | |
| Fluoride (F) | | 1.0 | <1.0 | RPD-NA | mg/L | N/A | 20 | 02-OCT-18 |
| WG2891645-2 | LCS | | | | | | | |
| Fluoride (F) | | | 99.9 | | % | | 90-110 | 02-OCT-18 |
| WG2891645-1 | MB | | | | | | | |
| Fluoride (F) | | | <1.0 | | mg/L | | 1 | 02-OCT-18 |
| WG2891645-4 | MS | L2170896-28 | | | | | | |
| Fluoride (F) | | | N/A | MS-B | % | | - | 02-OCT-18 |
| ANIONS-C-NO2-IC-VA | | Seawater | | | | | | |
| Batch | R4258739 | | | | | | | |
| WG2891645-3 | DUP | L2170896-27 | | | | | | |
| Nitrite (as N) | | <0.10 | <0.10 | RPD-NA | mg/L | N/A | 20 | 02-OCT-18 |
| WG2891645-2 | LCS | | | | | | | |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 12 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------|------------|--------------------|--------|-----------|-------|-----|--------|-----------|
| ANIONS-C-NO2-IC-VA | | Seawater | | | | | | |
| Batch | R4258739 | | | | | | | |
| WG2891645-2 | LCS | | | | | | | |
| Nitrite (as N) | | | 100.4 | | % | | 90-110 | 02-OCT-18 |
| WG2891645-1 | MB | | | | | | | |
| Nitrite (as N) | | | <0.10 | | mg/L | | 0.1 | 02-OCT-18 |
| ANIONS-C-NO3-IC-VA | | Seawater | | | | | | |
| Batch | R4258739 | | | | | | | |
| WG2891645-3 | DUP | L2170896-27 | | | | | | |
| Nitrate (as N) | | <0.50 | <0.50 | RPD-NA | mg/L | N/A | 20 | 02-OCT-18 |
| WG2891645-2 | LCS | | | | | | | |
| Nitrate (as N) | | | 99.96 | | % | | 90-110 | 02-OCT-18 |
| WG2891645-1 | MB | | | | | | | |
| Nitrate (as N) | | | <0.50 | | mg/L | | 0.5 | 02-OCT-18 |
| ANIONS-C-SO4-IC-VA | | Seawater | | | | | | |
| Batch | R4258739 | | | | | | | |
| WG2891645-3 | DUP | L2170896-27 | | | | | | |
| Sulfate (SO4) | | 2450 | 2440 | | mg/L | 0.3 | 20 | 02-OCT-18 |
| WG2891645-2 | LCS | | | | | | | |
| Sulfate (SO4) | | | 100.8 | | % | | 90-110 | 02-OCT-18 |
| WG2891645-1 | MB | | | | | | | |
| Sulfate (SO4) | | | <30 | | mg/L | | 30 | 02-OCT-18 |
| WG2891645-4 | MS | L2170896-28 | | | | | | |
| Sulfate (SO4) | | | N/A | MS-B | % | | - | 02-OCT-18 |
| CARBONS-C-DOC-VA | | Seawater | | | | | | |
| Batch | R4257979 | | | | | | | |
| WG2892697-4 | LCS | | | | | | | |
| Dissolved Organic Carbon | | | 96.8 | | % | | 80-120 | 02-OCT-18 |
| WG2892697-3 | MB | | | | | | | |
| Dissolved Organic Carbon | | | <0.50 | | mg/L | | 0.5 | 02-OCT-18 |
| CARBONS-C-TOC-VA | | Seawater | | | | | | |
| Batch | R4257978 | | | | | | | |
| WG2892696-1 | LCS | | | | | | | |
| Total Organic Carbon | | | 98.2 | | % | | 80-120 | 02-OCT-18 |
| WG2892696-5 | LCS | | | | | | | |
| Total Organic Carbon | | | 95.6 | | % | | 80-120 | 02-OCT-18 |
| WG2892696-4 | MB | | | | | | | |
| Total Organic Carbon | | | <0.50 | | mg/L | | 0.5 | 02-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 13 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|--------------------------|-----------|-----------|-------|-----|---------|-----------|
| CARBONS-C-TOC-VA | Seawater | | | | | | | |
| Batch | R4263002 | | | | | | | |
| WG2895786-4 LCS | | | | | | | | |
| Total Organic Carbon | | | 99.5 | | % | | 80-120 | 04-OCT-18 |
| WG2895786-3 MB | | | | | | | | |
| Total Organic Carbon | | | <0.50 | | mg/L | | 0.5 | 04-OCT-18 |
| EC-C-PCT-VA | Seawater | | | | | | | |
| Batch | R4257666 | | | | | | | |
| WG2890442-4 CRM | | VA-EC-PCT-CONTROL | | | | | | |
| Conductivity | | | 101.8 | | % | | 90-110 | 02-OCT-18 |
| WG2890442-1 MB | | | | | | | | |
| Conductivity | | | <2.0 | | uS/cm | | 2 | 02-OCT-18 |
| HG-DIS-C-CVAFS-VA | Seawater | | | | | | | |
| Batch | R4280190 | | | | | | | |
| WG2904000-2 LCS | | | | | | | | |
| Mercury (Hg)-Dissolved | | | 99.0 | | % | | 80-120 | 16-OCT-18 |
| WG2904000-1 MB | | LF | | | | | | |
| Mercury (Hg)-Dissolved | | | <0.000010 | | mg/L | | 0.00001 | 16-OCT-18 |
| HG-TOT-C-CVAFS-VA | Seawater | | | | | | | |
| Batch | R4263241 | | | | | | | |
| WG2897182-2 LCS | | | | | | | | |
| Mercury (Hg)-Total | | | 94.7 | | % | | 80-120 | 06-OCT-18 |
| WG2897182-1 MB | | | | | | | | |
| Mercury (Hg)-Total | | | <0.000010 | | mg/L | | 0.00001 | 06-OCT-18 |
| MET-D-L-HRMS-VA | Seawater | | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897898-2 LCS | | | | | | | | |
| Aluminum (Al)-Dissolved | | | 89.6 | | % | | 80-120 | 15-OCT-18 |
| Aluminum (Al)-Dissolved | | | 89.6 | | % | | 80-120 | 15-OCT-18 |
| Antimony (Sb)-Dissolved | | | 93.7 | | % | | 80-120 | 15-OCT-18 |
| Antimony (Sb)-Dissolved | | | 93.7 | | % | | 80-120 | 15-OCT-18 |
| Arsenic (As)-Dissolved | | | 93.4 | | % | | 80-120 | 15-OCT-18 |
| Arsenic (As)-Dissolved | | | 93.4 | | % | | 80-120 | 15-OCT-18 |
| Barium (Ba)-Dissolved | | | 102.0 | | % | | 80-120 | 15-OCT-18 |
| Barium (Ba)-Dissolved | | | 102.0 | | % | | 80-120 | 15-OCT-18 |
| Beryllium (Be)-Dissolved | | | 98.4 | | % | | 80-120 | 15-OCT-18 |
| Beryllium (Be)-Dissolved | | | 98.4 | | % | | 80-120 | 15-OCT-18 |
| Bismuth (Bi)-Dissolved | | | 88.6 | | % | | 80-120 | 15-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 14 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------|-----------------|-----------------|--------|-----------|-------|-----|--------|-----------|
| MET-D-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897898-2 | LCS | | | | | | | |
| Bismuth (Bi)-Dissolved | | | 88.6 | | % | | 80-120 | 15-OCT-18 |
| Boron (B)-Dissolved | | | 114.2 | | % | | 80-120 | 15-OCT-18 |
| Boron (B)-Dissolved | | | 114.2 | | % | | 80-120 | 15-OCT-18 |
| Cadmium (Cd)-Dissolved | | | 100.0 | | % | | 80-120 | 15-OCT-18 |
| Cadmium (Cd)-Dissolved | | | 100.0 | | % | | 80-120 | 15-OCT-18 |
| Calcium (Ca)-Dissolved | | | 96.9 | | % | | 80-120 | 15-OCT-18 |
| Calcium (Ca)-Dissolved | | | 96.9 | | % | | 80-120 | 15-OCT-18 |
| Cesium (Cs)-Dissolved | | | 106.0 | | % | | 80-120 | 15-OCT-18 |
| Cesium (Cs)-Dissolved | | | 106.0 | | % | | 80-120 | 15-OCT-18 |
| Chromium (Cr)-Dissolved | | | 104.0 | | % | | 80-120 | 15-OCT-18 |
| Chromium (Cr)-Dissolved | | | 104.0 | | % | | 80-120 | 15-OCT-18 |
| Cobalt (Co)-Dissolved | | | 95.2 | | % | | 80-120 | 15-OCT-18 |
| Cobalt (Co)-Dissolved | | | 95.2 | | % | | 80-120 | 15-OCT-18 |
| Copper (Cu)-Dissolved | | | 95.2 | | % | | 80-120 | 15-OCT-18 |
| Copper (Cu)-Dissolved | | | 95.2 | | % | | 80-120 | 15-OCT-18 |
| Gallium (Ga)-Dissolved | | | 96.4 | | % | | 80-120 | 15-OCT-18 |
| Gallium (Ga)-Dissolved | | | 96.4 | | % | | 80-120 | 15-OCT-18 |
| Iron (Fe)-Dissolved | | | 98.3 | | % | | 80-120 | 15-OCT-18 |
| Iron (Fe)-Dissolved | | | 98.3 | | % | | 80-120 | 15-OCT-18 |
| Lead (Pb)-Dissolved | | | 107.4 | | % | | 80-120 | 15-OCT-18 |
| Lead (Pb)-Dissolved | | | 107.4 | | % | | 80-120 | 15-OCT-18 |
| Lithium (Li)-Dissolved | | | 100.7 | | % | | 80-120 | 15-OCT-18 |
| Lithium (Li)-Dissolved | | | 100.7 | | % | | 80-120 | 15-OCT-18 |
| Magnesium (Mg)-Dissolved | | | 102.9 | | % | | 80-120 | 15-OCT-18 |
| Magnesium (Mg)-Dissolved | | | 102.9 | | % | | 80-120 | 15-OCT-18 |
| Manganese (Mn)-Dissolved | | | 106.0 | | % | | 80-120 | 15-OCT-18 |
| Manganese (Mn)-Dissolved | | | 106.0 | | % | | 80-120 | 15-OCT-18 |
| Molybdenum (Mo)-Dissolved | | | 104.4 | | % | | 80-120 | 15-OCT-18 |
| Molybdenum (Mo)-Dissolved | | | 104.4 | | % | | 80-120 | 15-OCT-18 |
| Nickel (Ni)-Dissolved | | | 97.4 | | % | | 80-120 | 15-OCT-18 |
| Nickel (Ni)-Dissolved | | | 97.4 | | % | | 80-120 | 15-OCT-18 |
| Phosphorus (P)-Dissolved | | | 101.1 | | % | | 80-120 | 15-OCT-18 |
| Phosphorus (P)-Dissolved | | | 101.1 | | % | | 80-120 | 15-OCT-18 |
| Potassium (K)-Dissolved | | | 98.1 | | % | | 80-120 | 15-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 15 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|-----------------|--------|-----------|-------|-----|--------|-----------|
| MET-D-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897898-2 | LCS | | | | | | | |
| Potassium (K)-Dissolved | | | 98.1 | | % | | 80-120 | 15-OCT-18 |
| Rhenium (Re)-Dissolved | | | 99.3 | | % | | 80-120 | 15-OCT-18 |
| Rhenium (Re)-Dissolved | | | 99.3 | | % | | 80-120 | 15-OCT-18 |
| Rubidium (Rb)-Dissolved | | | 107.4 | | % | | 80-120 | 15-OCT-18 |
| Rubidium (Rb)-Dissolved | | | 107.4 | | % | | 80-120 | 15-OCT-18 |
| Selenium (Se)-Dissolved | | | 100.0 | | % | | 80-120 | 15-OCT-18 |
| Selenium (Se)-Dissolved | | | 100.0 | | % | | 80-120 | 15-OCT-18 |
| Silicon (Si)-Dissolved | | | 99.9 | | % | | 80-120 | 15-OCT-18 |
| Silicon (Si)-Dissolved | | | 99.9 | | % | | 80-120 | 15-OCT-18 |
| Silver (Ag)-Dissolved | | | 101.0 | | % | | 80-120 | 15-OCT-18 |
| Silver (Ag)-Dissolved | | | 101.0 | | % | | 80-120 | 15-OCT-18 |
| Sodium (Na)-Dissolved | | | 115.1 | | % | | 80-120 | 15-OCT-18 |
| Sodium (Na)-Dissolved | | | 115.1 | | % | | 80-120 | 15-OCT-18 |
| Strontium (Sr)-Dissolved | | | 93.2 | | % | | 80-120 | 15-OCT-18 |
| Strontium (Sr)-Dissolved | | | 93.2 | | % | | 80-120 | 15-OCT-18 |
| Sulfur (S)-Dissolved | | | 103.0 | | % | | 80-120 | 15-OCT-18 |
| Sulfur (S)-Dissolved | | | 103.0 | | % | | 80-120 | 15-OCT-18 |
| Tellurium (Te)-Dissolved | | | 106.0 | | % | | 80-120 | 15-OCT-18 |
| Tellurium (Te)-Dissolved | | | 106.0 | | % | | 80-120 | 15-OCT-18 |
| Thallium (Tl)-Dissolved | | | 94.5 | | % | | 80-120 | 15-OCT-18 |
| Thallium (Tl)-Dissolved | | | 94.5 | | % | | 80-120 | 15-OCT-18 |
| Thorium (Th)-Dissolved | | | 107.5 | | % | | 80-120 | 15-OCT-18 |
| Thorium (Th)-Dissolved | | | 107.5 | | % | | 80-120 | 15-OCT-18 |
| Tin (Sn)-Dissolved | | | 109.8 | | % | | 80-120 | 15-OCT-18 |
| Tin (Sn)-Dissolved | | | 109.8 | | % | | 80-120 | 15-OCT-18 |
| Titanium (Ti)-Dissolved | | | 97.2 | | % | | 80-120 | 15-OCT-18 |
| Titanium (Ti)-Dissolved | | | 97.2 | | % | | 80-120 | 15-OCT-18 |
| Tungsten (W)-Dissolved | | | 98.8 | | % | | 80-120 | 15-OCT-18 |
| Tungsten (W)-Dissolved | | | 98.8 | | % | | 80-120 | 15-OCT-18 |
| Uranium (U)-Dissolved | | | 108.6 | | % | | 80-120 | 15-OCT-18 |
| Uranium (U)-Dissolved | | | 108.6 | | % | | 80-120 | 15-OCT-18 |
| Vanadium (V)-Dissolved | | | 98.2 | | % | | 80-120 | 15-OCT-18 |
| Vanadium (V)-Dissolved | | | 98.2 | | % | | 80-120 | 15-OCT-18 |
| Yttrium (Y)-Dissolved | | | 113.0 | | % | | 80-120 | 15-OCT-18 |



Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 16 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|-----------|------------|-----------|-------|-----|----------|-----------|
| MET-D-L-HRMS-VA | | | | | | | | |
| | Seawater | | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897898-2 | LCS | | | | | | | |
| Yttrium (Y)-Dissolved | | | 113.0 | | % | | 80-120 | 15-OCT-18 |
| Zinc (Zn)-Dissolved | | | 93.2 | | % | | 80-120 | 15-OCT-18 |
| Zinc (Zn)-Dissolved | | | 93.2 | | % | | 80-120 | 15-OCT-18 |
| Zirconium (Zr)-Dissolved | | | 109.0 | | % | | 80-120 | 15-OCT-18 |
| Zirconium (Zr)-Dissolved | | | 109.0 | | % | | 80-120 | 15-OCT-18 |
| WG2897898-1 | MB | LF | | | | | | |
| Aluminum (Al)-Dissolved | | | <0.0050 | | mg/L | | 0.005 | 16-OCT-18 |
| Antimony (Sb)-Dissolved | | | <0.000010 | | mg/L | | 0.00001 | 15-OCT-18 |
| Antimony (Sb)-Dissolved | | | <0.000010 | | mg/L | | 0.00001 | 15-OCT-18 |
| Antimony (Sb)-Dissolved | | | <0.000050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Arsenic (As)-Dissolved | | | <0.0020 | | mg/L | | 0.002 | 16-OCT-18 |
| Barium (Ba)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Barium (Ba)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Barium (Ba)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 16-OCT-18 |
| Beryllium (Be)-Dissolved | | | <0.0000050 | | mg/L | | 0.000005 | 15-OCT-18 |
| Beryllium (Be)-Dissolved | | | <0.0000050 | | mg/L | | 0.000005 | 15-OCT-18 |
| Beryllium (Be)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Bismuth (Bi)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Bismuth (Bi)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Bismuth (Bi)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Boron (B)-Dissolved | | | <0.10 | | mg/L | | 0.1 | 16-OCT-18 |
| Cadmium (Cd)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 16-OCT-18 |
| Calcium (Ca)-Dissolved | | | <1.0 | | mg/L | | 1 | 16-OCT-18 |
| Cesium (Cs)-Dissolved | | | <0.0000050 | | mg/L | | 0.000005 | 15-OCT-18 |
| Cesium (Cs)-Dissolved | | | <0.0000050 | | mg/L | | 0.000005 | 15-OCT-18 |
| Cesium (Cs)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Chromium (Cr)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Chromium (Cr)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Chromium (Cr)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Cobalt (Co)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Cobalt (Co)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Cobalt (Co)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 16-OCT-18 |
| Copper (Cu)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Copper (Cu)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 17 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------|-----------------|-----------|-----------|-----------|-------|-----|---------|-----------|
| MET-D-L-HRMS-VA | | | | | | | | |
| | Seawater | | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897898-1 | MB | LF | | | | | | |
| Copper (Cu)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Gallium (Ga)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Gallium (Ga)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Gallium (Ga)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Iron (Fe)-Dissolved | | | <0.010 | | mg/L | | 0.01 | 15-OCT-18 |
| Iron (Fe)-Dissolved | | | <0.010 | | mg/L | | 0.01 | 15-OCT-18 |
| Iron (Fe)-Dissolved | | | <0.010 | | mg/L | | 0.01 | 16-OCT-18 |
| Lead (Pb)-Dissolved | | | <0.00030 | | mg/L | | 0.0003 | 15-OCT-18 |
| Lead (Pb)-Dissolved | | | <0.00030 | | mg/L | | 0.0003 | 15-OCT-18 |
| Lead (Pb)-Dissolved | | | <0.00030 | | mg/L | | 0.0003 | 16-OCT-18 |
| Lithium (Li)-Dissolved | | | <0.020 | | mg/L | | 0.02 | 16-OCT-18 |
| Magnesium (Mg)-Dissolved | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Magnesium (Mg)-Dissolved | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Magnesium (Mg)-Dissolved | | | <1.0 | | mg/L | | 1 | 16-OCT-18 |
| Manganese (Mn)-Dissolved | | | <0.00020 | | mg/L | | 0.0002 | 15-OCT-18 |
| Manganese (Mn)-Dissolved | | | <0.00020 | | mg/L | | 0.0002 | 15-OCT-18 |
| Manganese (Mn)-Dissolved | | | <0.00020 | | mg/L | | 0.0002 | 16-OCT-18 |
| Molybdenum (Mo)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Molybdenum (Mo)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Molybdenum (Mo)-Dissolved | | | <0.0020 | | mg/L | | 0.002 | 16-OCT-18 |
| Nickel (Ni)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Nickel (Ni)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Nickel (Ni)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Phosphorus (P)-Dissolved | | | <0.050 | | mg/L | | 0.05 | 15-OCT-18 |
| Phosphorus (P)-Dissolved | | | <0.050 | | mg/L | | 0.05 | 15-OCT-18 |
| Phosphorus (P)-Dissolved | | | <0.050 | | mg/L | | 0.05 | 16-OCT-18 |
| Potassium (K)-Dissolved | | | <1.0 | | mg/L | | 1 | 16-OCT-18 |
| Rhenium (Re)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Rhenium (Re)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Rhenium (Re)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Rubidium (Rb)-Dissolved | | | <0.0050 | | mg/L | | 0.005 | 16-OCT-18 |
| Selenium (Se)-Dissolved | | | <0.0020 | | mg/L | | 0.002 | 15-OCT-18 |
| Selenium (Se)-Dissolved | | | <0.0020 | | mg/L | | 0.002 | 15-OCT-18 |
| Selenium (Se)-Dissolved | | | <0.0020 | | mg/L | | 0.002 | 16-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 18 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|-----------|------------|-----------|-------|-----|----------|-----------|
| MET-D-L-HRMS-VA | | | | | | | | |
| | Seawater | | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897898-1 MB | | LF | | | | | | |
| Silicon (Si)-Dissolved | | | <1.0 | | mg/L | | 1 | 16-OCT-18 |
| Silver (Ag)-Dissolved | | | <0.00010 | | mg/L | | 0.0001 | 16-OCT-18 |
| Sodium (Na)-Dissolved | | | <1.0 | | mg/L | | 1 | 16-OCT-18 |
| Strontium (Sr)-Dissolved | | | <0.010 | | mg/L | | 0.01 | 15-OCT-18 |
| Strontium (Sr)-Dissolved | | | <0.010 | | mg/L | | 0.01 | 15-OCT-18 |
| Strontium (Sr)-Dissolved | | | <0.010 | | mg/L | | 0.01 | 16-OCT-18 |
| Sulfur (S)-Dissolved | | | <5.0 | | mg/L | | 5 | 15-OCT-18 |
| Sulfur (S)-Dissolved | | | <5.0 | | mg/L | | 5 | 15-OCT-18 |
| Sulfur (S)-Dissolved | | | <5.0 | | mg/L | | 5 | 16-OCT-18 |
| Tellurium (Te)-Dissolved | | | <0.000010 | | mg/L | | 0.00001 | 15-OCT-18 |
| Tellurium (Te)-Dissolved | | | <0.000010 | | mg/L | | 0.00001 | 15-OCT-18 |
| Tellurium (Te)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Thallium (Tl)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Thallium (Tl)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Thallium (Tl)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 16-OCT-18 |
| Thorium (Th)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Thorium (Th)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Thorium (Th)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Tin (Sn)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Tin (Sn)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Tin (Sn)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 16-OCT-18 |
| Titanium (Ti)-Dissolved | | | <0.00020 | | mg/L | | 0.0002 | 15-OCT-18 |
| Titanium (Ti)-Dissolved | | | <0.00020 | | mg/L | | 0.0002 | 15-OCT-18 |
| Titanium (Ti)-Dissolved | | | <0.0050 | | mg/L | | 0.005 | 16-OCT-18 |
| Tungsten (W)-Dissolved | | | <0.000010 | | mg/L | | 0.00001 | 15-OCT-18 |
| Tungsten (W)-Dissolved | | | <0.000010 | | mg/L | | 0.00001 | 15-OCT-18 |
| Tungsten (W)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 16-OCT-18 |
| Uranium (U)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Uranium (U)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Uranium (U)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 16-OCT-18 |
| Vanadium (V)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Yttrium (Y)-Dissolved | | | <0.0000050 | | mg/L | | 0.000005 | 15-OCT-18 |
| Yttrium (Y)-Dissolved | | | <0.0000050 | | mg/L | | 0.000005 | 15-OCT-18 |
| Yttrium (Y)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 19 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------|-----------------|--------------------|-----------|-----------|-------|---------|---------|-----------|
| MET-D-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897898-1 | MB | LF | | | | | | |
| Zinc (Zn)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Zinc (Zn)-Dissolved | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Zinc (Zn)-Dissolved | | | <0.0030 | | mg/L | | 0.003 | 16-OCT-18 |
| Zirconium (Zr)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Zirconium (Zr)-Dissolved | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Zirconium (Zr)-Dissolved | | | <0.00050 | | mg/L | | 0.0005 | 16-OCT-18 |
| Batch | R4288587 | | | | | | | |
| WG2897898-3 | DUP | L2170896-29 | | | | | | |
| Aluminum (Al)-Dissolved | | <0.0050 | <0.0050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Antimony (Sb)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Arsenic (As)-Dissolved | | <0.0020 | <0.0020 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Barium (Ba)-Dissolved | | 0.0098 | 0.0100 | | mg/L | 1.7 | 20 | 19-OCT-18 |
| Beryllium (Be)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Bismuth (Bi)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Boron (B)-Dissolved | | 4.21 | 4.01 | | mg/L | 4.8 | 20 | 19-OCT-18 |
| Cadmium (Cd)-Dissolved | | <0.000050 | <0.000050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Calcium (Ca)-Dissolved | | 312 | 335 | | mg/L | 7.0 | 20 | 19-OCT-18 |
| Cesium (Cs)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Chromium (Cr)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Cobalt (Co)-Dissolved | | <0.000050 | 0.000058 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Copper (Cu)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Gallium (Ga)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Iron (Fe)-Dissolved | | <0.010 | <0.010 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Lead (Pb)-Dissolved | | <0.00030 | <0.00030 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Lithium (Li)-Dissolved | | 0.205 | 0.192 | | mg/L | 6.8 | 20 | 19-OCT-18 |
| Magnesium (Mg)-Dissolved | | 970 | 964 | | mg/L | 0.7 | 20 | 19-OCT-18 |
| Manganese (Mn)-Dissolved | | 0.00026 | 0.00033 | J | mg/L | 0.00007 | 0.0004 | 19-OCT-18 |
| Molybdenum (Mo)-Dissolved | | 0.0128 | 0.0123 | | mg/L | 3.4 | 20 | 19-OCT-18 |
| Nickel (Ni)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Phosphorus (P)-Dissolved | | <0.050 | <0.050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Potassium (K)-Dissolved | | 321 | 335 | | mg/L | 4.4 | 20 | 19-OCT-18 |
| Rhenium (Re)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Rubidium (Rb)-Dissolved | | 0.118 | 0.112 | | mg/L | 4.7 | 20 | 19-OCT-18 |
| Selenium (Se)-Dissolved | | <0.0020 | <0.0020 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 20 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|--------------------------|-----------------|--------------------|-----------|-----------|-------|-----|--------|-----------|
| MET-D-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4288587 | | | | | | | |
| WG2897898-3 | DUP | L2170896-29 | | | | | | |
| Silicon (Si)-Dissolved | | <1.0 | <1.0 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Silver (Ag)-Dissolved | | <0.00010 | <0.00010 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Sodium (Na)-Dissolved | | 8680 | 8980 | | mg/L | 3.5 | 20 | 19-OCT-18 |
| Strontium (Sr)-Dissolved | | 5.40 | 5.39 | | mg/L | 0.1 | 20 | 19-OCT-18 |
| Sulfur (S)-Dissolved | | 716 | 708 | | mg/L | 1.2 | 20 | 19-OCT-18 |
| Tellurium (Te)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Thallium (Tl)-Dissolved | | <0.000050 | <0.000050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Thorium (Th)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Tin (Sn)-Dissolved | | <0.0010 | <0.0010 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Titanium (Ti)-Dissolved | | <0.0050 | <0.0050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Tungsten (W)-Dissolved | | <0.0010 | <0.0010 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Uranium (U)-Dissolved | | 0.00301 | 0.00301 | | mg/L | 0.3 | 20 | 19-OCT-18 |
| Vanadium (V)-Dissolved | | 0.00120 | 0.00117 | | mg/L | 2.6 | 20 | 19-OCT-18 |
| Yttrium (Y)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Zinc (Zn)-Dissolved | | <0.0030 | <0.0030 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| Zirconium (Zr)-Dissolved | | <0.00050 | <0.00050 | RPD-NA | mg/L | N/A | 20 | 19-OCT-18 |
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897866-2 | LCS | | | | | | | |
| Aluminum (Al)-Total | | | 93.6 | | % | | 80-120 | 15-OCT-18 |
| Antimony (Sb)-Total | | | 96.6 | | % | | 80-120 | 15-OCT-18 |
| Arsenic (As)-Total | | | 100.4 | | % | | 80-120 | 15-OCT-18 |
| Barium (Ba)-Total | | | 104.4 | | % | | 80-120 | 15-OCT-18 |
| Beryllium (Be)-Total | | | 101.0 | | % | | 80-120 | 15-OCT-18 |
| Bismuth (Bi)-Total | | | 90.9 | | % | | 80-120 | 15-OCT-18 |
| Boron (B)-Total | | | 119.0 | | % | | 80-120 | 15-OCT-18 |
| Cadmium (Cd)-Total | | | 105.0 | | % | | 80-120 | 15-OCT-18 |
| Calcium (Ca)-Total | | | 97.1 | | % | | 80-120 | 15-OCT-18 |
| Cesium (Cs)-Total | | | 107.2 | | % | | 80-120 | 15-OCT-18 |
| Chromium (Cr)-Total | | | 100.0 | | % | | 80-120 | 15-OCT-18 |
| Cobalt (Co)-Total | | | 98.4 | | % | | 80-120 | 15-OCT-18 |
| Copper (Cu)-Total | | | 96.8 | | % | | 80-120 | 15-OCT-18 |
| Gallium (Ga)-Total | | | 100.0 | | % | | 80-120 | 15-OCT-18 |
| Iron (Fe)-Total | | | 101.3 | | % | | 80-120 | 15-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 21 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|-----------------|----------|-----------|-------|-----|--------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897866-2 | LCS | | | | | | | |
| Lead (Pb)-Total | | | 107.2 | | % | | 80-120 | 15-OCT-18 |
| Lithium (Li)-Total | | | 102.8 | | % | | 80-120 | 15-OCT-18 |
| Magnesium (Mg)-Total | | | 106.7 | | % | | 80-120 | 15-OCT-18 |
| Manganese (Mn)-Total | | | 110.0 | | % | | 80-120 | 15-OCT-18 |
| Molybdenum (Mo)-Total | | | 106.8 | | % | | 80-120 | 15-OCT-18 |
| Nickel (Ni)-Total | | | 100.4 | | % | | 80-120 | 15-OCT-18 |
| Phosphorus (P)-Total | | | 107.1 | | % | | 80-120 | 15-OCT-18 |
| Potassium (K)-Total | | | 101.2 | | % | | 80-120 | 15-OCT-18 |
| Rhenium (Re)-Total | | | 103.0 | | % | | 80-120 | 15-OCT-18 |
| Rubidium (Rb)-Total | | | 109.3 | | % | | 80-120 | 15-OCT-18 |
| Selenium (Se)-Total | | | 103.1 | | % | | 80-120 | 15-OCT-18 |
| Silicon (Si)-Total | | | 103.0 | | % | | 80-120 | 15-OCT-18 |
| Silver (Ag)-Total | | | 103.0 | | % | | 80-120 | 15-OCT-18 |
| Sodium (Na)-Total | | | 114.9 | | % | | 80-120 | 15-OCT-18 |
| Strontium (Sr)-Total | | | 95.6 | | % | | 80-120 | 15-OCT-18 |
| Sulfur (S)-Total | | | 108.1 | | % | | 70-130 | 15-OCT-18 |
| Tellurium (Te)-Total | | | 106.0 | | % | | 80-120 | 15-OCT-18 |
| Thallium (Tl)-Total | | | 96.5 | | % | | 80-120 | 15-OCT-18 |
| Thorium (Th)-Total | | | 107.5 | | % | | 80-120 | 15-OCT-18 |
| Tin (Sn)-Total | | | 113.0 | | % | | 80-120 | 15-OCT-18 |
| Titanium (Ti)-Total | | | 98.4 | | % | | 80-120 | 15-OCT-18 |
| Tungsten (W)-Total | | | 101.0 | | % | | 80-120 | 15-OCT-18 |
| Uranium (U)-Total | | | 109.6 | | % | | 80-120 | 15-OCT-18 |
| Vanadium (V)-Total | | | 101.4 | | % | | 80-120 | 15-OCT-18 |
| Yttrium (Y)-Total | | | 114.0 | | % | | 80-120 | 15-OCT-18 |
| Zinc (Zn)-Total | | | 100.6 | | % | | 80-120 | 15-OCT-18 |
| Zirconium (Zr)-Total | | | 109.0 | | % | | 80-120 | 15-OCT-18 |
| WG2897866-1 | MB | | | | | | | |
| Aluminum (Al)-Total | | | <0.0050 | | mg/L | | 0.005 | 15-OCT-18 |
| Antimony (Sb)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Arsenic (As)-Total | | | <0.0020 | | mg/L | | 0.002 | 15-OCT-18 |
| Barium (Ba)-Total | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Beryllium (Be)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Bismuth (Bi)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 22 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|------------------------|-----------------|-----------|-----------|-----------|-------|-----|---------|-----------|
| MET-T-L-HRMS-VA | Seawater | | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897866-1 MB | | | | | | | | |
| Boron (B)-Total | | | <0.10 | | mg/L | | 0.1 | 15-OCT-18 |
| Cadmium (Cd)-Total | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Calcium (Ca)-Total | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Cesium (Cs)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Chromium (Cr)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Cobalt (Co)-Total | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Copper (Cu)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Gallium (Ga)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Iron (Fe)-Total | | | <0.010 | | mg/L | | 0.01 | 15-OCT-18 |
| Lead (Pb)-Total | | | <0.00030 | | mg/L | | 0.0003 | 15-OCT-18 |
| Lithium (Li)-Total | | | <0.020 | | mg/L | | 0.02 | 15-OCT-18 |
| Magnesium (Mg)-Total | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Manganese (Mn)-Total | | | <0.00020 | | mg/L | | 0.0002 | 15-OCT-18 |
| Molybdenum (Mo)-Total | | | <0.0020 | | mg/L | | 0.002 | 15-OCT-18 |
| Nickel (Ni)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Phosphorus (P)-Total | | | <0.050 | | mg/L | | 0.05 | 15-OCT-18 |
| Potassium (K)-Total | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Rhenium (Re)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Rubidium (Rb)-Total | | | <0.0050 | | mg/L | | 0.005 | 15-OCT-18 |
| Selenium (Se)-Total | | | <0.0020 | | mg/L | | 0.002 | 15-OCT-18 |
| Silicon (Si)-Total | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Silver (Ag)-Total | | | <0.00010 | | mg/L | | 0.0001 | 15-OCT-18 |
| Sodium (Na)-Total | | | <1.0 | | mg/L | | 1 | 15-OCT-18 |
| Strontium (Sr)-Total | | | <0.010 | | mg/L | | 0.01 | 15-OCT-18 |
| Sulfur (S)-Total | | | <5.0 | | mg/L | | 5 | 15-OCT-18 |
| Tellurium (Te)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Thallium (Tl)-Total | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Thorium (Th)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Tin (Sn)-Total | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Titanium (Ti)-Total | | | <0.0050 | | mg/L | | 0.005 | 15-OCT-18 |
| Tungsten (W)-Total | | | <0.0010 | | mg/L | | 0.001 | 15-OCT-18 |
| Uranium (U)-Total | | | <0.000050 | | mg/L | | 0.00005 | 15-OCT-18 |
| Vanadium (V)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| Yttrium (Y)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |



Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 23 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|---------------------------------|------------|------------------------|----------|-----------|-------|-----|---------|-----------|
| MET-T-L-HRMS-VA | | Seawater | | | | | | |
| Batch | R4286967 | | | | | | | |
| WG2897866-1 | MB | | | | | | | |
| Zinc (Zn)-Total | | | <0.0030 | | mg/L | | 0.003 | 15-OCT-18 |
| Zirconium (Zr)-Total | | | <0.00050 | | mg/L | | 0.0005 | 15-OCT-18 |
| NH3-F-VA | | Seawater | | | | | | |
| Batch | R4282102 | | | | | | | |
| WG2904276-3 | DUP | L2170896-29 | | | | | | |
| Ammonia, Total (as N) | | <0.0050 | <0.0050 | RPD-NA | mg/L | N/A | 20 | 16-OCT-18 |
| WG2904276-2 | LCS | | | | | | | |
| Ammonia, Total (as N) | | | 99.7 | | % | | 85-115 | 16-OCT-18 |
| WG2904276-1 | MB | | | | | | | |
| Ammonia, Total (as N) | | | <0.0050 | | mg/L | | 0.005 | 16-OCT-18 |
| WG2904276-4 | MS | L2170896-29 | | | | | | |
| Ammonia, Total (as N) | | | 102.6 | | % | | 75-125 | 16-OCT-18 |
| P-T-COL-VA | | Seawater | | | | | | |
| Batch | R4255689 | | | | | | | |
| WG2891084-2 | CRM | VA-ERA-PO4 | | | | | | |
| Phosphorus (P)-Total | | | 102.9 | | % | | 80-120 | 01-OCT-18 |
| WG2891084-3 | DUP | L2170896-27 | | | | | | |
| Phosphorus (P)-Total | | 0.0273 | 0.0257 | | mg/L | 5.8 | 20 | 01-OCT-18 |
| WG2891084-1 | MB | | | | | | | |
| Phosphorus (P)-Total | | | <0.0040 | | mg/L | | 0.004 | 01-OCT-18 |
| PH-C-PCT-VA | | Seawater | | | | | | |
| Batch | R4257666 | | | | | | | |
| WG2890442-2 | CRM | VA-PH7-BUF | | | | | | |
| pH | | | 7.04 | | pH | | 6.9-7.1 | 02-OCT-18 |
| PO4-DO-COL-VA | | Seawater | | | | | | |
| Batch | R4252115 | | | | | | | |
| WG2890710-2 | CRM | VA-OPO4-CONTROL | | | | | | |
| Orthophosphate-Dissolved (as P) | | | 101.0 | | % | | 80-120 | 29-SEP-18 |
| WG2890710-3 | DUP | L2170896-27 | | | | | | |
| Orthophosphate-Dissolved (as P) | | 0.0187 | 0.0182 | | mg/L | 2.8 | 20 | 29-SEP-18 |
| WG2890710-1 | MB | | | | | | | |
| Orthophosphate-Dissolved (as P) | | | <0.0010 | | mg/L | | 0.001 | 29-SEP-18 |
| WG2890710-4 | MS | L2170896-28 | | | | | | |
| Orthophosphate-Dissolved (as P) | | | 96.5 | | % | | 70-130 | 29-SEP-18 |
| SIO2-L-COL-VA | | Seawater | | | | | | |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 24 of 27

| Test | Matrix | Reference | Result | Qualifier | Units | RPD | Limit | Analyzed |
|-------------------------|------------|------------------------|--------|-----------|-------|-----|--------|-----------|
| SIO2-L-COL-VA | | Seawater | | | | | | |
| Batch | R4258600 | | | | | | | |
| WG2893982-2 | CRM | VA-SIO2-L-0.025 | | | | | | |
| Silicate (as SiO2) | | | 105.3 | | % | | 85-115 | 03-OCT-18 |
| WG2893982-1 | MB | | | | | | | |
| Silicate (as SiO2) | | | <0.010 | | mg/L | | 0.01 | 03-OCT-18 |
| TDS-VA | | Seawater | | | | | | |
| Batch | R4253115 | | | | | | | |
| WG2890897-3 | DUP | L2170896-27 | | | | | | |
| Total Dissolved Solids | | 35400 | 36400 | | mg/L | 2.8 | 20 | 29-SEP-18 |
| WG2890897-2 | LCS | | | | | | | |
| Total Dissolved Solids | | | 103.5 | | % | | 85-115 | 29-SEP-18 |
| WG2890897-1 | MB | | | | | | | |
| Total Dissolved Solids | | | <10 | | mg/L | | 10 | 29-SEP-18 |
| TKN-C-F-VA | | Seawater | | | | | | |
| Batch | R4272089 | | | | | | | |
| WG2899817-3 | DUP | L2170896-29 | | | | | | |
| Total Kjeldahl Nitrogen | | 0.133 | 0.125 | | mg/L | 6.3 | 20 | 11-OCT-18 |
| WG2899817-2 | LCS | | | | | | | |
| Total Kjeldahl Nitrogen | | | 92.5 | | % | | 75-125 | 11-OCT-18 |
| WG2899817-1 | MB | | | | | | | |
| Total Kjeldahl Nitrogen | | | <0.050 | | mg/L | | 0.05 | 11-OCT-18 |
| WG2899817-4 | MS | L2170896-30 | | | | | | |
| Total Kjeldahl Nitrogen | | | 114.3 | | % | | 70-130 | 11-OCT-18 |
| TSS-C-VA | | Seawater | | | | | | |
| Batch | R4253121 | | | | | | | |
| WG2890894-2 | LCS | | | | | | | |
| Total Suspended Solids | | | 97.7 | | % | | 85-115 | 29-SEP-18 |
| WG2890894-1 | MB | | | | | | | |
| Total Suspended Solids | | | <2.0 | | mg/L | | 2 | 29-SEP-18 |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 25 of 27

Legend:

| | |
|-------|---|
| Limit | ALS Control Limit (Data Quality Objectives) |
| DUP | Duplicate |
| RPD | Relative Percent Difference |
| N/A | Not Available |
| LCS | Laboratory Control Sample |
| SRM | Standard Reference Material |
| MS | Matrix Spike |
| MSD | Matrix Spike Duplicate |
| ADE | Average Desorption Efficiency |
| MB | Method Blank |
| IRM | Internal Reference Material |
| CRM | Certified Reference Material |
| CCV | Continuing Calibration Verification |
| CVS | Calibration Verification Standard |
| LCSD | Laboratory Control Sample Duplicate |

Sample Parameter Qualifier Definitions:

| Qualifier | Description |
|-----------|--|
| J | Duplicate results and limits are expressed in terms of absolute difference. |
| MS-B | Matrix Spike recovery could not be accurately calculated due to high analyte background in sample. |
| RPD-NA | Relative Percent Difference Not Available due to result(s) being less than detection limit. |

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18

Page 26 of 27

Hold Time Exceedances:

| ALS Product Description | Sample ID | Sampling Date | Date Processed | Rec. HT | Actual HT | Units | Qualifier |
|--|-----------|-----------------|-----------------|---------|-----------|-------|-----------|
| Physical Tests | | | | | | | |
| Total Dissolved Solids by Gravimetric | | | | | | | |
| | 27 | 20-SEP-18 11:00 | 29-SEP-18 15:57 | 7 | 9 | days | EHT |
| | 28 | 20-SEP-18 11:00 | 29-SEP-18 15:57 | 7 | 9 | days | EHT |
| | 29 | 20-SEP-18 12:00 | 29-SEP-18 15:57 | 7 | 9 | days | EHT |
| | 30 | 20-SEP-18 12:00 | 29-SEP-18 15:57 | 7 | 9 | days | EHT |
| Total Suspended Solids by Gravimetric | | | | | | | |
| | 27 | 20-SEP-18 11:00 | 29-SEP-18 15:56 | 7 | 9 | days | EHT |
| | 28 | 20-SEP-18 11:00 | 29-SEP-18 15:56 | 7 | 9 | days | EHT |
| | 29 | 20-SEP-18 12:00 | 29-SEP-18 15:56 | 7 | 9 | days | EHT |
| | 30 | 20-SEP-18 12:00 | 29-SEP-18 15:56 | 7 | 9 | days | EHT |
| pH by Meter (Automated) (seawater) | | | | | | | |
| | 27 | 20-SEP-18 11:00 | 02-OCT-18 13:45 | 0.25 | 291 | hours | EHTR-FM |
| | 28 | 20-SEP-18 11:00 | 02-OCT-18 13:45 | 0.25 | 291 | hours | EHTR-FM |
| | 29 | 20-SEP-18 12:00 | 02-OCT-18 13:45 | 0.25 | 290 | hours | EHTR-FM |
| | 30 | 20-SEP-18 12:00 | 02-OCT-18 13:45 | 0.25 | 290 | hours | EHTR-FM |
| Anions and Nutrients | | | | | | | |
| D-Orthophosphate in Seawater by Colour | | | | | | | |
| | 27 | 20-SEP-18 11:00 | 29-SEP-18 15:17 | 3 | 9 | days | EHTR |
| | 28 | 20-SEP-18 11:00 | 29-SEP-18 15:19 | 3 | 9 | days | EHTR |
| | 29 | 20-SEP-18 12:00 | 29-SEP-18 15:19 | 3 | 9 | days | EHTR |
| | 30 | 20-SEP-18 12:00 | 29-SEP-18 15:20 | 3 | 9 | days | EHTR |
| Nitrate in Seawater by IC | | | | | | | |
| | 27 | 20-SEP-18 11:00 | 02-OCT-18 07:08 | 3 | 12 | days | EHTR |
| | 28 | 20-SEP-18 11:00 | 02-OCT-18 07:08 | 3 | 12 | days | EHTR |
| | 29 | 20-SEP-18 12:00 | 02-OCT-18 07:08 | 3 | 12 | days | EHTR |
| | 30 | 20-SEP-18 12:00 | 02-OCT-18 07:08 | 3 | 12 | days | EHTR |
| Nitrite in Seawater by IC | | | | | | | |
| | 27 | 20-SEP-18 11:00 | 02-OCT-18 07:08 | 3 | 12 | days | EHTR |
| | 28 | 20-SEP-18 11:00 | 02-OCT-18 07:08 | 3 | 12 | days | EHTR |
| | 29 | 20-SEP-18 12:00 | 02-OCT-18 07:08 | 3 | 12 | days | EHTR |
| | 30 | 20-SEP-18 12:00 | 02-OCT-18 07:08 | 3 | 12 | days | EHTR |
| Total P in Seawater by Colour | | | | | | | |
| | 27 | 20-SEP-18 11:00 | 01-OCT-18 17:29 | 3 | 11 | days | EHTR |
| | 28 | 20-SEP-18 11:00 | 01-OCT-18 17:29 | 3 | 11 | days | EHTR |
| | 29 | 20-SEP-18 12:00 | 01-OCT-18 17:29 | 3 | 11 | days | EHTR |
| | 30 | 20-SEP-18 12:00 | 01-OCT-18 17:29 | 3 | 11 | days | EHTR |
| Metals | | | | | | | |
| Mercury in Soil by CVAAS | | | | | | | |
| | 8 | 13-SEP-18 15:00 | 18-OCT-18 13:00 | 28 | 35 | days | EHT |
| | 26 | 13-SEP-18 17:00 | 12-OCT-18 14:00 | 28 | 29 | days | EHT |

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
- EHTR: Exceeded ALS recommended hold time prior to sample receipt.
- EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
- EHT: Exceeded ALS recommended hold time prior to analysis.
- Rec. HT: ALS recommended hold time (see units).

Notes*:
 Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
 Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2170896 were received on 26-SEP-18 09:00.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the

Quality Control Report

Workorder: L2170896

Report Date: 19-OCT-18


Page 27 of 27

US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 8.08 | Clay |
| 64 - 4 | 0.00 | Pebble | | | |
| 4 - 2 | 0.00 | Granule | | | |
| 2 - 1 | 0.20 | Very coarse sand | | | |
| 1 - 0.5 | 0.26 | Coarse sand | | | |
| 0.5 - 0.25 | 0.60 | Medium sand | | | |
| 0.25 - 0.125 | 2.11 | Fine sand | | | |
| 0.125 - 0.0625 | 15.92 | Very fine sand | | | |
| 0.0625 - 0.031 | 29.71 | Coarse silt | | | |
| 0.031 - 0.0156 | 21.50 | Medium silt | | | |
| 0.0156 - 0.0078 | 13.92 | Fine silt | | | |
| 0.0078 - 0.0039 | 7.72 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.89 | Clay |
| 64 - 4 | 0.06 | Pebble | | | |
| 4 - 2 | 0.09 | Granule | | | |
| 2 - 1 | 0.01 | Very coarse sand | | | |
| 1 - 0.5 | 0.28 | Coarse sand | | | |
| 0.5 - 0.25 | 0.54 | Medium sand | | | |
| 0.25 - 0.125 | 4.58 | Fine sand | | | |
| 0.125 - 0.0625 | 22.42 | Very fine sand | | | |
| 0.0625 - 0.031 | 27.46 | Coarse silt | | | |
| 0.031 - 0.0156 | 18.62 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.23 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.81 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.33 | Clay |
| 64 - 4 | 0.62 | Pebble | | | |
| 4 - 2 | 0.10 | Granule | | | |
| 2 - 1 | 0.11 | Very coarse sand | | | |
| 1 - 0.5 | 0.30 | Coarse sand | | | |
| 0.5 - 0.25 | 0.66 | Medium sand | | | |
| 0.25 - 0.125 | 4.55 | Fine sand | | | |
| 0.125 - 0.0625 | 22.19 | Very fine sand | | | |
| 0.0625 - 0.031 | 26.74 | Coarse silt | | | |
| 0.031 - 0.0156 | 18.08 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.36 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.98 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.22 | Clay |
| 64 - 4 | 0.02 | Pebble | | | |
| 4 - 2 | 0.04 | Granule | | | |
| 2 - 1 | 0.22 | Very coarse sand | | | |
| 1 - 0.5 | 0.31 | Coarse sand | | | |
| 0.5 - 0.25 | 0.72 | Medium sand | | | |
| 0.25 - 0.125 | 5.24 | Fine sand | | | |
| 0.125 - 0.0625 | 23.04 | Very fine sand | | | |
| 0.0625 - 0.031 | 26.87 | Coarse silt | | | |
| 0.031 - 0.0156 | 18.05 | Medium silt | | | |
| 0.0156 - 0.0078 | 11.76 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.53 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.61 | Clay |
| 64 - 4 | 3.98 | Pebble | | | |
| 4 - 2 | 0.41 | Granule | | | |
| 2 - 1 | 0.44 | Very coarse sand | | | |
| 1 - 0.5 | 0.50 | Coarse sand | | | |
| 0.5 - 0.25 | 0.87 | Medium sand | | | |
| 0.25 - 0.125 | 4.35 | Fine sand | | | |
| 0.125 - 0.0625 | 20.17 | Very fine sand | | | |
| 0.0625 - 0.031 | 25.28 | Coarse silt | | | |
| 0.031 - 0.0156 | 17.22 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.20 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.97 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 8.34 | Clay |
| 64 - 4 | 0.03 | Pebble | | | |
| 4 - 2 | 0.01 | Granule | | | |
| 2 - 1 | 0.19 | Very coarse sand | | | |
| 1 - 0.5 | 0.23 | Coarse sand | | | |
| 0.5 - 0.25 | 0.63 | Medium sand | | | |
| 0.25 - 0.125 | 4.08 | Fine sand | | | |
| 0.125 - 0.0625 | 19.96 | Very fine sand | | | |
| 0.0625 - 0.031 | 26.96 | Coarse silt | | | |
| 0.031 - 0.0156 | 18.62 | Medium silt | | | |
| 0.0156 - 0.0078 | 13.32 | Fine silt | | | |
| 0.0078 - 0.0039 | 7.63 | Very fine silt | | | |

Texture: Silt loam

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|----------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.88 | Clay |
| 64 - 4 | 0.08 | Pebble | | | |
| 4 - 2 | 0.15 | Granule | | | |
| 2 - 1 | 0.06 | Very coarse s | | | |
| 1 - 0.5 | 0.36 | Coarse sand | | | |
| 0.5 - 0.25 | 0.85 | Medium sand | | | |
| 0.25 - 0.125 | 4.73 | Fine sand | | | |
| 0.125 - 0.0625 | 20.91 | Very fine san | | | |
| 0.0625 - 0.031 | 27.68 | Coarse silt | | | |
| 0.031 - 0.0156 | 19.05 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.38 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.87 | Very fine silt | | | |

Texture: Silt loam

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.74 | Clay |
| 64 - 4 | 0.01 | Pebble | | | |
| 4 - 2 | 0.01 | Granule | | | |
| 2 - 1 | 0.05 | Very coarse sand | | | |
| 1 - 0.5 | 0.10 | Coarse sand | | | |
| 0.5 - 0.25 | 0.24 | Medium sand | | | |
| 0.25 - 0.125 | 2.40 | Fine sand | | | |
| 0.125 - 0.0625 | 13.96 | Very fine sand | | | |
| 0.0625 - 0.031 | 33.27 | Coarse silt | | | |
| 0.031 - 0.0156 | 24.70 | Medium silt | | | |
| 0.0156 - 0.0078 | 11.81 | Fine silt | | | |
| 0.0078 - 0.0039 | 5.73 | Very fine silt | | | |

Texture: Silt loam

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.73 | Clay |
| 64 - 4 | 0.00 | Pebble | | | |
| 4 - 2 | 0.00 | Granule | | | |
| 2 - 1 | 0.04 | Very coarse sand | | | |
| 1 - 0.5 | 0.05 | Coarse sand | | | |
| 0.5 - 0.25 | 0.29 | Medium sand | | | |
| 0.25 - 0.125 | 2.33 | Fine sand | | | |
| 0.125 - 0.0625 | 14.76 | Very fine sand | | | |
| 0.0625 - 0.031 | 32.83 | Coarse silt | | | |
| 0.031 - 0.0156 | 24.22 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.47 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.29 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.23 | Clay |
| 64 - 4 | 0.35 | Pebble | | | |
| 4 - 2 | 0.06 | Granule | | | |
| 2 - 1 | 0.04 | Very coarse sand | | | |
| 1 - 0.5 | 0.11 | Coarse sand | | | |
| 0.5 - 0.25 | 0.27 | Medium sand | | | |
| 0.25 - 0.125 | 2.41 | Fine sand | | | |
| 0.125 - 0.0625 | 14.46 | Very fine sand | | | |
| 0.0625 - 0.031 | 34.07 | Coarse silt | | | |
| 0.031 - 0.0156 | 25.27 | Medium silt | | | |
| 0.0156 - 0.0078 | 11.39 | Fine silt | | | |
| 0.0078 - 0.0039 | 5.34 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.61 | Clay |
| 64 - 4 | 0.00 | Pebble | | | |
| 4 - 2 | 0.00 | Granule | | | |
| 2 - 1 | 0.06 | Very coarse sand | | | |
| 1 - 0.5 | 0.12 | Coarse sand | | | |
| 0.5 - 0.25 | 0.21 | Medium sand | | | |
| 0.25 - 0.125 | 1.48 | Fine sand | | | |
| 0.125 - 0.0625 | 11.37 | Very fine sand | | | |
| 0.0625 - 0.031 | 34.75 | Coarse silt | | | |
| 0.031 - 0.0156 | 26.33 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.80 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.27 | Very fine silt | | | |

Texture: Silt



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.34 | Clay |
| 64 - 4 | 0.16 | Pebble | | | |
| 4 - 2 | 0.43 | Granule | | | |
| 2 - 1 | 0.18 | Very coarse sand | | | |
| 1 - 0.5 | 0.35 | Coarse sand | | | |
| 0.5 - 0.25 | 0.70 | Medium sand | | | |
| 0.25 - 0.125 | 1.64 | Fine sand | | | |
| 0.125 - 0.0625 | 13.40 | Very fine sand | | | |
| 0.0625 - 0.031 | 32.65 | Coarse silt | | | |
| 0.031 - 0.0156 | 24.29 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.53 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.32 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.83 | Clay |
| 64 - 4 | 0.01 | Pebble | | | |
| 4 - 2 | 0.02 | Granule | | | |
| 2 - 1 | 0.15 | Very coarse sand | | | |
| 1 - 0.5 | 0.07 | Coarse sand | | | |
| 0.5 - 0.25 | 0.14 | Medium sand | | | |
| 0.25 - 0.125 | 0.97 | Fine sand | | | |
| 0.125 - 0.0625 | 9.30 | Very fine sand | | | |
| 0.0625 - 0.031 | 34.44 | Coarse silt | | | |
| 0.031 - 0.0156 | 26.41 | Medium silt | | | |
| 0.0156 - 0.0078 | 13.72 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.95 | Very fine silt | | | |

Texture: Silt

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.54 | Clay |
| 64 - 4 | 0.25 | Pebble | | | |
| 4 - 2 | 0.01 | Granule | | | |
| 2 - 1 | 0.04 | Very coarse sand | | | |
| 1 - 0.5 | 0.15 | Coarse sand | | | |
| 0.5 - 0.25 | 0.37 | Medium sand | | | |
| 0.25 - 0.125 | 1.75 | Fine sand | | | |
| 0.125 - 0.0625 | 10.83 | Very fine sand | | | |
| 0.0625 - 0.031 | 34.59 | Coarse silt | | | |
| 0.031 - 0.0156 | 26.28 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.86 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.32 | Very fine silt | | | |

Texture: Silt

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 10.05 | Clay |
| 64 - 4 | 0.00 | Pebble | | | |
| 4 - 2 | 0.00 | Granule | | | |
| 2 - 1 | 0.43 | Very coarse sand | | | |
| 1 - 0.5 | 1.53 | Coarse sand | | | |
| 0.5 - 0.25 | 3.54 | Medium sand | | | |
| 0.25 - 0.125 | 7.78 | Fine sand | | | |
| 0.125 - 0.0625 | 10.13 | Very fine sand | | | |
| 0.0625 - 0.031 | 25.08 | Coarse silt | | | |
| 0.031 - 0.0156 | 18.68 | Medium silt | | | |
| 0.0156 - 0.0078 | 14.36 | Fine silt | | | |
| 0.0078 - 0.0039 | 8.41 | Very fine silt | | | |

Texture: Silt loam

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.10 | Clay |
| 64 - 4 | 0.01 | Pebble | | | |
| 4 - 2 | 0.02 | Granule | | | |
| 2 - 1 | 0.55 | Very coarse sand | | | |
| 1 - 0.5 | 1.80 | Coarse sand | | | |
| 0.5 - 0.25 | 5.03 | Medium sand | | | |
| 0.25 - 0.125 | 10.62 | Fine sand | | | |
| 0.125 - 0.0625 | 11.22 | Very fine sand | | | |
| 0.0625 - 0.031 | 25.62 | Coarse silt | | | |
| 0.031 - 0.0156 | 18.95 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.28 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.81 | Very fine silt | | | |

Texture: Silt loam

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.13 | Clay |
| 64 - 4 | 0.00 | Pebble | | | |
| 4 - 2 | 0.00 | Granule | | | |
| 2 - 1 | 0.77 | Very coarse sand | | | |
| 1 - 0.5 | 2.28 | Coarse sand | | | |
| 0.5 - 0.25 | 5.80 | Medium sand | | | |
| 0.25 - 0.125 | 13.86 | Fine sand | | | |
| 0.125 - 0.0625 | 14.20 | Very fine sand | | | |
| 0.0625 - 0.031 | 24.90 | Coarse silt | | | |
| 0.031 - 0.0156 | 17.88 | Medium silt | | | |
| 0.0156 - 0.0078 | 9.39 | Fine silt | | | |
| 0.0078 - 0.0039 | 4.78 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 5.65 | Clay |
| 64 - 4 | 0.27 | Pebble | | | |
| 4 - 2 | 0.72 | Granule | | | |
| 2 - 1 | 2.10 | Very coarse sand | | | |
| 1 - 0.5 | 7.28 | Coarse sand | | | |
| 0.5 - 0.25 | 15.71 | Medium sand | | | |
| 0.25 - 0.125 | 25.66 | Fine sand | | | |
| 0.125 - 0.0625 | 7.84 | Very fine sand | | | |
| 0.0625 - 0.031 | 14.03 | Coarse silt | | | |
| 0.031 - 0.0156 | 10.10 | Medium silt | | | |
| 0.0156 - 0.0078 | 6.81 | Fine silt | | | |
| 0.0078 - 0.0039 | 3.83 | Very fine silt | | | |

Texture: Sandy loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.66 | Clay |
| 64 - 4 | 0.00 | Pebble | | | |
| 4 - 2 | 0.00 | Granule | | | |
| 2 - 1 | 0.67 | Very coarse sand | | | |
| 1 - 0.5 | 0.59 | Coarse sand | | | |
| 0.5 - 0.25 | 0.90 | Medium sand | | | |
| 0.25 - 0.125 | 2.66 | Fine sand | | | |
| 0.125 - 0.0625 | 18.44 | Very fine sand | | | |
| 0.0625 - 0.031 | 27.97 | Coarse silt | | | |
| 0.031 - 0.0156 | 19.68 | Medium silt | | | |
| 0.0156 - 0.0078 | 13.66 | Fine silt | | | |
| 0.0078 - 0.0039 | 7.75 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.83 | Cobble | <0.0039 | 6.69 | Clay |
| 64 - 4 | 3.18 | Pebble | | | |
| 4 - 2 | 0.36 | Granule | | | |
| 2 - 1 | 0.33 | Very coarse sand | | | |
| 1 - 0.5 | 0.40 | Coarse sand | | | |
| 0.5 - 0.25 | 0.78 | Medium sand | | | |
| 0.25 - 0.125 | 2.28 | Fine sand | | | |
| 0.125 - 0.0625 | 15.72 | Very fine sand | | | |
| 0.0625 - 0.031 | 29.17 | Coarse silt | | | |
| 0.031 - 0.0156 | 21.10 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.47 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.68 | Very fine silt | | | |

Texture: Silt loam

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|----------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.29 | Clay |
| 64 - 4 | 0.03 | Pebble | | | |
| 4 - 2 | 0.09 | Granule | | | |
| 2 - 1 | 0.19 | Very coarse s | | | |
| 1 - 0.5 | 0.20 | Coarse sand | | | |
| 0.5 - 0.25 | 0.44 | Medium sand | | | |
| 0.25 - 0.125 | 2.54 | Fine sand | | | |
| 0.125 - 0.0625 | 17.42 | Very fine san | | | |
| 0.0625 - 0.031 | 30.03 | Coarse silt | | | |
| 0.031 - 0.0156 | 21.52 | Medium silt | | | |
| 0.0156 - 0.0078 | 13.13 | Fine silt | | | |
| 0.0078 - 0.0039 | 7.12 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.91 | Clay |
| 64 - 4 | 0.01 | Pebble | | | |
| 4 - 2 | 0.03 | Granule | | | |
| 2 - 1 | 0.13 | Very coarse sand | | | |
| 1 - 0.5 | 0.25 | Coarse sand | | | |
| 0.5 - 0.25 | 0.47 | Medium sand | | | |
| 0.25 - 0.125 | 2.95 | Fine sand | | | |
| 0.125 - 0.0625 | 18.15 | Very fine sand | | | |
| 0.0625 - 0.031 | 30.53 | Coarse silt | | | |
| 0.031 - 0.0156 | 21.80 | Medium silt | | | |
| 0.0156 - 0.0078 | 12.30 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.47 | Very fine silt | | | |

Texture: Silt loam

Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.00 | Clay |
| 64 - 4 | 0.04 | Pebble | | | |
| 4 - 2 | 0.02 | Granule | | | |
| 2 - 1 | 0.18 | Very coarse sand | | | |
| 1 - 0.5 | 0.28 | Coarse sand | | | |
| 0.5 - 0.25 | 0.63 | Medium sand | | | |
| 0.25 - 0.125 | 3.47 | Fine sand | | | |
| 0.125 - 0.0625 | 18.63 | Very fine sand | | | |
| 0.0625 - 0.031 | 30.16 | Coarse silt | | | |
| 0.031 - 0.0156 | 21.43 | Medium silt | | | |
| 0.0156 - 0.0078 | 11.92 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.23 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.46 | Clay |
| 64 - 4 | 0.05 | Pebble | | | |
| 4 - 2 | 0.07 | Granule | | | |
| 2 - 1 | 0.02 | Very coarse sand | | | |
| 1 - 0.5 | 0.31 | Coarse sand | | | |
| 0.5 - 0.25 | 0.55 | Medium sand | | | |
| 0.25 - 0.125 | 3.89 | Fine sand | | | |
| 0.125 - 0.0625 | 21.18 | Very fine sand | | | |
| 0.0625 - 0.031 | 29.40 | Coarse silt | | | |
| 0.031 - 0.0156 | 20.40 | Medium silt | | | |
| 0.0156 - 0.0078 | 11.57 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.10 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve




Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 6.77 | Clay |
| 64 - 4 | 0.15 | Pebble | | | |
| 4 - 2 | 0.40 | Granule | | | |
| 2 - 1 | 0.35 | Very coarse sand | | | |
| 1 - 0.5 | 0.49 | Coarse sand | | | |
| 0.5 - 0.25 | 0.68 | Medium sand | | | |
| 0.25 - 0.125 | 4.41 | Fine sand | | | |
| 0.125 - 0.0625 | 20.69 | Very fine sand | | | |
| 0.0625 - 0.031 | 28.53 | Coarse silt | | | |
| 0.031 - 0.0156 | 19.77 | Medium silt | | | |
| 0.0156 - 0.0078 | 11.58 | Fine silt | | | |
| 0.0078 - 0.0039 | 6.18 | Very fine silt | | | |

Texture: Silt loam



Particle Size Distribution Curve



Particle Size Distribution

| Range (mm) | Wt. (%) | Class | Range (mm) | Wt. (%) | Class |
|-----------------|---------|------------------|------------|---------|-------|
| > 64 | 0.00 | Cobble | <0.0039 | 7.73 | Clay |
| 64 - 4 | 0.04 | Pebble | | | |
| 4 - 2 | 0.06 | Granule | | | |
| 2 - 1 | 0.04 | Very coarse sand | | | |
| 1 - 0.5 | 0.24 | Coarse sand | | | |
| 0.5 - 0.25 | 0.52 | Medium sand | | | |
| 0.25 - 0.125 | 3.68 | Fine sand | | | |
| 0.125 - 0.0625 | 19.59 | Very fine sand | | | |
| 0.0625 - 0.031 | 27.10 | Coarse silt | | | |
| 0.031 - 0.0156 | 18.79 | Medium silt | | | |
| 0.0156 - 0.0078 | 14.05 | Fine silt | | | |
| 0.0078 - 0.0039 | 8.16 | Very fine silt | | | |

Texture: Silt loam



L2170896-COFC

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|--|--|--|-----------------------|-----------|--|-----------|------------------------------|-----------|----------|----------|-----------------|----------|----------|--------------|----------|----------|--------------------------|----------|----------|------------------|----------|----------|----------|----------|----------|--------------------|--|--|-----------------|--|--|----------|--|--|----------------------|--|--|
| Report To | | Report Format / Distribution | | | Select Service Level Below (Rush Turnaround Time (TAT) is not available for all tests) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Company: <i>Agnico Eagle Mines</i> | | Select Report Format: <input checked="" type="checkbox"/> PDF <input type="checkbox"/> EXCEL <input type="checkbox"/> EDD (DIGITAL) | | | R <input checked="" type="checkbox"/> Regular (Standard TAT if received by 3pm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Contact: <i>Jennifer Brown</i> | | Quality Control (QC) Report with Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | | P <input type="checkbox"/> Priority (2-4 business days if received by 3pm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Address: <i>Meliadine, Rankin Inlet, NU X0C 0G0</i> | | <input type="checkbox"/> Criteria on Report - provide details below if box checked | | | E <input type="checkbox"/> Emergency (1-2 business days if received by 3pm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Phone: <i>819-759-7555 ext 4603996</i> | | Select Distribution: <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX | | | E2 <input type="checkbox"/> Same day or weekend emergency if received by 10am - contact ALS for surcharge. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Email 1 or Fax: <i>arman.dspar@goldcorp.com</i> | | | Specify Date Required for E2, E or P: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Email 2: <i>erichard@goldcorp.com</i> | | | Analysis Request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Invoice To | | Invoice Distribution | | | Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Same as Report To <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | Select Invoice Distribution: <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Copy of Invoice with Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | Email 1 or Fax: <i>invoices.meliadine@agnico.eagle.com</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Company: <i>Agnico Eagle Golder</i> | | Email 2: <i>carolina.leseigneur@goldcorp.com</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Contact: <i>Golder</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Project Information | | Oil and Gas Required Fields (client use) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALS Quote #: <i>Q69808</i> | | Approver ID: | | | TOC, TKN | | | Total + Diss Metals | | | Nutrients | | | Pst (westworth) | | | pH, hardness | | | alkalinity, conductivity | | | DOC (Lab filter) | | | salinity | | | Routine Parameters | | | Total + Diss Ag | | | TDS, TSS | | | Number of Containers | | |
| Job #: | | GL Account: | | | Routing Code: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PO / AFE: | | Activity Code: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LSD: | | Location: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALS Lab Work Order # (lab use only) | | ALS Contact: | | | Sampler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALS Sample # (lab use only) | Sample Identification and/or Coordinates (This description will appear on the report) | | | Date (dd-mmm-yy) | Time (hh:mm) | Sample Type | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <i>MB Ref B1 DUPOA</i> | | | <i>19-Sep-18</i> | <i>15:30</i> | <i>sediment</i> | <i>XX</i> | <i>XX</i> | <i>XX</i> | <i>XX</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <i>MB Ref B1 DUPOA</i> | | | <i>13-Sep-18</i> | <i>17:00</i> | <i>"</i> | <i>XX</i> | <i>XX</i> | <i>XX</i> | <i>XX</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <i>MW Ref A3 D</i> | | | <i>Sept 20</i> | <i>11:00</i> | <i>Mine</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | | | | | | | | | | | |
| | <i>MW Ref A3 S</i> | | | | | <i>H₂O</i> | <i>X</i> | <i>XX</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | | | | | | | | | | | |
| | <i>MW Ref B1 D</i> | | | | <i>12:00</i> | <i>"</i> | <i>X</i> | <i>XX</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | | | | | | | | | | | |
| | <i>MW Ref B1 S</i> | | | | <i>12:00</i> | <i>"</i> | <i>X</i> | <i>XX</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | | | | | | | | | | | |
| Drinking Water (DW) Samples (client use) | | Special Instructions / Specify Criteria to add on report (client use) | | | SAMPLE CONDITION AS RECEIVED (lab use only) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Are samples taken from a Regulated DW System? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | <i>CME criteria; contact erichard@goldcorp.com</i> | | | Frozen <input type="checkbox"/> SIF Observations Yes <input type="checkbox"/> No <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Are samples for human drinking water use? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | <i>Report to: agnico-equis@goldcorp.com</i> | | | Ice packs Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Custody seal intact Yes <input type="checkbox"/> No <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | Cooling initiated <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | INITIAL COOLER TEMPERATURES °C | | | | | FINAL COOLER TEMPERATURES °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | <i>16</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SHIPMENT RELEASE (client use) | | | | INITIAL SHIPMENT RECEPTION (lab use only) | | | | FINAL SHIPMENT RECEPTION (lab use only) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Released by: <i>Andrew Reppert</i> | | Date: <i>Sept 20</i> | | Time: <i>20:00</i> | | Received by: | | Date: <i>SEP 26 2018</i> | | Time: <i>9am</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

White Paper Co. 604 951 3900

Appendix G-2. Sediment Quality QA/QC results

| Sample ID | | | MBE-1 REP 3 | DUP A | RPD (%) |
|--|---------------------------|-------|----------------|-----------|--------------|
| Parameter | Lowest Detection Limit | Units | Sediments | Sediments | |
| Leachable Anions & Nutrients (Soil) | | | | | |
| Total Kjeldahl Nitrogen | 0.020 | % | 0.057 | 0.058 | <DL*5 |
| Organic / Inorganic Carbon (Soil) | | | | | |
| Inorganic Carbon | 0.050 | % | 0.097 | 0.089 | <DL*5 |
| Inorganic Carbon (as CaCO3 Equivalent) | 0.40 | % | 0.81 | 0.74 | <DL*5 |
| Total Carbon by Combustion | 0.05 | % | 0.63 | 0.64 | 1.6 |
| Total Organic Carbon | 0.050 | % | 0.53 | 0.551 | 3.9 |
| Metals (Soil) | | | | | |
| Aluminum (Al) | 50 | mg/kg | 7250 | 7380 | 1.8 |
| Antimony (Sb) | 0.10 | mg/kg | <0.10 | <0.10 | <DL*5 |
| Arsenic (As) | 0.10 | mg/kg | 4.99 | 4.70 | 6.0 |
| Barium (Ba) | 0.50 | mg/kg | 45.8 | 40.1 | 13.3 |
| Beryllium (Be) | 0.10 | mg/kg | 0.15 | 0.15 | <DL*5 |
| Bismuth (Bi) | 0.20 | mg/kg | <0.20 | <0.20 | <DL*5 |
| Boron (B) | 5.0 | mg/kg | 14.3 | 14.9 | <DL*5 |
| Cadmium (Cd) | 0.020 | mg/kg | <0.020 | <0.020 | <DL*5 |
| Calcium (Ca) | 50 | mg/kg | 5490 | 6140 | 11.2 |
| Chromium (Cr) | 0.50 | mg/kg | 57.0 | 36.9 | 42.8 |
| Cobalt (Co) | 0.10 | mg/kg | 4.40 | 4.11 | 6.8 |
| Copper (Cu) | 0.50 | mg/kg | 9.08 | 7.77 | 15.5 |
| Iron (Fe) | 50 | mg/kg | 13200 | 12200 | 7.9 |
| Lead (Pb) | 0.50 | mg/kg | 3.10 | 3.51 | 12.4 |
| Lithium (Li) | 2.0 | mg/kg | 11.6 | 10.5 | 10.0 |
| Magnesium (Mg) | 20 | mg/kg | 7010 | 6500 | 7.5 |
| Manganese (Mn) | 1.0 | mg/kg | 146 | 139 | 4.9 |
| Mercury (Hg) | 0.0050 | mg/kg | 0.0095 | 0.0109 | <DL*5 |
| Molybdenum (Mo) | 0.10 | mg/kg | 2.19 | 0.63 | 110.6 |
| Nickel (Ni) | 0.50 | mg/kg | 26.3 | 15.1 | 54.1 |
| Phosphorus (P) | 50 | mg/kg | 815 | 765 | 6.3 |
| Potassium (K) | 100 | mg/kg | 2110 | 1960 | 7.4 |
| Selenium (Se) | 0.20 | mg/kg | <0.20 | <0.20 | <DL*5 |
| Silver (Ag) | 0.10 | mg/kg | <0.10 | <0.10 | <DL*5 |
| Sodium (Na) | 50 | mg/kg | 6000 | 5920 | 1.3 |
| Strontium (Sr) | 0.50 | mg/kg | 25.4 | 27.4 | 7.6 |
| Sulfur (S) | 1000 | mg/kg | <1000 | <1000 | <DL*5 |
| Thallium (Tl) | 0.050 | mg/kg | 0.086 | 0.089 | <DL*5 |
| Tin (Sn) | 1.0 | mg/kg | <1.0 | <1.0 | <DL*5 |
| Titanium (Ti) | 1.0 | mg/kg | 559 | 500 | 11.1 |
| Tungsten (W) | 0.50 | mg/kg | <0.50 | <0.50 | <DL*5 |
| Uranium (U) | 0.050 | mg/kg | 0.743 | 0.838 | 12.0 |
| Vanadium (V) | 0.20 | mg/kg | 31.1 | 28.8 | 7.7 |
| Zinc (Zn) | 2.0 | mg/kg | 24.4 | 22.9 | 6.3 |
| Zirconium (Zr) | 1.0 | mg/kg | 4.2 | 4.6 | <DL*5 |

Notes:

RPD - relative percent difference

<DL*5 - values are less than 5 times detection limit (DL)

Bold values - indicate RPDs greater than 50%

APPENDIX H

Benthic Infauna Laboratory Analysis Data

Total abundance data in matrix format, including total taxa (species richness) for Golder Rankin Inlet 2018.

| Biologica Sample ID | | | | | | | 18-105-001 | 18-105-002 | 18-105-003 | 18-105-004 | 18-105-005 | 18-105-006 | 18-105-007 | 18-105-008 | 18-105-009 | 18-105-010 | 18-105-011 | 18-105-012 | 18-105-013 | 18-105-014 | 18-105-015 | 18-105-016 | 18-105-017 | 18-105-018 | 18-105-019 | 18-105-020 | 18-105-021 | 18-105-022 | 18-105-023 | 18-105-024 | | | | | | |
|---------------------|---------|------------|--------------|--------------|------------------|------------------|-------------------------------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|----|----|---|---|--|--|
| Site | | | | | | | MB E-1 | MB E-1 | MB E-1 | MB E-2 | MB E-2 | MB E-2 | MB E-3 | MB E-3 | MB E-3 | MB E-4 | MB E-4 | MB E-4 | MB E-5 | MB E-5 | MB E-5 | MB REF A-1 | MB REF A-1 | MB REF A-1 | MB REF A-2 | MB REF A-2 | MB REF A-2 | MB REF A-3 | MB REF A-3 | | | | | | | |
| Replicate | | | | | | | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | | | | | | | |
| Date Sampled | | | | | | | 15-Sep-18 | 15-Sep-18 | 15-Sep-18 | 16-Sep-18 | 16-Sep-18 | 16-Sep-18 | 14-Sep-18 | 14-Sep-18 | 14-Sep-18 | 14-Sep-18 | 14-Sep-18 | 14-Sep-18 | 14-Sep-18 | 14-Sep-18 | 14-Sep-18 | 16-Sep-18 | 16-Sep-18 | 16-Sep-18 | 16-Sep-18 | 16-Sep-18 | 16-Sep-18 | 19-Sep-18 | 19-Sep-18 | | | | | | | |
| taxcode | grpcode | Phylum | Class | Order | Family | Subfamily | Taxon Name | Grand Total | | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | Abundance | | | | | | | |
| | | | | | | | | Unique Taxa | Abundance | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POER | Annelida | Polychaeta | Eunicida | Lumbrineridae | | Scoletoma fragilis | 1 | 81 | 3 | 3 | 1 | 3 | 7 | 4 | 4 | 2 | 3 | 3 | 1 | 4 | 4 | 8 | 2 | 5 | 1 | 4 | 4 | 5 | 5 | 1 | 1 | 3 | | | |
| ANNE | POER | Annelida | Polychaeta | Eunicida | Lumbrineridae | | Scoletoma sp. | 2 | 15 | 2 | 1 | 1 | 2 | 1 | | | | | | | 1 | 1 | | | | | | | | | | 2 | | | | |
| ANNE | POER | Annelida | Polychaeta | Phyllodocida | Nephtyidae | | Bipalonephtys cornuta | 1 | 124 | 9 | 3 | 2 | 3 | 2 | 2 | 4 | 3 | 6 | 2 | 3 | 4 | 14 | 6 | 11 | 3 | 5 | 13 | 2 | 4 | 14 | 6 | 3 | | | | |
| ANNE | POER | Annelida | Polychaeta | Phyllodocida | Pholoidae | | Phloe minuta | 1 | 5 | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | |
| ANNE | POER | Annelida | Polychaeta | Phyllodocida | Phyllodocidae | Eteoninae | Eteone longa complex | 1 | 6 | | | | | 1 | | | 1 | | | | | | | | | | | | | | | | | | | |
| ANNE | POER | Annelida | Polychaeta | Phyllodocida | Phyllodocidae | Eteoninae | Eteone sp. | 1 | 9 | 1 | 1 | 2 | | 1 | | | | | | | | | | | | | | | | | | 1 | | | | |
| ANNE | POER | Annelida | Polychaeta | Phyllodocida | Polynoidea | Polynoinae | Gattiana cirrhosa | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| ANNE | POSE | Annelida | Polychaeta | Sabellida | Sabellidae | Sabellinae | Euchone incolor | 1 | 2 | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | Sabellida | Sabellidae | Sabellinae | Euchone rubrocincta | 1 | 3 | | | | | 1 | 2 | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | Sabellida | Sabellidae | | Sabellidae indet. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | Spionida | Spionidae | | Prionospio (Prionospio) steenstrupi | 1 | 142 | 5 | 4 | 1 | 7 | 2 | 4 | 3 | 1 | 7 | 5 | 5 | 3 | 5 | 13 | 14 | 9 | 2 | 1 | 5 | 9 | 10 | 10 | 15 | 2 | | | |
| ANNE | POSE | Annelida | Polychaeta | Terebellida | Terebellidae | Ampharetinae | Ampharete acutifrons | 1 | 3 | | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | | |
| ANNE | POSE | Annelida | Polychaeta | Terebellida | Ampharetidae | Ampharetinae | Ampharete sp. | 3 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | Terebellida | Ampharetidae | | Ampharetidae indet. | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | Terebellida | Cirratulidae | | Chaetozone sp. | 1 | 163 | 5 | 9 | 2 | 9 | 8 | 6 | 11 | 7 | 4 | 7 | 6 | 8 | 9 | 11 | 13 | 9 | 3 | 3 | 7 | 9 | 6 | 4 | 5 | 2 | | | |
| ANNE | POSE | Annelida | Polychaeta | Terebellida | Cirratulidae | | Cirratulidae indet. | 1 | 6 | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | Terebellida | Terebellidae | Terebellinae | Artacama proboscidea | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | Terebellida | Terebellidae | | Lysilla sp. | 1 | 1 | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | Terebellida | Trichobranchidae | Trichobranchinae | Terebellides sp. | 1 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | Terebellida | Trichobranchidae | Trichobranchinae | Terebellides stroemi | 1 | 14 | 1 | 1 | 1 | 1 | 1 | 2 | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | | Capitellidae | | Mediomastus sp. | 1 | 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | | Cossuridae | | Cossura sp. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | | Maldanidae | Euclymeninae | Axiotella sp. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | | Maldanidae | Euclymeninae | Euclymeninae indet. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | | Ophelidae | Ophelininae | Ophelina acuminata | 1 | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | | Ophelidae | Ophelininae | Ophelina breviata | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | | Orbinidae | | Letoscoloplos sp. | 1 | 181 | 17 | 8 | 1 | 6 | 9 | 8 | 5 | 6 | 10 | 10 | 3 | 10 | 12 | 11 | 7 | 4 | 6 | 6 | 10 | 9 | 5 | 5 | 5 | 8 | 7 | | |
| ANNE | POSE | Annelida | Polychaeta | | Orbinidae | | Scoloplos armiger | 1 | 51 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| ANNE | POSE | Annelida | Polychaeta | | Orbinidae | | Scoloplos sp. | 1 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANNE | POSE | Annelida | Polychaeta | | Scalibregmatidae | | Scalibregma inflatum | 1 | 23 | 2 | 2 | 1 | 3 | | 4 | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Ampeliscaidae | | Ampelisca sp. | 1 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Ampeliscaidae | | Ampelisca indet. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Dulichidae | | Dulichia sp. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Isaeidae | | Protomedea sp. | 1 | 338 | 1 | | 17 | 10 | 4 | 12 | 11 | 16 | 26 | 20 | 17 | 14 | 45 | 47 | 4 | 1 | | 11 | 16 | 9 | 8 | 46 | 3 | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Lysianassidae | | Hippomedon propinquus | 1 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Lysianassidae | | Hippomedon serratus | 1 | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Lysianassidae | | Hippomedon sp. | 1 | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Lysianassidae | | Lysianassidae indet. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Lysianassidae | | Orchomenella sp. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Melitidae | | Megamoera dentata | 1 | 3 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Melitidae | | Melita dentata | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Oedicerotidae | | Aceroides sp. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Oedicerotidae | | Bathymedon obtusifrons | 1 | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Oedicerotidae | | Monoculodes intermedium | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Oedicerotidae | | Monoculodes sp. | 1 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Oedicerotidae | | Oedicerotidae indet. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | Pontoporeiidae | | Pontoporeia femorata | 1 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARTH | CRAM | Arthropoda | Malacostraca | Amphipoda | | | Amphipoda indet. | 1 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Abbreviations & Definitions

Worksheets:

1. Abbrevi Glossary of terms and outline of report.
2. Data - N Total abundance data in matrix format, including total taxa count per sample and total abundance per sample.
3. Data - L Raw abundance data in long format.
4. QC-QA I Results of sorting efficiency.

Life Stages:

| | |
|------|--|
| A | Adult |
| Int | Intermediate - has adult features but not of typical reproductive size |
| J | Juvenile |
| L | Larvae |
| N | Nymph |
| P | Pupa |
| Col | Colony |
| Deut | Deutonymph |

MEMO Incidental taxa/fragments not included in data, or whose abundance is not generally captured accurately by 1.0mm screen.

Total Num Number of unique taxa (=species richness), not including higher-order taxa for which there exists a lower-order identification (e.g. not including *Lumbrineris* sp. if there exists *Lumbrineris cruzensis* in the data)

Total Num Total Abundance, not including incidental taxa

Biologica Coding

Major Taxonomic Groups:

Miscellaneous

| | |
|------|-------------------|
| BRAC | Brachiopoda |
| BRYO | Bryozoa |
| CNAN | Cnidaria Anthozoa |
| CNHY | Cnidaria Hydrozoa |
| CNXX | Cnidaria |
| ENTO | Entoprocta |
| EURA | Echiura |
| HEMI | Hemichordata |
| KINO | Kinorhyncha |
| NTEA | Nemertea |
| PHOR | Phoronida |
| PIXX | Pisces |
| PLTY | Platyhelminthes |
| PORI | Porifera |
| PRIA | Priapulida |
| SIPN | Sipuncula |
| TARD | Tardigrada |
| URAS | Ascidacea |

Annelida

| | |
|------|-----------------------|
| ANHI | Annelida Hirudinea |
| ANOL | Annelida Oligochaeta |
| POER | Polychaeta Errantia |
| POSE | Polychaeta Sedentaria |
| POLY | Polychaeta |
| POXX | Polychaeta indet. |

Arthropoda

| | |
|------|-------------------------|
| CHPY | Chelicerata Pycnogonida |
| CHAC | Chelicerata Arachnida |
| CRAM | Crustacea Amphipoda |
| CRCI | Crustacea Cirripedia |
| CRCO | Crustacea Copepoda |
| CRCL | Crustacea Cumacea |
| CRDE | Crustacea Decapoda |
| CRIS | Crustacea Isopoda |
| CRLE | Crustacea Leptostraca |
| CRMY | Crustacea Mysidacea |
| CROS | Crustacea Ostracoda |
| CRTA | Crustacea Tanaidacea |
| CRXX | Crustacea |

Echinodermata

| | |
|------|-----------------------------|
| ECAS | Echinodermata Asteroidea |
| ECCR | Echinodermata Crinoidea |
| ECEC | Echinodermata Echinoidea |
| ECHO | Echinodermata Holothuroidea |
| ECOP | Echinodermata Ophiuroidea |

Mollusca

| | |
|------|--------------------------|
| MOAP | Mollusca Aplousobranchia |
| MOBI | Mollusca Bivalvia |
| MOCE | Mollusca Cephalopoda |
| MOGA | Mollusca Gastropoda |
| MOPO | Mollusca Polyplacophora |
| MOSC | Mollusca Scaphopoda |

Taxonomic Family Codes:

| Group | Family | Family code | Group | Family | Family code |
|-------|--------------------|-------------|-------|------------------|-------------|
| ANHI | Piscicolidae | 1138 | KINO | Echinoderidae | 1148 |
| ANOL | Enchytraeidae | 1133 | KINO | Neocentrophyidae | 1150 |
| ANOL | Naididae | 1134 | KINO | Pycnophyidae | 1152 |
| ANOL | Tubificidae | 1136 | KINO | Semnoderidae | 1154 |
| BRAC | Frieleidae | 0951 | MOAP | Chaetodermatidae | 0338 |
| BRAC | Cancellothyrididae | 0952 | MOAP | Limifossoridae | 0340 |
| BRAC | Craniidae | 0953 | MOBI | Anomiidae | 0348 |
| BRAC | Laqueidae | 0954 | MOBI | Aricidae | 0350 |
| BRAC | Platidiidae | 0955 | MOBI | Astartidae | 0352 |
| BRAC | Lingulidae | 0956 | MOBI | Cardiidae | 0354 |
| BRAC | Dallinidae | 0957 | MOBI | Carditidae | 0356 |
| BRAC | Terebrataliidae | 0958 | MOBI | Chamidae | 0358 |
| BRYO | Aeteidae | 0961 | MOBI | Corbiculidae | 0360 |
| BRYO | Alcyonidiidae | 0962 | MOBI | Corbulidae | 0362 |
| BRYO | Annectocymidae | 0964 | MOBI | Crassatellidae | 0364 |
| BRYO | Arachnidiidae | 0966 | MOBI | Cuspidariidae | 0366 |
| BRYO | Bugulidae | 0968 | MOBI | Dimyidae | 0368 |
| BRYO | Bitectiporidae | 0969 | MOBI | Donacidae | 0370 |
| BRYO | Calloporidae | 0970 | MOBI | Galeommatidae | 0372 |
| BRYO | Candidae | 0972 | MOBI | Gastrochaenidae | 0374 |
| BRYO | Cellariidae | 0974 | MOBI | Glycymerididae | 0376 |
| BRYO | Celleporidae | 0976 | MOBI | Hiatellidae | 0378 |
| BRYO | Chapperiidae | 0980 | MOBI | Isognomonidae | 0380 |
| BRYO | Cheiloporinidae | 0981 | MOBI | Kelliellidae | 0382 |
| BRYO | Clavoporidae | 0982 | MOBI | Lasaeidae | 0384 |
| BRYO | Cribrulinidae | 0983 | MOBI | Laternulidae | 0386 |
| BRYO | Crisiidae | 0984 | MOBI | Limidae | 0388 |
| BRYO | Diastoporidae | 0985 | MOBI | Limopsidae | 0390 |
| BRYO | Epistomiidae | 0986 | MOBI | Lucinidae | 0392 |
| BRYO | Escharellidae | 0987 | MOBI | Lyonsiidae | 0394 |
| BRYO | Entalophoridae | 0988 | MOBI | Mactridae | 0396 |
| BRYO | Diaperoeciidae | 0989 | MOBI | Malletiidae | 0398 |
| BRYO | Electridae | 0990 | MOBI | Manzanellidae | 0400 |
| BRYO | Eucrateidae | 0993 | MOBI | Modiolatus | 0401 |
| BRYO | Hincksinidae | 0988 | MOBI | Myidae | 0402 |
| BRYO | Hippoporinidae | 0989 | MOBI | Mytilidae | 0404 |
| BRYO | Hippothoidae | 0990 | MOBI | Neilonellidae | 0406 |
| BRYO | Lichenoporidae | 0991 | MOBI | Neoleptonidae | 0408 |
| BRYO | Lunulariidae | 0992 | MOBI | Noetillidae | 0410 |
| BRYO | Membraniporidae | 0994 | MOBI | Nuculanidae | 0412 |
| BRYO | Microporellidae | 0996 | MOBI | Nuculidae | 0414 |
| BRYO | Microporidae | 0998 | MOBI | Ostreidae | 0416 |
| BRYO | Mucronellidae | 0999 | MOBI | Pandoridae | 0418 |
| BRYO | Myriaporidae | 1000 | MOBI | Pectinidae | 0420 |
| BRYO | Oncousoeciidae | 1001 | MOBI | Periplomatidae | 0422 |
| BRYO | Phylactellidae | 1002 | MOBI | Petricolidae | 0424 |
| BRYO | Reteporidae | 1001 | MOBI | Pharidae | 0426 |
| BRYO | Rhamphostomellidae | 1004 | MOBI | Philobryidae | 0428 |
| BRYO | Schizoporellidae | 1006 | MOBI | Pholadidae | 0430 |
| BRYO | Smittinidae | 1008 | MOBI | Pinnidae | 0432 |
| BRYO | Stomachetosellidae | 1009 | MOBI | Poromyidae | 0434 |
| BRYO | Thalamoporellidae | 1010 | MOBI | Pristiglomidae | 0436 |
| BRYO | Triticellidae | 1012 | MOBI | Propeamussiidae | 0438 |
| BRYO | Tubuliporidae | 1014 | MOBI | Psammobiidae | 0440 |
| BRYO | Umbonulidae | 1015 | MOBI | Pteriidae | 0442 |
| BRYO | Vesiculariidae | 1016 | MOBI | Saccella | 0443 |
| BRYO | Victorellidae | 1017 | MOBI | Semelidae | 0444 |
| CHAC | Halacaridae | 0673 | MOBI | Siliculidae | 0446 |
| CHPY | Ammotheidae | 0662 | MOBI | Solecurtidae | 0448 |
| CHPY | Callipallenidae | 0664 | MOBI | Solemyidae | 0450 |
| CHPY | Nymphonidae | 0666 | MOBI | Solenidae | 0452 |
| CHPY | Phoxichilidiidae | 0668 | MOBI | Spheniopsidae | 0454 |
| CHPY | Pycnogonidae | 0670 | MOBI | Tellinidae | 0456 |
| CHPY | Tanystylidae | 0672 | MOBI | Teredinidae | 0458 |
| CNAN | Actiniidae | 0040 | MOBI | Thraciidae | 0460 |
| CNAN | Actinostolidae | 0041 | MOBI | Thyasiridae | 0462 |
| CNAN | Anthothelidae | 0043 | MOBI | Tindariidae | 0464 |
| CNAN | Caryophylliidae | 0042 | MOBI | Trapezidae | 0466 |
| CNAN | Cerianthidae | 0044 | MOBI | Turtoniidae | 0468 |
| CNAN | Clavulariidae | 0046 | MOBI | Ungulinidae | 0470 |
| CNAN | Corallimorphidae | 0048 | MOBI | Veneridae | 0472 |
| CNAN | Dendrophylliidae | 0049 | MOBI | Verticordiidae | 0474 |
| CNAN | Diadumenidae | 0050 | MOBI | Vesicomysidae | 0476 |
| CNAN | Edwardsiidae | 0052 | MOBI | Yoldiidae | 0478 |
| CNAN | Epizoanthidae | 0054 | MOCE | Histioteuthidae | 0652 |
| CNAN | Gorgoniidae | 0056 | MOCE | Loliginiidae | 0654 |
| CNAN | Halcampidae | 0058 | MOCE | Octopodidae | 0656 |
| CNAN | Halcampoididae | 0060 | MOCE | Opisthoteuthidae | 0658 |
| CNAN | Haloclavidae | 0062 | MOCE | Sepiolidae | 0660 |
| CNAN | Hormanthiidae | 0064 | MOGA | Acmaeidae | 0480 |
| CNAN | Isanthidae | 0066 | MOGA | Acteonidae | 0482 |
| CNAN | Limnactiniidae | 0068 | MOGA | Adeorbidae | 0484 |
| CNAN | Metridiidae | 0070 | MOGA | Aeolidiidae | 0486 |
| CNAN | Muriceidae | 0072 | MOGA | Aglajidae | 0488 |

Taxonomic Family Codes:

| Group | Family | Family code | Group | Family | Family code |
|-------|--------------------|-------------|-------|-------------------|-------------|
| CNAN | Pennatulidae | 0074 | MOGA | Aplysiidae | 0490 |
| CNAN | Plexauridae | 0076 | MOGA | Archidorididae | 0492 |
| CNAN | Protoptilidae | 0077 | MOGA | Arminidae | 0494 |
| CNAN | Renillidae | 0078 | MOGA | Barleeidae | 0496 |
| CNAN | Sagartiidae | 0080 | MOGA | Buccinidae | 0498 |
| CNAN | Virgulariidae | 0082 | MOGA | Bullidae | 0500 |
| CNHY | Aequoreidae | 0083 | MOGA | Bursidae | 0502 |
| CNHY | Aglaopheniidae | 0084 | MOGA | Cadlinidae | 0504 |
| CNHY | Cladonematidae | 0085 | MOGA | Caecidae | 0506 |
| CNHY | Alcycellidae | 0086 | MOGA | Calliostomatidae | 0507 |
| CNHY | Bonneviellidae | 0087 | MOGA | Calyptraeidae | 0508 |
| CNHY | Bougainvilliidae | 0088 | MOGA | Cancellariidae | 0510 |
| CNHY | Calycopsidae | 0089 | MOGA | Cerithiidae | 0512 |
| CNHY | Campanulariidae | 0090 | MOGA | Cerithiopsidae | 0514 |
| CNHY | Eirenidae | 0091 | MOGA | Colloniidae | 0515 |
| CNHY | Campanulinidae | 0092 | MOGA | Columbellidae | 0516 |
| CNHY | Clavidae | 0093 | MOGA | Mangeliidae | 0518 |
| CNHY | Corymorphidae | 0094 | MOGA | Conidae | 0519 |
| CNHY | Corynidae | 0095 | MOGA | Conualeviidae | 0520 |
| CNHY | Eudendriidae | 0096 | MOGA | Coralliophilidae | 0522 |
| CNHY | Haleciidae | 0097 | MOGA | Corambidae | 0524 |
| CNHY | Hebellidae | 0098 | MOGA | Cumanotidae | 0526 |
| CNHY | Halimedusidae | 0099 | MOGA | Cylichnidae | 0528 |
| CNHY | Hydractiniidae | 0100 | MOGA | Cymatiidae | 0529 |
| CNHY | Laodiceidae | | MOGA | Dendrodorididae | 0530 |
| CNHY | Lafoeidae | 0101 | MOGA | Dendronotidae | 0532 |
| CNHY | Lovenellidae | 0102 | MOGA | Diaphanidae | 0534 |
| CNHY | Mitrocomidae | 0103 | MOGA | Dironidae | 0536 |
| CNHY | Olindiasidae | 0104 | MOGA | Discodorididae | 0538 |
| CNHY | Pandaeidae | 0105 | MOGA | Dorididae | 0539 |
| CNHY | Pennariidae | 0106 | MOGA | Dotoidae | 0540 |
| CNHY | Euphysidae | 0107 | MOGA | Epitoniidae | 0542 |
| CNHY | Plumulariidae | 0108 | MOGA | Eulimidae | 0544 |
| CNHY | Proboscidactylidae | 0109 | MOGA | Facelinidae | 0546 |
| CNHY | Protohydridae | | MOGA | Fascioliariidae | 0548 |
| CNHY | Rathkeidae | | MOGA | Fissurellidae | 0550 |
| CNHY | Rhodaliidae | 0110 | MOGA | Flabellinidae | 0552 |
| CNHY | Rhysiidae | 0111 | MOGA | Gastropteridae | 0554 |
| CNHY | Sertulariidae | 0112 | MOGA | Goniodorididae | 0556 |
| CNHY | Tiarannidae | 0113 | MOGA | Haminoeidae | 0558 |
| CNHY | Trichydridae | | MOGA | Hermaeidae | 0560 |
| CNHY | Tubulariidae | 0114 | MOGA | Hipponicidae | 0562 |
| CNHY | Velellidae | 0115 | MOGA | Aplustridae | 0564 |
| CNHY | Cordylophoridae | 0116 | MOGA | Littorinidae | 0566 |
| CNHY | Calycellidae | 0117 | MOGA | Lamellariidae | 0568 |
| CRAM | Iphimediidae | 0760 | MOGA | Lepetidae | 0570 |
| CRAM | Ampeliscidae | 0762 | MOGA | Litiopidae | 0572 |
| CRAM | Amphilochidae | 0764 | MOGA | Lottiidae | 0574 |
| CRAM | Ampithoidae | 0766 | MOGA | Cysticidae | 0576 |
| CRAM | Anisogammaridae | 0767 | MOGA | Mitridae | 0578 |
| CRAM | Anamixidae | 0768 | MOGA | Muricidae | 0580 |
| CRAM | Aoridae | 0770 | MOGA | Nassariidae | 0582 |
| CRAM | Argissidae | 0772 | MOGA | Naticidae | 0584 |
| CRAM | Astyridae | 0774 | MOGA | Notodorididae | 0586 |
| CRAM | Bateidae | 0776 | MOGA | Nucellidae | 0587 |
| CRAM | Beaudettiidae | 0778 | MOGA | Oleidae | 0588 |
| CRAM | Calliopiidae | 0780 | MOGA | Olividae | 0590 |
| CRAM | Caprellidae | 0782 | MOGA | Onchidorididae | 0592 |
| CRAM | Cheluridae | 0784 | MOGA | Ovulidae | 0594 |
| CRAM | Colomastigidae | 0786 | MOGA | Philinidae | 0596 |
| CRAM | Corophiidae | 0788 | MOGA | Platydorididae | 0598 |
| CRAM | Cressidae | 0790 | MOGA | Pleurobranchidae | 0600 |
| CRAM | Dexaminidae | 0792 | MOGA | Polyceratidae | 0602 |
| CRAM | Dogielinotidae | 0794 | MOGA | Potamididae | 0603 |
| CRAM | Eophliantidae | 0796 | MOGA | Pseudomelatomidae | 0604 |
| CRAM | Eusiridae | 0798 | MOGA | Pyramidellidae | 0606 |
| CRAM | Gammaridae | 0800 | MOGA | Retusidae | 0608 |
| CRAM | Haustoriidae | 0802 | MOGA | Rissoidae | 0610 |
| CRAM | Hyalidae | 0804 | MOGA | Scaphandridae | 0612 |
| CRAM | Hyatellidae | 0806 | MOGA | Sciddurellidae | 0614 |
| CRAM | Hyperlopsidae | 0808 | MOGA | Stiligeridae | 0615 |
| CRAM | Isaeidae | 0810 | MOGA | Terebridae | 0616 |
| CRAM | Ischyroceridae | 0812 | MOGA | Tergipedidae | 0618 |
| CRAM | Kuriidae | 0814 | MOGA | Tethyidae | 0620 |
| CRAM | Lafystiidae | 0816 | MOGA | Trichotropidae | 0621 |
| CRAM | Laphystiopsidae | 0818 | MOGA | Tritoniidae | 0622 |
| CRAM | Lepechinellidae | 0820 | MOGA | Triviidae | 0624 |
| CRAM | Leucothoidae | 0822 | MOGA | Trochidae | 0626 |
| CRAM | Liljeborgiidae | 0824 | MOGA | Truncatellidae | 0628 |
| CRAM | Lysianassidae | 0826 | MOGA | Turbinidae | 0630 |
| CRAM | Megaluropidae | 0827 | MOGA | Turbinellidae | 0632 |
| CRAM | Melphidippidae | 0828 | MOGA | Turridae | 0634 |
| CRAM | Melitidae | 0829 | MOGA | Turritellidae | 0636 |
| CRAM | Ochlesidae | 0830 | MOGA | Vanikoridae | 0638 |

Taxonomic Family Codes:

| Group | Family | Family code | Group | Family | Family code |
|-------|------------------|-------------|-------|---------------------|-------------|
| CRAM | Maeridae | 0831 | MOGA | Velutinidae | 0471 |
| CRAM | Oedicerotidae | 0832 | MOGA | Vermetidae | 0640 |
| CRAM | Opisidae | 0833 | MOGA | Vitrinellidae | 0642 |
| CRAM | Pagetinidae | 0834 | MOPO | Callistoplacidae | 0341 |
| CRAM | Odiidae | 0835 | MOPO | Ischnochitonidae | 0342 |
| CRAM | Paramphithoidae | 0836 | MOPO | Protochitonidae | 0343 |
| CRAM | Pardaliscidae | 0838 | MOPO | Leptochitonidae | 0344 |
| CRAM | Pariambidae | 0840 | MOPO | Tonicellidae | 0345 |
| CRAM | Philiantidae | 0842 | MOPO | Mopaliidae | 0346 |
| CRAM | Phoxocephalidae | 0844 | MOPO | Schizoplacidae | 0347 |
| CRAM | Phtiscidae | 0846 | MOPO | Lepidochitonidae | 0348 |
| CRAM | Pleustidae | 0848 | MOSC | Dentaliidae | 0644 |
| CRAM | Podoceridae | 0850 | MOSC | Gadilidae | 0646 |
| CRAM | Pontogeneiidae | 0851 | MOSC | Pulsellidae | 0647 |
| CRAM | Prophiantidae | 0852 | MOSC | Rhabdidae | 0648 |
| CRAM | Pontoporeiidae | 0853 | MOSC | Siphonodentaliidae | 0650 |
| CRAM | Protellidae | 0854 | NTEA | Amphiporidae | 0140 |
| CRAM | Sebidae | 0856 | NTEA | Carinomidae | 0142 |
| CRAM | Stegocephalidae | 0858 | NTEA | Cephalothricidae | 0144 |
| CRAM | Stenothoidae | 0859 | NTEA | Emplectonematidae | 0146 |
| CRAM | Stilipedidae | 0860 | NTEA | Lineidae | 0148 |
| CRAM | Synopiidae | 0862 | NTEA | Cratenemertidae | 0149 |
| CRAM | Talitridae | 0864 | NTEA | Ototyphlonemertidae | 0150 |
| CRAM | Thaumatelsonidae | 0866 | NTEA | Prosorhochmidae | 0152 |
| CRAM | Urothoidae | 0865 | NTEA | Tetrastemmatidae | 0154 |
| CRAM | Vitjazianidae | 0868 | NTEA | Tubulanidae | 0156 |
| CRCO | Clytemnestridae | 1300 | NTEA | Valenciinidae | 0158 |
| CRCO | Harpacticidae | 1301 | PHOR | Phoronidae | 0950 |
| CRCO | Mytilicolidae | 1302 | PIXX | Anarhichadidae | 1190 |
| CRCO | Chondracanthidae | 1303 | PIXX | Ammodytidae | 1195 |
| CRCO | Caligidae | 1304 | PIXX | Cryptacanthodidae | 1200 |
| CRCO | Tisbidae | 1305 | PIXX | Stichaeidae | 1210 |
| CRCO | Ectinosomatidae | 1306 | PIXX | Bathylagidae | 1220 |
| CRCI | Archaeobalanidae | 0688 | PIXX | Batrachoididae | 1230 |
| CRCI | Balanidae | 0690 | PIXX | Gobiidae | 1240 |
| CRCI | Chthamalidae | 0691 | PIXX | Liparidae | 1250 |
| CRCI | Pollicipedidae | 0693 | PIXX | Agonidae | 1255 |
| CRCI | Scalpellidae | 0692 | PIXX | Zoarcidae | 1260 |
| CRCU | Bodotriidae | 0698 | PIXX | Scorpaenidae | 1270 |
| CRCU | Diastylidae | 0700 | PIXX | Pholidae | 1271 |
| CRCU | Lampropidae | 0702 | PLTY | Callioplanidae | 0116 |
| CRCU | Leuconidae | 0704 | PLTY | Cryptocelididae | 0118 |
| CRCU | Nannastacidae | 0706 | PLTY | Emprostopharyngidae | 0120 |
| CRDE | Albuneidae | 0870 | PLTY | Euryleptidae | 0122 |
| CRDE | Alpheidae | 0872 | PLTY | Holoplanidae | 0124 |
| CRDE | Aristeidae | 0874 | PLTY | Latocestidae | 0126 |
| CRDE | Atelecyclidae | 0875 | PLTY | Leptoplanidae | 0128 |
| CRDE | Axiidae | 0876 | PLTY | Planoceridae | 0130 |
| CRDE | Calappidae | 0878 | PLTY | Pleioplanidae | 0131 |
| CRDE | Callianassidae | 0880 | PLTY | Plehnidae | 0132 |
| CRDE | Cancridae | 0882 | PLTY | Promesostomidae | 0133 |
| CRDE | Crangonidae | 0884 | PLTY | Prosthiostomidae | 0134 |
| CRDE | Cyclodorippidae | 0886 | PLTY | Pseudocerotidae | 0136 |
| CRDE | Diogenidae | 0888 | PLTY | Stylochidae | 0138 |
| CRDE | Dromiidae | 0890 | POER | Aceotidae | 0160 |
| CRDE | Galatheidae | 0892 | POER | Alciopidae | 0162 |
| CRDE | Grapsidae | 0894 | POER | Amphinomidae | 0164 |
| CRDE | Hippidae | 0896 | POER | Aphroditidae | 0166 |
| CRDE | Hippolytidae | 0898 | POER | Chrysopetalidae | 0168 |
| CRDE | Homolidae | 0900 | POER | Diurodrilidae | 0170 |
| CRDE | Laomediidae | 0902 | POER | Dorvilleidae | 0172 |
| CRDE | Leucosiidae | 0904 | POER | Eulepethidae | 0174 |
| CRDE | Lithodidae | 0906 | POER | Eunicidae | 0176 |
| CRDE | Majidae | 0908 | POER | Euphosinidae | 0178 |
| CRDE | Ogyrididae | 0910 | POER | Glyceridae | 0180 |
| CRDE | Oplophoridae | 0912 | POER | Goniadidae | 0182 |
| CRDE | Oregoniidae | 0913 | POER | Hartmaniellidae | 0184 |
| CRDE | Paguridae | 0914 | POER | Hesionidae | 0186 |
| CRDE | Palaemonidae | 0916 | POER | Histriobdellidae | 0188 |
| CRDE | Palicidae | 0918 | POER | Ichthyotomidae | 0190 |
| CRDE | Palinuridae | 0920 | POER | Iospilidae | 0192 |
| CRDE | Pandalidae | 0922 | POER | Lacydoniidae | 0194 |
| CRDE | Parapaguridae | 0924 | POER | Lopadorhynchidae | 0196 |
| CRDE | Parthenopidae | 0926 | POER | Lumbrineridae | 0198 |
| CRDE | Pasiphaeidae | 0928 | POER | Nautiliniellidae | 0200 |
| CRDE | Penaeidae | 0930 | POER | Nephtyidae | 0202 |
| CRDE | Pinnotheridae | 0932 | POER | Nereididae | 0204 |
| CRDE | Porcellanidae | 0934 | POER | Oeonidae | 0206 |
| CRDE | Portunidae | 0936 | POER | Onuphidae | 0208 |
| CRDE | Processidae | 0938 | POER | Paralacydoniidae | 0210 |
| CRDE | Sergestidae | 0940 | POER | Pholoidae | 0212 |
| CRDE | Sicyoniidae | 0942 | POER | Phyllodocidae | 0214 |
| CRDE | Solenoceridae | 0944 | POER | Pilargidae | 0216 |
| CRDE | Upogebiidae | 0946 | POER | Pisionidae | 0218 |

Taxonomic Family Codes:

| Group | Family | Family code | Group | Family | Family code |
|-------|----------------------|-------------|-------|------------------|-------------|
| CRDE | Xanthidae | 0948 | POER | Polynoidae | 0220 |
| CRIS | Aegidae | 0720 | POER | Pontodoridae | 0222 |
| CRIS | Ancinidae | 0722 | POER | Sigalionidae | 0224 |
| CRIS | Anthuridae | 0724 | POER | Sphaerodoridae | 0226 |
| CRIS | Arcturidae | 0726 | POER | Syllidae | 0228 |
| CRIS | Bopyridae | 0728 | POER | Tomopteridae | 0230 |
| CRIS | Cirolanidae | 0730 | POER | Typhloscolecidae | 0232 |
| CRIS | Corallanidae | 0732 | PORI | Amphoriscidae | 0002 |
| CRIS | Cymothoidae | 0734 | PORI | Aphrocallistidae | 0004 |
| CRIS | Desmosomatidae | 0735 | PORI | Aplysillidae | 0005 |
| CRIS | Gnathiidae | 0736 | PORI | Axinellidae | 0006 |
| CRIS | Idoteidae | 0738 | PORI | Coelosphaeridae | 0007 |
| CRIS | Janiridae | 0740 | PORI | Clathriidae | 0008 |
| CRIS | Joeropsididae | 0742 | PORI | Desmacellidae | 0009 |
| CRIS | Limnoriidae | 0744 | PORI | Clathrinidae | 0010 |
| CRIS | Munnidae | 0746 | PORI | "Clionidae" | 0011 |
| CRIS | Munnopsidae | 0748 | PORI | Cyamonidae | 0012 |
| CRIS | Paramunnidae | 0750 | PORI | Dysideidae | 0013 |
| CRIS | Paranthuridae | 0752 | PORI | Grantiidae | 0014 |
| CRIS | Scyphacidae | 0753 | PORI | Halichondriidae | 0015 |
| CRIS | Serolidae | 0754 | PORI | Haliclonidae | 0016 |
| CRIS | Sphaeromatidae | 0756 | PORI | Halisarcidae | 0019 |
| CRIS | Tridentellidae | 0758 | PORI | Hymedesmiidae | 0021 |
| CRLE | Nebaliidae | 0694 | PORI | Hymeniacionidae | 0017 |
| CRMY | Mysidae | 0696 | PORI | Leucosoleniidae | 0018 |
| CROS | Cylindroleberididae | 0674 | PORI | Microcionidae | 0019 |
| CROS | Cyprididae | 0676 | PORI | Mycalidae | 0020 |
| CROS | Cypridinidae | 0678 | PORI | Myxillidae | 0022 |
| CROS | Cytheridae | 0677 | PORI | Pachastrellidae | 0024 |
| CROS | Cytheruridae | 0675 | PORI | Plakinidae | 0023 |
| CROS | Loxoconchidae | 0679 | PORI | Polymastiidae | 0025 |
| CROS | Macrocyprididae | 0680 | PORI | Raspailiidae | 0026 |
| CROS | Paradoxostomatidae | 0681 | PORI | Rossellidae | 0028 |
| CROS | Philomedidae | 0682 | PORI | Spirastrellidae | 0030 |
| CROS | Pontocyprididae | 0683 | PORI | Stellettidae | 0032 |
| CROS | Rutidermatidae | 0684 | PORI | Suberitidae | 0034 |
| CROS | Sarsiellidae | 0686 | PORI | Sycettidae | 0035 |
| CROS | Trachyleberididae | 0687 | PORI | Tethyidae | 0036 |
| CRTA | Anarthruridae | 0708 | PORI | Tedaniidae | 0037 |
| CRTA | Akanthophoreidae | 0709 | PORI | Tetillidae | 0038 |
| CRTA | Leptocheliidae | 0710 | POSE | Aberrantidae | 0234 |
| CRTA | Leptognathiidae | 0711 | POSE | Acrocirridae | 0236 |
| CRTA | Nototanidae | 0713 | POSE | Aeolosomatidae | 0238 |
| CRTA | Paratanidae | 0712 | POSE | Alvinellidae | 0240 |
| CRTA | Pseudotanidae | 0714 | POSE | Ampharetidae | 0242 |
| CRTA | Tanaellidae | 0715 | POSE | Apistobranchidae | 0244 |
| CRTA | Tanidae | 0716 | POSE | Arenicolidae | 0246 |
| CRTA | Typhlotanidae | 0718 | POSE | Capitellidae | 0248 |
| ECAS | Asteriidae | 1020 | POSE | Chaetopteridae | 0250 |
| ECAS | Asterinidae | 1022 | POSE | Cirratulidae | 0252 |
| ECAS | Asteropseidae | 1024 | POSE | Cossuridae | 0254 |
| ECAS | Astropectinidae | 1026 | POSE | Ctenodrilidae | 0256 |
| ECAS | Benthopectinidae | 1028 | POSE | Fabriciidae | 0257 |
| ECAS | Brisingidae | 1030 | POSE | Fauveliopsidae | 0258 |
| ECAS | Ctenodiscidae | 1032 | POSE | Flabelligeridae | 0260 |
| ECAS | Echinasteridae | 1034 | POSE | Longosomatidae | 0262 |
| ECAS | Freyellidae | 1036 | POSE | Magelonidae | 0264 |
| ECAS | Goniasteridae | 1038 | POSE | Maldanidae | 0266 |
| ECAS | Korethrasteridae | 1040 | POSE | Nerillidae | 0268 |
| ECAS | Labidiasteridae | 1042 | POSE | Opheliidae | 0270 |
| ECAS | Luididae | 1044 | POSE | Orbiniidae | 0272 |
| ECAS | Pedicellasteridae | 1046 | POSE | Oweniidae | 0274 |
| ECAS | Poraniidae | 1048 | POSE | Paraonidae | 0276 |
| ECAS | Porcellanasteridae | 1050 | POSE | Parergodrilidae | 0278 |
| ECAS | Pterasteridae | 1052 | POSE | Pectinariidae | 0280 |
| ECAS | Solasteridae | 1054 | POSE | Poecilochaetidae | 0282 |
| ECAS | Zoroasteridae | 1056 | POSE | Poebiiidae | 0284 |
| ECCR | Antedonidae | 1018 | POSE | Polygordiidae | 0286 |
| ECEC | Brissidae | 1076 | POSE | Potamodrilidae | 0288 |
| ECEC | Dendrasteridae | 1078 | POSE | Protodrilidae | 0290 |
| ECEC | Loveniidae | 1080 | POSE | Protodriloididae | 0292 |
| ECEC | Schizasteridae | 1082 | POSE | Psammodrillidae | 0294 |
| ECEC | Spatangidae | 1084 | POSE | Questidae | 0296 |
| ECEC | Strongylocentrotidae | 1086 | POSE | Sabellariidae | 0298 |
| ECEC | Toxopneustidae | 1088 | POSE | Sabellidae | 0300 |
| ECHO | Caudinidae | 1090 | POSE | Saccocirridae | 0302 |
| ECHO | Chirodotidae | 1092 | POSE | Scalibregmatidae | 0304 |
| ECHO | Cucumariidae | 1094 | POSE | Serpulidae | 0306 |
| ECHO | Molpadiidae | 1096 | POSE | Spintheridae | 0308 |
| ECHO | Phylloporidae | 1098 | POSE | Spionidae | 0310 |
| ECHO | Psolidae | 1100 | POSE | Spirorbidae | 0311 |
| ECHO | Sclerodactylidae | 1102 | POSE | Sternaspidae | 0312 |
| ECHO | Stichopodidae | 1104 | POSE | Terebellidae | 0314 |
| ECHO | Synallactidae | 1106 | POSE | Trichobranchidae | 0316 |

Taxonomic Family Codes:

| Group | Family | Family code | Group | Family | Family code |
|-------|-------------------|-------------|-------|-------------------|-------------|
| ECHO | Synaptidae | 1108 | POSE | Trochochaetidae | 0318 |
| ECOP | Amphiuridae | 1058 | POSE | Uncispionidae | 0320 |
| ECOP | Gorgonocephalidae | 1060 | PRIA | Maccabeidae | 1156 |
| ECOP | Ophiacanthidae | 1062 | PRIA | Priapulidae | 1158 |
| ECOP | Ophiactidae | 1064 | PRIA | Tubiluchidae | 1160 |
| ECOP | Ophiocomidae | 1066 | SIPN | Aspidosiphonidae | 0328 |
| ECOP | Ophiodermatidae | 1068 | SIPN | Golfingiidae | 0330 |
| ECOP | Ophionereidae | 1070 | SIPN | Phascolionidae | 0332 |
| ECOP | Ophiotricidae | 1072 | SIPN | Themistidae | 0333 |
| ECOP | Ophiuridae | 1074 | SIPN | Phascolosomatidae | 0334 |
| ENTO | Barentsiidae | 0958 | SIPN | Sipunculidae | 0336 |
| ENTO | Pedicellinidae | 0959 | TARD | Echiniscoididae | 0661 |
| ENTO | Loxosomatidae | 0960 | URAS | Agneziidae | 1110 |
| EURA | Bonelliidae | 0322 | URAS | Cionidae | 1112 |
| EURA | Echiuridae | 0323 | URAS | Clavelinidae | 1113 |
| EURA | Thalassematidae | 0324 | URAS | Corellidae | 1114 |
| EURA | Urechidae | 0326 | URAS | Didemnidae | 1115 |
| HEMI | Harrimaniidae | 1126 | URAS | Molgulidae | 1116 |
| HEMI | Ptychoderidae | 1128 | URAS | Polycitoridae | 1118 |
| HEMI | Spengeliidae | 1130 | URAS | Polyclinidae | 1120 |
| KINO | Campiloderidae | 1140 | URAS | Pyuridae | 1122 |
| KINO | Cateriidae | 1142 | URAS | Ritterellidae | 1123 |
| KINO | Centroderidae | 1144 | URAS | Styelidae | 1124 |
| KINO | Condyloderidae | 1146 | URAS | Asciidae | 1132 |



Marine Benthic Enumeration and Identification Methods

Client: Golder

Project: Rankin Inlet 2018

Sample Inventory

Sample arrival: September 26, 2018

Number of samples: 24

Number of jars: 24

Screen size (lab): 500 µm

Biologica project number: 18-105

The chain of custody documents were checked and approved with the client. Samples were transferred from formalin into 70% ethanol, and stained with Rose Bengal to aid in sorting. Each sample was provided a unique identification number and placed in the queue for analysis.

Table 1. Summary of benthic samples processed for Golder Rankin Inlet 2018.

| Client Sample ID | Replicate | Date Sampled | Biologica Sample ID | Split | Organisms Counted |
|------------------|-----------|--------------|---------------------|-------|-------------------|
| MB E-1 | 1 | 15-Sep-18 | 18-105-001 | Whole | 57 |
| MB E-1 | 2 | 15-Sep-18 | 18-105-002 | Whole | 42 |
| MB E-1 | 3 | 15-Sep-18 | 18-105-003 | Whole | 15 |
| MB E-2 | 1 | 16-Sep-18 | 18-105-004 | Whole | 59 |
| MB E-2 | 2 | 16-Sep-18 | 18-105-005 | Whole | 54 |
| MB E-2 | 3 | 16-Sep-18 | 18-105-006 | Whole | 45 |
| MB E-3 | 1 | 14-Sep-18 | 18-105-007 | Whole | 46 |
| MB E-3 | 2 | 14-Sep-18 | 18-105-008 | Whole | 38 |
| MB E-3 | 3 | 14-Sep-18 | 18-105-009 | Whole | 52 |
| MB E-4 | 1 | 14-Sep-18 | 18-105-010 | Whole | 66 |
| MB E-4 | 2 | 14-Sep-18 | 18-105-011 | Whole | 46 |
| MB E-4 | 3 | 14-Sep-18 | 18-105-012 | Whole | 60 |
| MB E-5 | 1 | 14-Sep-18 | 18-105-013 | Whole | 67 |
| MB E-5 | 2 | 14-Sep-18 | 18-105-014 | Whole | 120 |
| MB E-5 | 3 | 14-Sep-18 | 18-105-015 | Whole | 105 |
| MB REF A-1 | 1 | 16-Sep-18 | 18-105-016 | Whole | 51 |
| MB REF A-1 | 2 | 16-Sep-18 | 18-105-017 | Whole | 32 |
| MB REF A-1 | 3 | 16-Sep-18 | 18-105-018 | Whole | 26 |
| MB REF A-2 | 1 | 16-Sep-18 | 18-105-019 | Whole | 85 |
| MB REF A-2 | 2 | 16-Sep-18 | 18-105-020 | Whole | 67 |
| MB REF A-2 | 3 | 16-Sep-18 | 18-105-021 | Whole | 57 |
| MB REF A-3 | 1 | 19-Sep-18 | 18-105-022 | Whole | 63 |
| MB REF A-3 | 2 | 19-Sep-18 | 18-105-023 | Whole | 104 |
| MB REF A-3 | 3 | 19-Sep-18 | 18-105-024 | Whole | 43 |

Sample Processing

Sorting:

All samples were sorted using dissecting microscopes at 10–40x magnification by trained personnel. All debris in each sample was checked microscopically, including leaves, elutriated gravel, and other large debris. To minimize potential sorter bias, samples were distributed among technicians such that no one person sorted all the replicates of a given sample or station.

Sorting QA/QC:

To ensure sorting efficiency was >95%, whole and/or partial sub-samples were re-sorted. Sorting efficiency was calculated using the following equation (where total count = final total number of organisms in sample):

$$\text{Sorting efficiency} = \frac{[\text{total count} - (\text{organisms recovered in spot check and/or re-sort})]}{\text{total count}} \times 100\%$$

Due to low sample volumes all debris was sorted and rechecked during the identification process. All samples checked must meet or exceed 95% sorting efficiency. Any samples falling below 95% sorting efficiency were re-sorted in their entirety, and additional checks were undertaken as necessary. Refer to Table 2 for sorting efficiency results.

Table 2. Summary of sorting QA/QC results for Golder Rankin Inlet 2018.

| Client Sample ID | Replicate | Biologica Sample ID | Sorting Efficiency QC |
|------------------|-----------|---------------------|-----------------------|
| MB E-1 | 1 | 18-105-001 | 100.00% |
| MB E-1 | 2 | 18-105-002 | 100.00% |
| MB E-1 | 3 | 18-105-003 | 100.00% |
| MB E-2 | 1 | 18-105-004 | 100.00% |
| MB E-2 | 2 | 18-105-005 | 100.00% |
| MB E-2 | 3 | 18-105-006 | 100.00% |
| MB E-3 | 1 | 18-105-007 | 100.00% |
| MB E-3 | 2 | 18-105-008 | 100.00% |
| MB E-3 | 3 | 18-105-009 | 100.00% |
| MB E-4 | 1 | 18-105-010 | 100.00% |
| MB E-4 | 2 | 18-105-011 | 100.00% |
| MB E-4 | 3 | 18-105-012 | 100.00% |
| MB E-5 | 1 | 18-105-013 | 100.00% |
| MB E-5 | 2 | 18-105-014 | 100.00% |
| MB E-5 | 3 | 18-105-015 | 100.00% |
| MB REF A-1 | 1 | 18-105-016 | 100.00% |
| MB REF A-1 | 2 | 18-105-017 | 100.00% |
| MB REF A-1 | 3 | 18-105-018 | 100.00% |
| MB REF A-2 | 1 | 18-105-019 | 100.00% |
| MB REF A-2 | 2 | 18-105-020 | 100.00% |
| MB REF A-2 | 3 | 18-105-021 | 100.00% |
| MB REF A-3 | 1 | 18-105-022 | 100.00% |

| Client Sample ID | Replicate | Biologica Sample ID | Sorting Efficiency QC |
|------------------|-----------|---------------------|-----------------------|
| MB REF A-3 | 2 | 18-105-023 | 100.00% |
| MB REF A-3 | 3 | 18-105-024 | 100.00% |
| Average: | | | 100.00% |

Identification:

All organisms were identified using a combination of dissecting (10–40x) and compound microscopes (100–1000x) and standard taxonomic keys (see methodological and taxonomic references) to the lowest practicable level (species whenever possible). All specimens were archived in air-tight glass vials with glycerin and 70% ethanol for long-term storage. Taxonomic data were recorded in Biologica’s custom database.

Data Management

All data were recorded in Biologica’s custom database. Results were provided to the Golder project manager in Excel spreadsheets via email.

Selected Methodological and Taxonomic References

Arctic Ocean Diversity Website. <http://www.arcodiv.org/seabottom/Crustaceans.html>.

[Accessed: January 2018].

Barnich, R. 2011. Identification of scale worms in British and Irish waters. NMBAQC 2010 taxonomic workshop, Dove Marine Laboratory. 52pp.

Bernard, F.R. 1979. Bivalve Molluscs of the Western Beaufort Sea. Contributions in Science. Natural History Museum of Los Angeles County.

Blake, J.A. 2015. New species of Chaetozone and Tharyx (Polychaeta: Cirratulidae) from the Alaskan and Canadian Arctic and the Northeastern Pacific, including a description of the lectotype of Chaetozone setosa Malmgren from Spitsbergen in the Norwegian Arctic. Zootaxa. 3919(3): 501-552

Bousfield, E.L. 1973. Shallow-water Gammaridean amphipoda of New England. Comstock Publishing Associates.

Carlton J.T. 2007. Light’s Manual, Intertidal Invertebrates of the Central California Coast, Fourth Edition, Univ. of Calif. Press, Berkley. 964pp.

Clarke, A.H. 1974. Molluscs from Baffin Bay and the northern North Atlantic Ocean. National Museums of Canada Publications in Biological Oceanography. No. 7.

Coan, E.V., Scott, P.V., and Bernard, F.R. 2000. Bivalve Seashells of Western North America: Marine Bivalve Molluscs from Arctic Alaska to Baja California. Santa Barbara Museum of Natural History Monographs No. 2. 764pp.

- Dnestrovskaya, N.Yu. and Jirkov, I.A. 2011. Identification key for Nephtyidae (Polychaeta) of the Eastern Atlantic and the North Polar Basin. NMBAQC 2008 taxonomic workshop, Dove Marine Laboratory. 7pp
- Environment Canada. 2012. Metal Mining Environmental Effects Monitoring (EEM) Technical Guidance Document.
- Environment Canada. 2002. Revised Guidance for Sample Sorting and Subsampling Protocols for EEM Benthic Invertebrate Community Surveys. <https://www.ec.gc.ca/ese-eem/default.asp?lang=En&n=F919D331-1> . [Accessed January 2014].
- Environmental Protection Agency. 1987. Recommended Protocols for Sampling and Analyzing Macroinvertebrate Assemblages in Puget Sound. http://www.psparchives.com/our_work/science/protocols.htm. [Accessed January 2014].
- Garwood, P.R. 2007. Family Maldanidae - A guide to species in waters around the British Isles. NMBAQC 2006 taxonomic workshop, Dove Marine Laboratory.
- Giangrande, A., Licciano, M., and Wasson, B. 2015. Guide to identification of Sabellidae and Fabriciidae (Polychaeta) in north east Atlantic and Mediterranean waters. NMBAQC 2014 taxonomic workshop, Dove Marine Laboratory. 91pp.
- Jarvis, S. 2011. Hesionidae (Grube, 1850) - A Provisional Guide to the Identification of the British Species. Report to the NMBAQC 2008 taxonomic workshop, Dove Marine Laboratory. MIES Report, 10pp.
- Jirkov, I.A. 2011. Identification keys for Terebellomorpha (Polychaeta) of the Eastern Atlantic and the North Polar Basin. II. Ampharetidae. NMBAQC 2008 taxonomic workshop, Dove Marine Laboratory. 6pp.
- Keast, M.A. and Lawrence, M.J. 1990. A collection of Amphipoda from the southern Beaufort Sea. Fisheries and Oceans, Canada
- Kongsfjorden & Hornsund. European Marine Biodiversity Sites. Marine Biodiversity and Ecosystem Functioning Network of Excellence & Arctic Ocean Diversity. Available from: <http://www.iopan.gda.pl/projects/biodaff/>. [Accessed: January 2018].
- Kornicker, L.S. 1988. Myodocopid ostracoda of the Beaufort Sea, Arctic Ocean.
- Kozloff, E.N. 1987. Marine Invertebrates of the Pacific Northwest. Univ. of Wash. Press, Seattle. 511pp.
- Macpherson, E. 1971. Marine molluscs of Arctic Canada. National Museums of Canada Publications in Biological Oceanography. No. 3.
- Menzies, R.J. and Mohr, J.L. 1962. Benthic Tanaidacea and Isopoda from the Alaskan Arctic and the polar Basin. *Crustaceana*, 3(3), 192-202.

- Millar, R.H. 1970. British Ascidians, Tunicata: Ascidiacea, Keys and Notes for the Identification of the species. Academic Press. London and New York
- Oliver, P.G., Holmes, A.M., Killeen, I.J., and Turner, J.A. 2016. Marine Bivalve Shells of the British Isles. Amgueddfa Cymru - National Museum Wales. Available from: <http://naturalhistory.museumwales.ac.uk/britishbivalves> [Accessed: January 2018].
- Oug, E. 2012. Guide to identification of Lumbrineridae (Polychaeta) in North East Atlantic waters. NMBAQC 2010 taxonomic workshop, Dove Marine Laboratory. 31pp.
- Rowe, G.A. 2010. A Provisional Guide to the family Opheliidae (Polychaeta) from the shallow waters of the British Isles. NMBAQC 2008 taxonomic workshop, Dove Marine Laboratory. EMU Report, 12pp.
- Squires, H.J. 1990. Decapod Crustacea of the Atlantic coast of Canada. Can. Bull. Fish. Aquat. Set. 22
- Vader, W., Johnsen, J.R., and Berge, J. 2005. Studies on the genus *Onisimus* Boeck, 1871 (Crustacea, Amphipoda, Lysianassoidea, Uristidae) Part I. The brevicaudatus and sextonae species groups. *Organisms Diversity & Evolution*, 5(2), 161–164.
- Watling, L. 1979. Marine Flora and Fauna of the Northeastern United States, Crustacea: Cumacea. NOAA Technical Report NMFS Circular 423, U.S. Dept. of Commerce National Marine Fisheries Service.
- Worsfold, T.M. 2006. Scalibregmatidae (Polychaeta) from shallow seas around the British Isles. Identification guides for the NMBAQC Scheme: 1. Porcupine Marine Natural History Society Newsletter, 20: 15–18.



golder.com