



## NIRB Uuktuttinga Ihivriuqhikhamut #125743

### Application for the Water Licence Amendment of the Municipality of Kimmirut #3BM-KIM1929

**Uuktuttinga Qanurittuq:** New

**Havaap Qanurittunia:** Municipal and Industrial Development

**Uuktuttinga Ublua:** 11/29/2022 3:55:58 PM

**Period of operation:** from 0001-01-01 to 0001-01-01

**Piumayaat Angirutinga:** from 0001-01-01 to 0001-01-01

**Havauhikhaq Ikayuqtinga:** Department of Community and Government Services, Bhabesh Roy  
Department of Community and Government Services, Bhabesh Roy  
P.O. Box 379, Pond Inlet, NU X0A 0S0, Phone: 867-899-7314, Email: broy@gov.nu.ca  
Pond Inlet Nunavut X0A 0S0  
Canada  
Hivayautit Nampanga:: 867-899-7314, Kayumiktukkut Nampanga:: 867-899-7330

# QANURITTUT

# Tukihiannaqtunik havaariyauyumayumik uqauhiuyun

Qablunaatitut: The Government of Nunavut, Department of Community and Government Services, on behalf of the Municipality of Kimmirut, is applying for the construction of the new wastewater treatment facility (WWTF) and amendment of the discharge effluent limits in the existing water license 3BM-KIM1929 to effectively service the growing population in Kimmirut over a 20-year life span. The facility consists of a lagoon and wetland-treatment-area and will be designed to meet the long-term needs of Kimmirut and the regulatory requirements. The lagoon requires a working volume of 26,900 m<sup>3</sup> based on projected annual wastewater generation until 2043. The treatment goals for the WWTF effluent criteria at the end of treatment are established as 100, 120 and 1.25 mg/L for carbonaceous biochemical oxygen demand (CBOD), total suspended solids (TSS) and un-ionized ammonia as nitrogen, based on a 6-year research project completed by Centre for Water Resources Studies at Dalhousie University. The licensee is requesting to remove the effluent quality limits from KIM-3 and to add limits to KIM-5 which does not currently have limits. Once the future lagoon is constructed KIM-3 will represent partially treated wastewater leaving the lagoon and KIM-5 will represent fully treated wastewater effluent at the outlet of the wetland-treatment-area. It is still recommended to sample KIM-3 for treatment monitoring purposes but no effluent parameter limits should be applied. The design consultant recommends that the effluent quality limits applied at KIM-5 be CBOD 100 mg/L, 120 TSS mg/L, and to remove faecal coliforms as a parameter since this is a public health parameter and not an environmental parameter. The receiving environment is zoned for waste disposal and not used by the public for fishing, harvesting, or recreation. Faecal coliforms are not included in the federal Wastewater Systems Effluent Regulations SOR/2012-139 Fisheries Act Registration 2012-06-29. Faecal coliforms are also no longer applied as an environmental parameter in the Northwest Territories where the Nunavut Water Board historically derives its effluent parameter decisions on.

Uiviitut: Le ministère des Services communautaires et gouvernementaux (SCG) du gouvernement du Nunavut, au nom de la municipalité de Kimmirut, demande la construction d'une nouvelle installation de traitement des eaux usées et la modification des limites de l'effluent de rejet dans le permis d'utilisation des eaux 3BM-KIM1929 existant afin de desservir efficacement la population croissante de Kimmirut sur une période de 20 ans. La lagune sera conçue pour répondre aux besoins à long terme de Kimmirut, aux exigences réglementaires et aux mesures de protection nécessaires pour éviter d'avoir un impact sur l'écoulement des eaux souterraines vers le lac Fundo. CGS a retenu Dillon Consulting Limited (Dillon) pour fournir des services de conception et d'administration de la construction d'une nouvelle installation de traitement des eaux usées à Kimmirut. Les objectifs de traitement de l'effluent lagune-milieu humide ont été établis à 100, 120 et 1,25 mg/L pour la demande biochimique en oxygène des matières carbonées, le total des solides en suspension et l'ammoniac non ionisé sous forme d'azote, d'après un projet de recherche de six ans réalisé par le Centre for Water Resources Studies de l'Université Dalhousie. Le titulaire du permis demande de retirer les limites de qualité des effluents du point KIM-3 et d'ajouter des limites au point KIM-5 qui n'en a pas actuellement. Une fois que la future lagune sera construite, KIM-3 représentera les eaux usées partiellement traitées et KIM-5 représentera les effluents d'eaux usées entièrement traitées. Le consultant en conception recommande que les limites de qualité de l'effluent appliquées au KIM-5 soient de 100 mg/L pour la DBOC et de 120 mg/L pour les TSS, et de supprimer les coliformes fécaux comme paramètre, car il s'agit d'un paramètre de santé publique et non d'un paramètre environnemental. Le milieu récepteur est zoné pour l'élimination des déchets et n'est pas utilisé par le public pour la pêche, la récolte ou les loisirs. Les coliformes fécaux ne sont pas inclus dans le Règlement sur les effluents des systèmes d'assainissement des eaux usées fédéral DORS/2012-139 - Enregistrement de la Loi sur les pêches 2012-06-29. Les coliformes fécaux ne sont plus utilisés comme paramètre environnemental dans les Territoires du Nord-Ouest, où l'Office des eaux du Nunavut s'est toujours inspiré pour prendre ses décisions concernant les paramètres des effluents. La production annuelle prévue d'eaux usées (débit) en 2043 serait de 19 200 m<sup>3</sup>, ce qui nécessiterait un volume de travail minimal de 26 900 m<sup>3</sup> pour la lagune.

## Personnel

Personnel on site: 2

Days on site: 260

Total Person days: 520

Operations Phase: from 2023-09-30 to 2043-09-30

## Hulilukaarutit

Inigya	Hulilukaarut Qanurittuq	Nunannga Qanurittaakhaanik	Initurlinga qanuritpa	Initurlinga utuqqarnitat unaluuniit Ingilraaqnitat Uyarannguqtut akhuurninnga	Qanitqiayuq qanitqiamut nunallaat kitulluuniit ahiruqtailiyainnit nuna
sewage lagoon	Municipal and Industrial Development	Municipal	shallow fresh water lake	site has no archeological or paleontological value	proximity to the town 1.3 km

### Nunaliin Ilauyun, Aviktuqhimiayuniitunullu Ikayuuhiarunguyun

Nunauyuq	Atia	Timiuyuq	Upluani Uqaqatigyaungmata
Information is not available			

# **Angiuttauvaktunik**

**Naunaiqlugu nunanga talvani havauhikhaq ittuq:**

South Baffin

## **Angiuttauvaktunik**

Munariniqmut Ayuittiaqtuq	Angirutinga Qanurittuq	Tadja Qanurittaakhaanik	Ublua Tuniyauyuq/Uuktuqtuq	Umikvikhaa Ublua
Nunavut Imaligiyit Katimayit	water license 3BM-KIM1929	Active	2019-05-27	2029-05-26

## **Project transportation types**

Transportation Type	Qanuq Atuqtauniarmangaa	Length of Use
Land	SEWAGE TRUCKS	

## **Project accomodation types**

Nunauyuq

## Ihuaqutivaluin Atuqtauyukhan

Hanalrutit atuqtaunahuat (ukuallu ikuutat, pampiutainnik, tingmitinik, akhaluutinik, hunaluuniit)

Hanalrutit Qanurittuq	Qaffiuyut	Aktikkulaanga – Qanurittullu	Qanuq Atuqtauniarmangaa
excavator	1	heavy duty	excavation
crusher	1	heavy duty	aggregate production
screener	1	heavy duty	aggregate screening
dump truck	2	heavy duty	aggregate and construction material ground transportation
front loader	1	heavy duty	loading aggregate and construction materials
heavy duty compactor	2	heavy duty	aggregate compaction
grader	1	heavy duty	grading
dewatering pumps	2	heavy duty	surface water management and diversion
water truck	1	12000 L	aggregate material compaction

### Qanurittuq Urhuqyuaq unalu Qayangnaqtut Hunavaluit Aturninnga

Qanurittuq urhuqyuaq hunavaluit aturninnga:	Urhuqyuaq Qanurittuq	Qaffiuyut qattaryut	Qattaryuk Aktikkulaanga	Atauttimut Qaffiuyut	Ilanga	Qanuq Atuqtauniarmangaa
unknown	hazardous	0	0	0	Liters	Not applicable
Diesel	fuel	1	12000	12000	Liters	PPD fuel truck

### Imaqmik Aturninnga

Ubluq qanuraaluk (m3)	Aturumayain imavaluin utiqtittagaani qanuq	Atulirumayain imavaluin utiqtittagani humi
0		

## Iqqakuq

### Ikkakunik Munakgiyauyunik

Havauhikhaq Hulilukaarut	Qanurittuq Iqqakut	Ihumagiyaayuq Qanuraaluktut Atuqtait	Qanuq Iqqakuurniarmangaa	Halummaqtirarnirutikan piyutin
Information is not available				

### Avatiliriniqmut Ayurhautingit:

presently community sewage disposal practice is direct discharge into marine environment. this project will improve environmental impacts by providing proper sewage containment and treatment.

# **Additional Information**

**SECTION A1: Project Info**

**SECTION A2: Allweather Road**

**SECTION A3: Winter Road**

**SECTION B1: Project Info**

**SECTION B2: Exploration Activity**

**SECTION B3: Geosciences**

**SECTION B4: Drilling**

**SECTION B5: Stripping**

**SECTION B6: Underground Activity**

**SECTION B7: Waste Rock**

**SECTION B8: Stockpiles**

**SECTION B9: Mine Development**

**SECTION B10: Geology**

**SECTION B11: Mine**

**SECTION B12: Mill**

**SECTION C1: Pits**

**SECTION D1: Facility**

**SECTION D2: Facility Construction**

**SECTION D3: Facility Operation**

**SECTION D4: Vessel Use**

**SECTION E1: Offshore Survey**

**SECTION E2: Nearshore Survey**

**SECTION E3: Vessel Use**

## **SECTION F1: Site Cleanup**

### **SECTION G1: Well Authorization**

### **SECTION G2: Onland Exploration**

### **SECTION G3: Offshore Exploration**

### **SECTION G4: Rig**

### **SECTION H1: Vessel Use**

### **SECTION H2: Disposal At Sea**

### **SECTION I1: Municipal Development**

1. Municipality sewage disposal facility is identified as Municipal Capital Facility. Project consists of Sewage Lagoon and wetland construction. Daily service provision service consists of Collecting raw sewage from businesses and private housing, trucking and disposing the raw sewage into sewage lagoon. Once a year sewage will be decanted into wetland area. To construct new sewage lagoon, local quarry material will be used. Produced quarry aggregate will be trucked to the construction site. Recommended but not limited to, PPE in sewage disposal consists of gloves, eye protection, hard hat, steel toe boots, tywek coverall and face respirator. There is no safety requirement to have fire fighting equipment installed at the sewage lagoon facility. Fire extinguishers are located within sewage trucks. Sewage truck engine and sewage pump are the Noise sources during sewage disposal process. Ear plugs are recommended.

#### **Qanurittuq Ittunik Avatinga: Avatingalluanga**

Presently Kimmirut sewage disposal is uncontrolled direct sewage discharge into the wetland area, directly connected with marine environment. Access road to existing sewage discharge area will be upgraded. There are no designated recreational, harvesting or park areas in vicinity.

#### **Qanurittuq Ittunik Avatinga: Inuuhimayunut Avatinga**

Existing shallow fresh water lake to be converted into sewage lagoon does not house any aquatic species. It is not recognized spot as a critical habitat or residence of any species. Locals have not noticed any migration or spawning patterns of any species.

#### **Qanurittuq Ittunik Avatinga: Inungit-maniliurutingit Avatinga**

Existing area has been used as an unregulated sewage disposal for decades. There are no land or marine harvesting activities in sewage disposal area.

### **Miscellaneous Project Information**

#### **Naunaiyainiq ukuninnga Ayurhautingit unalu Piumayaat Ikikliyuumiutinahuarutit**

Constructing the new waste water treatment disposal facility ( sewage lagoon) will significantly improve land and aquatic environment

#### **Tamatkiumayunik Ihuikgutivaktunik**

Monitored and regulated new sewage disposal facility will have significant positive impact on environment




# Impacts

## Ilitariyauniq Avatiliriniqmut Ayurhautingit

PHYSICAL																SOCIO-ECONOMIC																															
Designated environmental areas		Ground stability		Permafrost		Hydrology / Limnology		Water quality		Climate conditions		Eskers and other unique or fragile landscapes		Surface and bedrock geology		Sediment and soil quality		Tidal processes and bathymetry		Air quality		Noise levels		BIOMASS		Vegetation		Wildlife, including habitat and migration patterns		Birds, including habitat and migration patterns		Aquatic species, incl. habitat and migration/spawning		Wildlife protected areas		Archaeological and cultural historic sites		Employment		Community wellness		Community infrastructure		Human health			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
<b>Havakvinga</b>																																															
<b>Aulapkaininnga</b>																																															
Municipal and Industrial Development	-	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	U	M	P	-	-	-	P	P	P	P	P	P	P									
<b>Piiqtauniq</b>																																															
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							

(P = Nakuuyuq, N = Nakuungittut unalu mikhilimaittuq, M = Nakuungittut unalu mikhittaaqtuq, U = Naluyauyuq)

## Havaariyauyukhamut Nayugaa



### List of Project Geometries

1	polygon	sewage lagoon
---	---------	---------------