



## **NIRB Uuktuutinga Ihivriughikhamut #126247 Copernicus Expansion Missions Sea Ice Experiment (CEMSIE)**

**Uuktuutinga Qanurittuq:** New

**Havaap Qanurittunia:** Scientific Research

**Uuktuutinga Ublua:** Tuesday, November 18, 2025

**Period of operation:** from 2026-03-15 to 2026-05-05

**Havauhikhaq  
Ikayuqtinga:** University of Calgary, John Yackel  
University of Calgary  
2500 University Dr. N.W., Earth Sciences 356, Department of Geography,  
University of Calgary, 2500 University Dr. Northwest, Calgary, AB T2N 1N4,  
Phone: 403-220-4892, Email: yackel@ucalgary.ca  
Calgary Alberta T2N 1N4  
Canada  
Hivayautit Nampanga:: 4036292735, Kayumiktukkut Nampanga::

# QANURITTUT

## Tukihinnaqtunik havaariyaumayumik uqauhiyun

Qablunaatitut: The Copernicus Expansion Missions Sea Ice Experiment (CEMSIE) is a collaborative scientific project led by a Canadian university team with researchers from nine countries. Dr. John Yackel, Professor of Geography, University of Calgary is the project principal investigator, and he leads a team of three other Canadian University scientists and six other international University scientists. The project involves numerous Canadian government scientists and University graduate students. What the Project Involves The 'Copernicus Expansion Missions' refers to a group of new satellites set to launch between 2027 and 2029 by the European Space Agency aimed at providing Canadians with new and improved capability to measure the thickness of sea ice on a near-daily basis. This is vital for northern community safety during the ice-travel and hunting seasons near Canada's northern Arctic communities. The project unites scientists in snow, sea ice, and satellite remote sensing to improve how Arctic sea ice and snow thickness are measured from space. The project is supported by Polar Knowledge Canada (POLAR), Canadian High Arctic Research Station (CHARS), Polar Continental Shelf Project (PCSP) and the Canadian and European Space Agencies. These space agencies are preparing several upcoming satellite missions focused on the polar regions. Fieldwork will involve 25–30 scientists, engineers, and technical staff working in rotation, with an average of 12–14 personnel staying at CHARS at any given time. CEMSIE will examine landfast (non-moving) sea ice near Cambridge Bay using scientific instruments placed on the ice and specialized radar sensors aboard research aircraft and satellites. A temporary, seasonal field camp will be located about 15 km southwest of the community. It will include portable tents and small equipment shelters, all removed at the end of the project. Small field teams will make day trips to the camp via snow machine to collect snow and sea ice data. CEMSIE values Inuit Qaujimagatuqangit and is committed to open data, community involvement, and respectful communication with Nunavummiut. The project will work with the Kitikmeot Inuit Association, the Hamlet of Cambridge Bay, POLAR, and CHARS to share information through:

- Community meetings and presentations with the EHTO led by project lead John Yackel.
- Summary reports and visual materials, including plain-language posters and maps for Cambridge Bay, the EHTO, and CHARS.
- Training and involvement opportunities, such as local guiding, logistics support, or participating as an observer during field activities.

Fieldwork includes measuring snow depth, ice thickness, layering, density, salinity, and surface roughness. These measurements will be coordinated with airborne radar instruments that simulate data expected from the upcoming CIMR, CRISTAL, and ROSE-L satellite missions. Aircraft will conduct short daily flights from the Cambridge Bay airport over Dease Strait, Queen Maud Gulf, and Victoria Strait to compare ground, airborne, and satellite observations and assess how well satellites detect true snow and ice thickness. Transportation will rely on snowmobiles, small sleds, fixed-wing aircraft (Twin Otter or similar), and occasional helicopter use for regional sampling and airborne data validation. No heavy equipment is required. All aerial radar survey flights are planned for April 10–15, 2026, weather permitting.

Why the Project Is Needed Accurate observations of sea ice are vital for climate monitoring, weather prediction, northern shipping, and community safety. Satellite measurements of Arctic snow and sea ice are difficult because snow characteristics and thickness vary across short distances and strongly influence radar signals. These variations introduce uncertainty in satellite-derived ice thickness. As the Arctic Ocean increasingly shifts toward first-year ice, improving measurement accuracy has become more urgent. Data collected through CEMSIE will help refine the algorithms used by current and future satellites, strengthening climate and weather forecasting, marine safety, and understanding of Arctic change. Because sea ice is central to global heat exchange and ocean circulation, improved measurements will also benefit broader climate research.

Where the Project Will Take Place Work will occur on landfast first-year sea ice in Dease Strait, about 15 km southwest of Cambridge Bay. All logistics, accommodation, and aircraft operations will be based out of CHARS in Cambridge Bay. Aircraft surveys will cover Dease Strait and extend over Queen Maud Gulf and Victoria Strait. The study area lies well outside protected areas and wildlife sanctuaries and is known for stable late-winter ice conditions appropriate for safe fieldwork and high-quality data collection.

When the Project Will Occur Field activities will occur over six weeks next spring, beginning around April 1 and ending by May 15, 2026. During this period, the snowpack remains cold and dry, which is necessary for accurate radar measurements. Once melt begins in mid-May, radar signals degrade, and fieldwork must end. While CEMSIE contributes to a multi-year international effort supporting future satellite missions, all on-ice work near Cambridge Bay occurs only within

this short seasonal window.

Uiviititut:

Le projet expérimental sur la glace de mer des missions d'expansion Copernicus (CEMSIE) est un projet scientifique collaboratif dirigé par une équipe universitaire canadienne réunissant des chercheurs de neuf pays. Le professeur John Yackel, professeur de géographie à l'Université de Calgary, est le chercheur principal du projet. Il dirige une équipe composée de trois autres scientifiques d'universités canadiennes et de six scientifiques d'universités internationales. Le projet mobilise également de nombreux chercheurs du gouvernement canadien ainsi que des étudiants aux cycles supérieurs. En quoi consiste le projet Les « Missions d'expansion Copernicus » désignent un groupe de nouveaux satellites qui seront lancés entre 2027 et 2029 par l'Agence spatiale européenne. Leur objectif est de fournir aux Canadiens une capacité nouvelle et améliorée permettant de mesurer l'épaisseur de la glace de mer presque quotidiennement. Il s'agit d'une information essentielle pour la sécurité des communautés nordiques pendant les saisons de déplacement sur la glace et de chasse près des collectivités arctiques du Nord canadien. Le projet réunit des spécialistes de la neige, de la glace de mer et de la télédétection satellitaire afin d'améliorer les méthodes de mesure de l'épaisseur de la glace de mer et de la neige dans l'Arctique depuis l'espace. Il est soutenu par Savoir polaire Canada (POLAR), la Station canadienne de recherche dans l'Extrême-Arctique (CHARS), le Projet de la Commission géologique polaire (PCSP) ainsi que les agences spatiales canadienne et européenne. Ces agences préparent plusieurs futures missions satellitaires axées sur les régions polaires. Le travail sur le terrain fera intervenir de 25 à 30 scientifiques, ingénieurs et techniciens travaillant en rotation, avec en moyenne 12 à 14 personnes hébergées à CHARS à tout moment. CEMSIE étudiera la glace de mer côtière (fixe, non dérivante) près de Cambridge Bay à l'aide d'instruments scientifiques installés sur la glace et de capteurs radar spécialisés embarqués à bord d'aéronefs de recherche et de satellites. Un camp saisonnier temporaire sera établi à environ 15 km au sud-ouest de la communauté. Il comprendra des tentes portatives et de petits abris pour l'équipement, qui seront tous démontés à la fin du projet. De petites équipes de terrain effectueront des excursions quotidiennes en motoneige pour recueillir des données sur la neige et la glace de mer. CEMSIE valorise l'Inuit Qaujimaqatungit et s'engage à une gestion ouverte des données, à la participation communautaire et à une communication respectueuse avec les Nunavummiut. Le projet collaborera avec la Kitikmeot Inuit Association, le hameau de Cambridge Bay, POLAR et CHARS pour partager l'information au moyen de :

- Réunions communautaires et présentations avec l'EHTO dirigées par le chercheur principal, John Yackel.
- Rapports sommaires et documents visuels, y compris des affiches et des cartes en langage clair destinées à Cambridge Bay, à l'EHTO et à CHARS.
- Occasions de formation et de participation, telles que du guidage local, du soutien logistique ou la possibilité d'agir comme observateur lors des activités sur le terrain.

Les travaux sur le terrain comprennent la mesure de l'épaisseur de la neige, de l'épaisseur de la glace, de la stratification, de la densité, de la salinité et de la rugosité de surface. Ces mesures seront coordonnées avec des instruments radar aéroportés simulant les données attendues des prochaines missions satellitaires CIMR, CRISTAL et ROSE-L. Des aéronefs effectueront de courts vols quotidiens depuis l'aéroport de Cambridge Bay au-dessus du détroit de Dease, du golfe de la Reine-Maud et du détroit de Victoria afin de comparer les observations terrestres, aéroportées et satellitaires et d'évaluer la précision des satellites dans la détection réelle de l'épaisseur de la neige et de la glace. Le transport s'appuiera sur des motoneiges, de petits traîneaux, des avions à voilure fixe (Twin Otter ou semblable) et l'utilisation occasionnelle d'hélicoptères pour l'échantillonnage régional et la validation des données aéroportées. Aucun équipement lourd n'est requis. Tous les vols de relevés radar aériens sont prévus du 10 au 15 avril 2026, selon les conditions météorologiques. Pourquoi le projet est nécessaire Des observations précises de la glace de mer sont essentielles pour la surveillance du climat, les prévisions météorologiques, la navigation dans le Nord et la sécurité des communautés. Les mesures satellitaires de la neige et de la glace de mer dans l'Arctique sont difficiles, car les caractéristiques et l'épaisseur de la neige varient sur de courtes distances et influencent fortement les signaux radar. Ces variations introduisent de l'incertitude dans les estimations satellitaires de l'épaisseur de la glace. À mesure que l'océan Arctique se transforme de plus en plus vers une dominance de glace de première année, améliorer la précision des mesures devient encore plus urgent. Les données recueillies dans le cadre de CEMSIE aideront à affiner les algorithmes utilisés par les satellites actuels et futurs, renforçant ainsi les prévisions climatiques et météorologiques, la sécurité maritime et la compréhension des changements dans l'Arctique. Comme la glace de mer joue un rôle central dans les échanges thermiques mondiaux et la circulation océanique, des mesures améliorées

bénéficient également à la recherche climatique à plus grande échelle. Où le projet sera réalisé Les travaux se dérouleront sur la glace de mer côtière de première année dans le détroit de Dease, à environ 15 km au sud-ouest de Cambridge Bay. Toutes les opérations logistiques, l'hébergement et les activités aériennes seront basés à CHARS, à Cambridge Bay. Les relevés aériens couvriront le détroit de Dease et s'étendront au golfe de la Reine-Maud et au détroit de Victoria. La zone d'étude se situe bien à l'extérieur des aires protégées et des refuges fauniques et est reconnue pour ses conditions de glace stables à la fin de l'hiver, propices à un travail de terrain sécuritaire et à une collecte de données de haute qualité. Quand le projet aura lieu Les activités sur le terrain auront lieu sur une période de six semaines au printemps prochain, débutant vers le 1er avril et se terminant le 15 mai 2026. Durant cette période, le manteau neigeux demeure froid et sec, ce qui est nécessaire pour obtenir des mesures radar fiables. Dès que la fonte commence à la mi-mai, les signaux radar se dégradent et les travaux doivent cesser. Bien que CEMSIE contribue à un effort international pluriannuel soutenant les futures missions satellitaires, tous les travaux effectués sur la glace près de Cambridge Bay se déroulent exclusivement dans cette courte fenêtre saisonnière.

Inuktitut:

Introduction & What the Project Involves The Copernicus Expansion Missions Sea Ice Experiment (CEMSIE) una takuinnarmik ilihimaniqaqtuq havaaq, Kanatami universitetangata hivullit, havaktiqatigiiktut tallimanik nunanit. Dr. John Yackel, University of Calgary-mi Ilinniaqtulijikkut Geography-mi professor, taamna havaalliuriaqtuq, hivullitijuni, ilauqatigiillugit avinngaarutini Kanatami universitetangit ilihimayut maligiaqtuqtaullutik, huli arvinginnut nunarjuami ilihimalik ilihimayut. Havaaq ilauqatigijaujuq Kanatami government-mi ilihimayut huli university-mi ilinniarniaqtut. Havaaq suna tunngavinga "Copernicus Expansion Missions" taapkuat nutaangat satilaangit European Space Agency-mit aullaqtinni anginnangaat 2027-mi 2029-milu. Taapkuat satilaangit ikajuqtigiinnangmata Kanatami inungnut, ikayuutigiinnangmata ikia qinginniq hiku pimmarianuqnikkut, ubluumikkut qanurittaanginnik. Taanna pinguaqtut nunallaami inungnut, ukiumi hikuqaqtumi tikittianit angunirmilu. Havaaq CEMSIE katirniaqtuq ilihimayut manniit, hiku, huli satilaangit qingirijaujuq qinirhiinniq, ikajuutillu qanuq takujaqtauvillugu hikuup manniaqtanga huli hikup akittanga. Havaaq ikajuqtigijaujuq Polar Knowledge Canada (POLAR), Canadian High Arctic Research Station (CHARS), Polar Continental Shelf Project (PCSP), huli Kanatami European-mi Space Agencies. Taapkuat havaqatiginiyaqtuq satilaangit nutaqqat, piniarniaqtuq silaqhimajuq akunniqaqtuq, qaujiaqtakhait. Havakviaqtuq ukiuqtaqtillugu 25-30 ilihimayut, ingjaarutiit, aulapkaityitlu katimaqatigiillugit, tautuktillugit 12-14 havaktiit CHARS-mi ukiuqtaqtillugit. CEMSIE qaujiaqtiagnaqtuq qikiqtani hiku malirinaqtuq (malikpiaqtuq) Cambridge Bay-mi hikuani, havaktiqatigiillugit qaujihautiurnirmik hikulirniq, aullaqtittillugit airplanengnik radaarikkut huli satilaangit. Ubluumiuuluni havakvik taimani atuinnaqtut 15 km Kangiani nunallaami. Taapkua igluittat, havaktiqarviallu piqaqtut, inuinnaqtunit piguinnariaqtuq havaap naammaqatigiinnaqtillugu. Pamitiquqtaullutik havaktiit ukiumi unnukkut snowmachine-mik aullaqtillugit, qaujiaqtillugit manniit hikuqaqtullu. \_\_\_\_\_ Part 2: Community Engagement, Measurements & Field Methods CEMSIE ilauqatigiiktut Inuit Qaujijatuqangit (IQ) pitquhiqaqtillugit, kangiqhidjutinik, katimadjutinik, huli inuit uqaudjutinik. Havaaq katimadjutikhaqaqtuq Kitikmeot Inuit Association, Hamlet of Cambridge Bay, POLAR, CHARS-lu, kangiqhidjutikharnik: • Nunallaami katimadjutit huli uqaudjutit EHTO-mit, John Yackel hivulliuquqtiulluni. • Kangiqhittiarniaqtut unipkaangit, mapit, posterallu uqausiqaqtut nalungnangittut Cambridge Bay, EHTO, CHARS-milu. • Ilinniaqatigiingnikkut ikajuutit: angijuqtuqaqtut, logistics-mik ikajuqtaujut, atauhirmik pihimayunut nunaqaqtunut takujaqtut ukiuqtaqtillugu. Havakviaqtaullutik manniit manniutingit, hikuup akittanga, ukkuutit, pujiit, salinity, huli hikup akunniqaqtanga. Taapkuat qinirhiinniq pitquhiqatigiingniaqtut airplanikkut radaarikkut qinirhiutinik, naunaiqtillugu qanuq takujaqtauvillugu satilaangit CIMR, CRISTAL, ROSE-L. Airplanengnik aullaqtuqiviaqniaqtut Cambridge Bay airport-mi, Dease Strait-mi, Queen Maud Gulf-mi, Victoria Strait-milu. Taapkua naunaiqtariaqaqtut qanuq hakuqhiqtut hikuup manniaqtanga satilaangitigut. Aullaqtitaullutik snowmachine-mik, qamutiit mikinut, airplanengnik (Twin Otter-mik), huli helicopter-mik naunaiqtillugu nunakkut aullaarutit. Angiyuqaqtumik havaktauhimaittuq. Airplanengnik radaarikkut aullaqtuqniaqtut April 10-15, 2026, sila pittiaqtillugu. \_\_\_\_\_ Part 3: Why the Project Is Needed Naunaiqhijut hikuup pimmariangit pinguaqtut silaqhimayut, silakkut naunaiqtakhat, ukiuqtaqtumi umiarjuqaqtut, huli nunallaami inuuhimayut. Satilaangitigut qinirhiinniq akittulluni, taima manniit qanuq ubluumikkut aqittuq, qanuq akunniingittuq, huli qanuq

radaarimik aulatittijangat. Taapkuat uqaridjutikhait pinasungngujuq hikuup akittanga naunaiqtittillugit. CEMSIE-mit katimaqatigiingmata naunaiqhijut ikajuqatigiingniaqtut satilaangitigut akittuq takujaqhimayut, ihuaqhailutik sila naunaiqtitnirmik, umiarnirmik, huli qaujihaqtillugit hikuup sivulliqpaanik aulatsijuni. Hikuup akittanga pinguaqtut sila nunarjuami, qanuq sila aulatijangat imarmi, taima ihuaqhijangat ikajuqniaqtuq sila qaujihaqniq. \_\_\_\_\_ Part 4: Where the Project Will Take Place Havaaq havaktiqarniaqtut hiku malirinnaqtuq sivulliqpaq Dease Strait-mi, kanngiqpaani 15 km Cambridge Bay-mi. Tamaita logistics, accommodation, airplanengnik havaktiqniaqtut CHARS-mi. Airplanengnik qaujihaqtutik aullaqtuqniaqtut Dease Strait, Queen Maud Gulf, Victoria Strait-mi. Taakua naunaiqipajaujut havaqatigiingnaqtuq, akhuqhinnigittuq naunaijautikhanut, huli hivulliqpaq hikunik pisimajut ukiumi, takujaqtaujut pittiaqhutik data-khanik. \_\_\_\_\_ Part 5: When the Project Will Occur Havaaq havaktiqniaqtut ukiuqtaqtillugu 6 ublunuk, April 1-mi angmaffaarluni May 15, 2026-milu naammaqtuq. Taamna ukiuq nakuuyuq, manniit qamannigittuq, qanuqtuq, pittiaqtuq radaarikkut qinirhiutinut. May-mi qanuittuqtuq manniit, radaarikkut pimmariangit akittuq, taima havaaq utirniaqtut. CEMSIE ilauqtuq multi-year satilaangit aulatsijuni, kihiani Cambridge Bay-mi hikuani havaktiqniaqtut una ubluumiqtuqtuq ukiuqpaami.

Inuinnaqtun: Copernicus Expansion Missions Sea Ice Experiment (CEMSIE) tuumatuq ihivriuqtiqatigiiktukhaq havaakhaq, taimaa piqpagitillugu Kanatami unipkaaqhuni haffumunga University-havaktinit, tautuktitut talimanik avataaniittunik nunarjuamit ublumiqatauyut. Dr. John Yackel, University of Calgary-mi Ilitqahiriyauyimut Uqautchiqtiuyuq, tuumatuq takiuqhijuuq havakviuyuuq, havaktiuyuuq iluani pingahuuyut Kanatami University-mi ilihimayut, tautuktitillugu hitamanik avatinniittunik ilihimayunit. Havakvik CEMSIE-kut kiinauyatuq tautuknirmi ilihimayut, nunarjuami ilihimayut, nunallaammi ilihimayut, talvaniit ilihimayut uqauhimalutik talvannguqtillugit makpiraqmi, havaqatigiikniqaqtut akhuurutiglu. Havakvikmi takkuhimaqtut tautuktiit, Government of Canada-mi ilihimayut, University-mi ilinniaqtiit, havakniqaqtut tamainni uumannguqtillugit hanaqatigiiknikkut. Copernicus Expansion Missions” unniqtitauttut nutaqqat satelliangat, aimavingmi havaariakhauyut 2027-miit 2029-mut European Space Agency-kunit. Taimaittut satelliangat ikayuqtukhauyut Kanatamiunut, ilitaqhugit nutaamigut ikayuutait imarmi havaktiit hailiurutikhanik, taimaatigut tuqungniaqtut imarmi avatingani aullaqniq, iqaluqtuuqniq, piqpagitillugu tautuktitiyaangat hikuqpaamiuni. Havaakhaq CEMSIE-kut katimayut ilihimayut annuraaqmi, hikuqmi, satelliangani, ilihimayaangat qanuq hikuqpaamiuni hikuq atiqaqtiliqiyait satellianganit. Havaakhaq ikayuutigiyaa Polar Knowledge Canada (POLAR), Canadian High Arctic Research Station (CHARS), Polar Continental Shelf Project (PCSP), havaktillu Canadian and European Space Agencies-kunit. Hapkua havaqatigit ilihimayut katimayut satelliangat nakuuyaqhimagut talvannguqtillugit qilamiuqhiurniqmi. Nunaat havakvikmi ikayuutauvakhimaqtut 25–30 ilihimayuliit, ingilrayuliit, ikayuutiliit, katimayut ikayuutikhainik, tautuktitlugit 12–14 hilamiittutik CHARS-mi Iqaluktuuttiaqmi tamainni ukiuqhailagiami. CEMSIE-kut ihivriugutaa landfast (hikunit itirniqhaq, aullaniqtuq) hikuq talvani Iqaluktuuttiaqmi. Havaqatigiiktut havaktititauyut ihivriuqtilugit hikuq hamlat, annuraaq, hinniginaqtumik ikayuutauvakhutik qanuriliurniqmut. Havaqatigiikniqmi aulaniqaqtut qajarnikkut, research aircraft-kunit radar-anginik, satelliangat, ihivriuqniaqtut hamna hikuq, annuraaq, qanuq ilihimayuuq. Havautiqhaq siyaaqtuq, ukiuqhaq, havakvikmi angmaumaniaqtuq ublukkut paunnaqtittillugit ilihimayaangat. Havaqatigiiktut maniqqami havakviaqtut talvunga 15 km-kut Iqaluktuuttiaqmit kangiani, havakviuyuuq ukiuqhailami atuqtauvakhimayuuq, hiamittiarlugu ukiuqhailami. Tamapta tent-it, equipment shelters-it, havaktauyut atuqtauvakhimayut, aallanik ikayuutit, niggiannaqtut havakvikmi pihimaniqtillugu. Havakviit CEMSIE-mi ihivriuqniaqtut qanuq annuraaq, hikuq, uvalu imaalu qanuq atugakhaat. Havaqatigiiktut ilihimalutik annuraaq miqhuqtit, hikumi uuktuutit, annuraaqmi atuqhimayut, hikuqmi qayaqhimagut, salinity-mi (saviannait), uvalu hikuq akhuqhiurutiit. Hapkua qauyihimayut ikayuutigiyaaat research aircraft-kunit radar-anginnut, ihivriuqtilugit qanuq takujaaqtut satelliangat aulaniqniaqtut CIMR, CRISTAL, ROSE-L-kunit. Aircraft-angit aullaqniaqtut tingmidjutik Iqaluktuuttiaqmi airport-mit ublukkut. Aullaqniaqtut Dease Strait-mi, Queen Maud Gulf-mi, Victoria Straitmi, ilihimalutik ilihimayut nunami, qulimiguuliluni, satelliangani tautuktitillugit qanuriliuqniaqtut hikuq annuraaqpallu. Taimaatigut ilihimayut ihivriuqniaqtut qanuriliuriami qanuq satelliangat pittiarinaqtut tautuktitlugit hikuq annuraaqmik. Aullarniqmi atuqtauvakhimayut qamutit (snowmobiles), panigaqtuq sled-it, fixed-wing aircraft-angit (Twin Otter immaqallu atauttimik), uvalu qulimiguuliit (helicopter) atuqtauvaktuq hapkunani nunallaami tikikkani, ilihimalutik angirarniqmi. Hapkua atuqtauvakhimayut ikayuutigiyaaat

havakviit amihuutikhainik, apqutikhainik, uvalu tigummiviit havagiikhutik. Hakuanginnaqtuq aanniaqtuqutauyukhauhimaittuq, taimaatigut no heavy equipment atuqtauvakhimaittuq. Tingmidjutik aullaqniaqtut apqutikhainut tautuktillugu April 10–15, 2026-mi, havaakhaq ublukkut hangaqtuqhailagiami, havaariakhauhimaaqtillugu havaangnaqhiurutinik. Hikuqmi ihivriuqhimayut qanuq atugakhaat ihariagringniqaqtut havaqatigiikniqmi sila qanuqturnianni, ublukkut qauyihimalutik havangniqmut, aullarniqmut amihuni, uvalu ammiqsuutiglu Nunavunmiunut aanniaqtuqutikhainik. Satelliangat tautuktitiyaangat annuraaq hikuqpallu qanuq allaniqaqtut akhuqnaqtut, havakhimaaqtut qanuq pittiariniqtuq tautuktitillugit ukiumi. Annuraaq akhuqhimayuq, annuraaqmi akhuqhiurutikhanik, una uumaqtuq naglikitaaqtillugu radar-mi takujaaqtunik. Hakuanginnaqtuq allaniqaqtut hikuq annuraaqmi tautuktittillugit ilihimayauyuq uqauhimalutik, taimaatigut tautuktittiniqaqtuq ilihimayuq hakuanga ublukkut tamakpiaq ihivriuqhimalugit. Ukiuqhaqmi hikuq amihut qangaaktuq, taimaatigut first-year ice atauttimiut, asuilaak pittiariniqtuq ihivriuqhimayainik puiguqtailillugit. Taimaatigut CEMSIE-kut qauyihimayut ihariagringniqaqtut ikayuqlutik qanuq pittiariniqtuq ilihimayut hikuq annuraaq talvani qilamiuqhiurniqmi. Hapo ilihimayut katimayut CEMSIE-kunit ikayuutitigiyaat ilihimayaangat algorithms aulatitauyut satelliangkatigut. Una ikayuutigiyaat sila qauyihimalutik, aanniaqtuqutikhainik, aullarniqmut hikuqpallut, uvalu qanuqturniq talvani havaktitlugit hikuq ukiumi. Hikuq atuq & imaalu sila uqauhiqhimayut pittiariniqaqtuq qanuqturniq, havaqatigiikniq havattainni sila qanuqturnirmi. Havaakhaq aulaniqtauyuq landfast first-year ice-mi talvani Dease Strait-mi, hanganitittillugu Iqaluktuuttiami 15 km-kut kangiani. Tamainni havaktitauyut ilihimayut, akhuqhiurutit, uvalu aullarniqmut atuqtakhat pivakhimaaqtut CHARS-mi Iqaluktuuttiami, talvani ukiuqhailami tamainni katimayakhainni. Tingmidjutikmi (aircraft) ilihaqniaqtut havangniq, hivuliqtihaqniaqtut Dease Strait-mi, tautuktillugit Queen Maud Gulf-mi uvalu Victoria Strait-mi. Una tamainni ilihaqniq katimayut ihivriuqniaqtut hikuq annuraaqmi, qanuq ilihimayaangat satelliangani pittiariniqtuq. Havakhaq aulaniqtauyuq hamna avatingani ikayuutigiiktillugu, talvaniittuq avataani protected areas-tigut, niruarutitigutlu, taimaatigut hamanga ihivriuqniaqtut hikuq ukiumi ihivriuqtiullunilu, naunaiqhimaaqtillugu ihivriuqnikkut qanuqturniqmi. Havaktitauyut aulaniqtauyut hitamanik-avluni ublunik ukiuqhaqmi tikikkaangat, havangniqaqtut April 1-miit May 15-mut, 2026-mi. Taimai hivulliutigiplugu ukiuqhaqmi annuraaq aalangnaittumik, qiqutailaqtumik, hikuqmi anihaqtuqmi qanuqturniqmi. Una ublukkut hakuanga ihariagi-plugu pittiariniqtuq radar-mi tautuktitillugu ilihimayut. Mid-May-mi tikikkaangat, qanuqturniq amihaaqtuq, annuraaq aanniqtuq, satelliangiitlu radar-anginnut takujaaqtuq aqittuuqtittillugu. Taimaatigut havakvikmi itqaumaniqtuq, niuhiqtaalu havakvingmi havaqatigiiknik upauttinniarpata. CEMSIE-kut ikayuutigiyaat multi-year international effort, ikayuqtugu tikiinmi satelliangat nutaami, kihimi tamapta on-ice work talvani Iqaluktuuttiami pihimaniqtillugu ukiuqhaqmi ikayuutauyut hamna ikaarutillugu ublumi.

## **Personnel**

Personnel on site: 23

Days on site: 45

Total Person days: 1035

Operations Phase: from 2026-03-15 to 2026-05-05

## Hulilukaarutit

Inigiya	Hulilukaarut Qanurittuq	Nunannga Qanurittaakhaanik	Initurlinga qanuritpa	Initurlinga utuqqarnitat unaluuniit Ingilraaqnitat Uyarannguqtut akhuurninnga	Qanitqiyauyuq qanitqiamut nunallaat kitulluuniit ahiruqtaiiyainnit nuna
ice camp location (approx 15km SW of Cambridge Bay)	Camp	Marine	We have used location in the past (i.e., 2017) to erect surface-based radars	N/A	approx 15 km SW of Cambridge Bay
region for occasional aircraft flights in mid-April using radars to measure sea ice thickness	Aerial surveys	Marine	Christian Haas (Alfred Wegener Institute, Germany) and Richard Kelly ( U Waterloo) are project partners and have flown aerial surveys for radar collection in this region (Queen Maud Gulf) before	N/A	approx 200 km south and southeast of Cambridge Bay
region for occasional aircraft flights in mid-April using radars to measure sea ice thickness	Aerial surveys	Marine	Christian Haas (Alfred Wegener Institute, Germany) and Richard Kelly ( U Waterloo) are project partners and have flown aerial surveys for radar collection in this region (Victoria Strait) before	N/A	approx 200 km east of Cambridge Bay

### Nunaliin Ilauyun, Aviktuqhimayuniitunullu Ikayuuhiarunguyun

Nunauyuq	Atia	Timiuyuq	Upluani Uqaqatigiyaungmata
Ikaluktutiak	Rosemary Maksagak	Interim Manager, Ekaluktutiak Hunters &	2025-10-13

		Trappers Organization	
Ikaluktutiak	Rosemary Maksagak	Interim Manager, Ekaluktutiak Hunters & Trappers Organization	2025-09-29



# Ihuaqutivaluin Atuqtauyukhan

Hanalrutit atuqtaunahuat (ukuallu ikuutat, pampiutainnik, tingmitinik, akhaluutinik, hunaluuniit)

Hanalrutit Qanurittuq	Qaffiuyut	Aktikkulaanga – Qanurittullu	Qanuq Atuqtauniarmangaa
aircraft	2	twin otters	scientific radar flights of the snow covered sea ice
helicopter	1	Bell 206 JetRanger	snow and ice validation of twin otter radar and satellite radar ground tracks
ice auger	2	1m	ice core samples
surface based radar and radiometers	5	50 kg each	measure electromagnetic signals from snow surface
2000W Honda generator	3	5 kg	these gasoline generators will be used periodically each day to power the surface-based radar systems
snow machines	6	225 kg	transport scientific personnel from CHARS to ice camp site
tents	2	12x14 ft	scientific personnel shelter for computer laptops to operate radars

## Qanurittuq Urhuqyuaq unalu Qayangnaqtut Hunavaluit Aturninnga

Qanurittuq urhuqyuaq hunavaluit aturninnga:	Urhuqyuaq Qanurittuq	Qaffiuyut qattaryut	Qattaryuk Aktikkulaanga	Atauttimut Qaffiuyut	Ilanga	Qanuq Atuqtauniarmangaa
Aviation fuel	fuel	2	200	400	Liters	twin otter aircraft fuel will be obtained at the Cambridge Bay airport prior to flights in mid-April
Aviation fuel	fuel	2	200	400	Liters	helicopter fuel will be obtained at the Cambridge Bay airport prior to flights in mid-April
Gasoline	fuel	6	1	6	Liters	three 2000W Honda generators
Diesel	fuel	1	40	40	Gallons	heater for diesel stove for parcol tents on ice

## Imaqmik Aturninnga

Ubluq qanuraaluk (m3)	Aturumayain imavaluin utiqittagaani qanuq	Atulirumayain imavaluin utiqittagani humi
20	snow machine	Water will be periodically hauled to the ice camp from CHARS for human consumption purposes

# Iqqakuq

## Ikkakunik Munakgiyauyunik

Havauhikhaq Hulilukaarut	Qanurittuq Iqqakut	Ihumagiyauyuq Qanuraaluktut Atuqtait	Qanuq Iqqakuurniarmangaa	Halummaqtirarnirutikhan piyutin
Camp	Anaagun (inuin anaaguin)	200 liters	Brought back to CHARS from ice camp via snow machine for disposal	None required

### Avatiliriniqmut Ayurhautingit:

Predicted Environmental Impacts – Disturbance to landfast sea ice and snow cover: Repeated access by snow machines, installation of instruments, and drilling for ice/snow sampling may create localized surface disruption. – Wildlife disturbance: Aircraft overflights and on-ice activity may temporarily disturb polar bears, seals, or migratory birds. – Temporary noise and emissions: Twin Otter aircraft, snow machines, and generator-powered instruments produce short-term noise and minor fuel emissions. – Waste generation: Packaging, sampling materials, and human-presence-related waste pose contamination risks if not managed carefully. – Site footprint concentration: A semi-permanent on-ice station may cause localized compaction and surface alteration. Mitigation Measures – Use pre-defined access routes and minimize snow-machine traffic to reduce surface disturbance. – Employ wildlife awareness protocols, including spotters and minimum-altitude guidance for aircraft. – Select low-emission equipment, limit engine idling, and consolidate flights to reduce noise and fuel use. – Implement strict waste-handling, storage, and removal procedures; no waste left on ice. – Anchor instruments lightly and remove all equipment post-campaign, restoring the site as feasible. – Maintain real-time weather and visibility monitoring to avoid unnecessary flights and disturbance.

# **Additional Information**

**SECTION A1: Project Info**

**SECTION A2: Allweather Road**

**SECTION A3: Winter Road**

**SECTION B1: Project Info**

**SECTION B2: Exploration Activity**

**SECTION B3: Geosciences**

**SECTION B4: Drilling**

**SECTION B5: Stripping**

**SECTION B6: Underground Activity**

**SECTION B7: Waste Rock**

**SECTION B8: Stockpiles**

**SECTION B9: Mine Development**

**SECTION B10: Geology**

**SECTION B11: Mine**

**SECTION B12: Mill**

**SECTION C1: Pits**

**SECTION D1: Facility**

**SECTION D2: Facility Construction**

**SECTION D3: Facility Operation**

**SECTION D4: Vessel Use**

**SECTION E1: Offshore Survey**

**SECTION E2: Nearshore Survey**

**SECTION E3: Vessel Use**

## **SECTION F1: Site Cleanup**

## **SECTION G1: Well Authorization**

## **SECTION G2: Onland Exploration**

## **SECTION G3: Offshore Exploration**

## **SECTION G4: Rig**

## **SECTION H1: Vessel Use**

## **SECTION H2: Disposal At Sea**

## **SECTION I1: Municipal Development**

### **Qanurittuq Ittunik Avatinga: Avatingalluanga**

We will set up a small, self-contained camp on the sea ice in late March, 2026. This camp will consist of an insulated tent provided to our team from PCSP and one additional longhouse tent for storing our radar instruments in case of a blizzard. One small igloo tent will also be erected and serve as a latrine for all genders in our team. We expect the sea ice to be approx 150cm thick (plus/minus 20 cm) and to have between 10 and 20cm of snow. We will make daily commutes from CHARS to the ice camp via snow machine. We will travel down the West Arm/Kangiqhuk fiord and then cross the land. Between April 1 and 10 we expect between 6 and 8 scientists will make this trip. Between April 10 and 15 is when we expect the most number of scientific personnel (between 13 and 15) in camp as this is when the aerial surveys (twin otters and helicopter) will be flying over our polygon flying regions (identified on Project Map). After April 15, scientific personnel numbers decrease below 12 but likely more than 9 until the project concludes on May 15th.

### **Qanurittuq Ittunik Avatinga: Inuuhimayunut Avatinga**

No biological research or sampling occurs in this project

### **Qanurittuq Ittunik Avatinga: Inungit-maniliurutingit Avatinga**

Our sea ice camp is situated approx 15km southwest of Cambridge Bay.

### **Miscellaneous Project Information**

#### **Naunaiyainiq ukuninga Ayurhauingit unalu Piumayaat Ikiykiuumiutinahuarutit**

Predicted Environmental Impacts– Disturbance to landfast sea ice and snow cover: Repeated access by snow machines, installation of instruments, and drilling for ice/snow sampling may create localized surface disruption.– Wildlife disturbance: Aircraft overflights and on-ice activity may temporarily disturb polar bears, seals, or migratory birds.– Temporary noise and emissions: Twin Otter aircraft, snow machines, and generator-powered instruments produce short-term noise and minor fuel emissions.– Waste generation: Packaging, sampling materials, and human-presence–related waste pose contamination risks if not managed carefully.– Site footprint concentration: A semi-permanent on-ice station may cause localized compaction and surface alteration. Mitigation Measures– Use pre-defined access routes and minimize snow-machine traffic to reduce surface disturbance.– Employ wildlife awareness protocols, including spotters and minimum-altitude guidance for aircraft.– Select low-emission equipment, limit engine idling, and consolidate flights to reduce noise and fuel use.– Implement strict waste-handling, storage, and removal procedures; no waste left on ice.– Anchor instruments lightly and remove all equipment post-

campaign, restoring the site as feasible.– Maintain real-time weather and visibility monitoring to avoid unnecessary flights and disturbance.

**Tamatkiumayunik Ihuikgutivaktunik**


# Impacts

## Ilitariyauniq Avatiliriniqmut Ayurhauingit

	PHYSICAL	Designated environmental areas	Ground stability	Permafrost	Hydrology / Limnology	Water quality	Climate conditions	Eskers and other unique or fragile landscapes	Surface and bedrock geology	Sediment and soil quality	Tidal processes and bathymetry	Air quality	Noise levels	BIOLOGICAL	Vegetation	Wildlife, including habitat and migration patterns	Birds, including habitat and migration patterns	Aquatic species, incl. habitat and migration/spawning	Wildlife protected areas	SOCIO-ECONOMIC	Archaeological and cultural historic sites	Employment	Community wellness	Community infrastructure	Human health
<b>Havakvinga</b>																									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Aulapkaininnga</b>																									
Aerial surveys	-	-	-	-	-	-	-	-	-	-	-	-	M	-	U	U	-	-	-	-	-	P	-	-	-
Camp	-	-	U	-	-	-	-	-	U	-	-	-	-	-	U	U	-	-	-	-	P	P	-	-	-
<b>Piiqtauniq</b>																									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(P = Nakuuyuq, N = Nakuungittut unalu mikhilimaittuq, M = Nakuungittut unalu mikhittaaqtuq, U = Naluyauyuq)

## Havaariyuyukhamut Nayugaa



### List of Project Geometries

- |           |   |
|-----------|---|
| 1 polygon | region for occasional aircraft flights in mid-April using radars to measure sea ice thickness |
| 2 polygon | region for occasional aircraft flights in mid-April using radars to measure sea ice thickness |
| 3 point   | ice camp location (approx 15km SW of Cambridge Bay)   |